PacifiCorp
Historical Coincident Peak Growth Rates
1994-2010

	PacifiCorp System Coincident Peak (MW)	Percent Change	Utah Coincident Peak (MW)	Percent Change
1994	7,174		2,009	
1995	7,030	-2.01%	2,009	0.01%
1996	7,616	8.33%	2,101	4.56%
1997	7,266	-4.60%	2,096	-0.26%
1998	7,770	6.95%	2,590	23.57%
1999	7,570	-2.57%	2,935	13.34%
2000	8,056	6.41%	3,721	26.77%
2001	7,899	-1.95%	3,514	-5.56%
2002	8,549	8.24%	3,758	6.94%
2003	8,922	4.36%	4,038	7.46%
2004	8,628	-3.30%	3,869	-4.19%
2005	8,936	3.57%	4,056	4.84%
2006	9,322	4.32%	4,011	-1.12%
2007	9,775	4.86%	4,424	10.31%
2008	9,501	-2.80%	4,189	-5.32%
2009	9,420	-0.85%	4,394	4.90%
2010	9,399	-0.22%	4,371	-0.52%
1994-2010				
Average Annual				
Percent Change	1.70%		4.98%	
2000-2010				
Average Annual				
Percent Change	1.55%		1.62%	

Source: PacifiCorp (responses to data requests to the Commission staff).