EXHIBIT RMP_(HME-1R): AIR
POLLUTION CONTROL INVESTMENTS
INCLUDED IN THE ROCKY MOUNTAIN
POWER 2010 RATE CASE BEFORE THE
UTAH PUBLIC SERVICE COMMISSION

Exhibit RMP_(HME-1R) is the same as Rocky Mountain Power Confidential Exhibit UT CAT-1R Case #UT 10-035-124, Witness Chad Tepley

PacifiCorp - Utah GRC Pollution Control Projects Over \$5m Preliminary Assessment Proposed 40 CFR Part 63 HAPs MACT Rules Does Project Preliminary Assessment Additional Existing, Proposed, and Probable Rules Does Project

| | | | | | | | | | | | | | | | Environmental Regulations and Requirements for Installing Control Equipment | | | Part | | ACT Rules Doo | es Does Project Proposed, and Probable Rules Does Project iance? Support Compliance? | | | | | |
|------|-------------------|--|-----------------|------------------|---|------------------------------------|--|--------------------|----------|----------------------|------------------------------------|------------------------|------------------------|--|---|-------------------------------|---|--------------------------|------------------|---------------|--|----------|----------------------------|-----|-----|--|
| Proj | WBS Element | Project/WBS Short Text | Plant/Unit | In-Service | Compliance Dates | Projected Cost Included in Case | Percent of Cost Current Requirements | Date RFP Issued | APR | Date APR Approved | Planned Unit Outage Utilized | Principal Pollutant | Secondary Pollutant | Underlying State and Federal Regulations | State Issued Permit, Construction Permit or Approval Order | State Issued BART Permit | State Implementation Plan | Underlying Regulation | Non-Hg Metals | Acid Gases | Hg | NAAQS NA | Hour NO2 AAQS andard | | | Coal Combustion esiduals Regulations Inder Consideration |
| 1 | SNAU/2008/C/C05 | NAU U2 Flue Gas Desulfurization Sys | Naughton 2 | Nov-11 | NOV-2011 based on MD-5156 permit application. Prior to 2013 based on regional haze milestones - WY RH 309 SIP. May-2012 based on MD-5156 permit application. Prior to 2013 based on | 157,473,399 | 100 | Sep-08 | 10003746 | Apr-09 | Yes | SO ₂ | N/A | 40 CFR 51.309 40 CFR 52.21 | MD-5156 May 2009 | NA NA | WY Regional Haze 309 SIP | 40 CFR Part 63 | YES | YES | YES - with Reagent Injection | YES | | | YES | |
| 2 | SNAU/2008/C/C04 | NAU U1 Flue Gas Desulfurization Sys | Naughton 1 | May-12 | regional haze milestones - WY RH 309 SIP. Apr-2011 based on MD-7487 permit application. Prior to 2013 based on | 120,326,577 | 100 | Sep-08 | 10003745 | Apr-09 | Yes | SO ₂ | N/A | 40 CFR 51.309 40 CFR 52.21 | MD-5156 05/20/2009 | NA | WY Regional Haze 309 SIP | 40 CFR Part 63 | YES | YES | YES - with Reagent Injection | YES | | | YES | |
| 3 | SWDK/2007/C/724 | WDK U1 SO2 and PM Emiss Control Upgrade | Wyodak 1 | Apr-11 | regional haze milestones - WY RH 309 SIP. Prior to Dec 31, 2011 based on BART permit MD-6043A. | 103,192,481 | 100 | Oct-08 | 10004047 | May-09 | Yes | SO ₂ | Particulate | 40 CFR 51.309 40 CFR 51.309(g) | MD-7487 May 2009 | MD-6043A December 23, 2010 | WY Regional Haze 309 SIP WY Regional Haze 309(g) SIP Section 6.5.7 | 40 CFR Part 63 | YES | YES | YES - with Reagent Injection | YES | | | YES | |
| | | | | | Sep-2012 based on MD-5098 permit application. Prior to 2013 based on regional haze milestones - WY RH 309 SIP. Prior to Dec 31, 2012 based on BART permit MD-6041A. | | | | | | | | | 40 CFR 51.309 | | | WY Regional Haze 309 SIP WY Regional Haze 309(g) SIP | | | | YES - with Reagent | | | | | |
| 4 | SDVJ/2007/C/901 | DJ U4 SO2 & PM Emission Cntrl Upgrades | Dave Johnston 4 | Apr-12 | Sep-2010 based on MD-5098 permit application. Prior to 2013 based on regional haze milestones - WY RH 309 SIP. Prior to Dec 31, 2010 based on | 100,808,061 | 100 | May-07 | 10002175 | Jan-08 | Yes | SO ₂ | Particulate | 40 CFR 51.309(g) | MD-5098 June 2008 | MD-6041A December 23, 2010 | WY Regional Haze 309 SIP | 40 CFR Part 63 | YES | YES | Injection | YES | | | YES | |
| 5 | SDVJ/2007/C/898 | DJ U3 SO2 & PM Emission Control Upgrades | Dave Johnston 3 | May-10 | BART permit MD-6041A. Nov-2010 based on DAQE- | 9,488,898 | 100 | May-07 | 10000815 | Jan-08 | Yes | SO ₂ | Particulate | 40 CFR 51.309 40 CFR 51.309(g) | MD-5098 June 2008 | MD-6041A December 23, 2010 | WY Regional Haze 309(g) SIP Section 6.5.5 | 40 CFR Part 63 | YES | YES | YES - with Reagent Injection | YES | | | | |
| 6 | SHTN/2010/C/006 | HTG U1 Clean Air - PM (Baghouse) | | N= 10 | AN0102380019-09 permit application. Prior to 2012 to meet state R307-424- 4 Hg rules. Fall 2010 based on Utah SIP Section XX Regional Haze. | 02.070.226 | 100 | Feb-08 | 10007050 | Sep-08 | V | Particulate | | 40 CFR 51.309 Utah R307-401-8(2) 40 CFR 60.11(d) Utah R307-424-4 | UDAQ Permit 1501001003 August 2010 DAQE-AN0102380019-09 August 2009 | NA NA | Section XX Regional Haze D.6.c | 40 650 0-4 63 | VEC | NA NA | YES | | | | YES | |
| 0 | 31111120101070000 | HIG OI Clean Air - PW (bagnouse) | Huntington 1 | NOV-10 | 2011 based on permit schedule dated 12/18/2009. Prior to 2012 to meet state R307-424- 4 Hg rules. Spring 2011 based on Utah SIP Section XX Regional Haze. | | 100 | rep-us | 1000/059 | Sep-08 | Yes | Particulate | Wiercury | 40 CFR 51.309 Utah R307-401-8(2) | UDAQ Permit 1500101001 May 2008 | NA | Section AX Regional Haze D.S.C | 40 CFR Part 63 | TES | NA | YES | | | | 165 | |
| 7 | SHTR/2010/C/050 | HTR U2 Clean Air - PM (Baghouse) | Hunter 2 | Apr-11 | Nov-2010 based on DAQE-AN0102380019-09 permit application. | 55,035,231 | 100 | Feb-08 | 10002886 | Sep-08 | Yes | Particulate | Mercury | 40 CFR 60.11(d) Utah R307-424-4 | DAQE-AN0102370012-08 March 2008 | NA | Section XX Regional Haze D.6.c | 40 CFR Part 63 | YES | NA | YES | | | | YES | |
| 8 | SHTN/2007/C/273 | HTG U1 SO2 & PM Em Cntrl Upgrades | Huntington 1 | Dec-10 Mar-11 | Prior to 2013 based on regional haze milestones. Prior to 2012 to meet state R307-424- 4 Hg rules. Fall 2010 based on Utah SIP Section XX Regional Haze. | 40,578,698 | 100 | Jun-09 | 10002667 | Dec-09 | Yes | SO ₂ | Particulate | 40 CFR 51.309 Utah R307-401-8(2) 40 CFR 60.11(d) Utah R307-424-4 Utah R317-1-2 | UDAQ Permit 1501001003 August 2010 DAQE-AN0102380019-09 August 2009 UGW 15002 | NA | Section XX Regional Haze D.6.c | 40 CFR Part 63 | YES | YES | YES | YES | | | YES | YES |
| | | | | Jun-11 | 2011 based on permit schedule dated 12/18/2009. Prior to 2013 based on regional haze milestones. Prior to 2012 to meet state R307-424- 4 Hg rules. Spring 2011 based on Utah SIP Section XX Regional Haze. | | | | | | | | | 40 CFR 51.309 Utah R307-401-8(2) 40 CFR 60.11(d) Utah R307-424-4 | UDAQ Permit 1500101001 May 2008 DAQE-AN0102370012-08 March 2008 | | | | | | | | | | | |
| 9 | SHTR/2007/C/DU2 | HTR U2 SO2 & PM Emission Cntrl Upgrades | Hunter 2 | Mar-12 | 2014 based on permit schedule dated 12/18/2009. Prior to 2018 based on | 33,931,681 | 100 | Jun-09 | 10002884 | Dec-09 | Yes | SO ₂ | Particulate | Utah R317-1-2 | UGW 150001 | NA | Section XX Regional Haze D.6.c | 40 CFR Part 63 | YES | YES | YES | YES | | | YES | YES |
| | | | | | regional haze milestones. Prior to 2012 to meet state R307-424- 4 Hg rules. Spring 2014 based on Utah SIP Section XX Regional Haze. | | | | | | | | | 40 CFR 51.309 Utah R307-401-8(2) 40 CFR 60.11(d) Utah R307-424-4 | UDAQ Permit 1500101001 DAQE-AN0102370012-08 03/13/2008 | | | | | | | | | | | |
| 10 | SHTR/2007/C/DU1 | HTR U1 SO2 & PM Emission Cntrl Upgrades | Hunter 1 | Mar-12 | Jun-2011 based on MD-1552A permit application. Prior to 2013 based on | | 100 | Jun-09 | 10002883 | Dec-09 | Yes | SO ₂ | Particulate | Utah R317-1-2 | UGW 150001 | NA | Section XX Regional Haze D.6.c WY Regional Haze 309 SIP | | YES | YES | YES | YES | | | YES | YES |
| 11 | SJIM/2007/C/207 | JB U3 S02 & PM Emission Cntrl Upgrades | Jim Bridger 3 | Jul-11 | regional haze milestones - WY RH 309 SIP. Apr-2011 based on MD-7487 permit application. Prior to Dec 31, 2011 based on BART permit MD-6043A. | 17,120,310 | 100 | Apr-08 | 10003390 | Mar-08 | Yes | SO ₂ | Particulate | 40 CFR 51.309 40 CFR 51.309(g) 40 CFR 51.309(g) | MD-1552 April 2007 MD-1552A March 2009 | MD-6040A November 24, 2010 | WY Regional Haze 309(g) SIP Section 6.5.4 WY Regional Haze 309(g) SIP | 40 CFR Part 63 | YES | YES | YES - with Reagent Injection | YES | | | YES | |
| 12 | SWDK/2009/C/009 | WDK U1 Clean Air - NOx (LNB) | Wyodak 1 | Apr-11 | Nov-2011 based on MD-5156 permit application. Prior to Jun 30, 2012 | 12,321,367 | 100 | Aug-09 | 10004049 | Mar-10 | Yes | NOx | со | 40 CFR 76.5, 76.11 | MD-7487 May 2009 | MD-6043A December 23, 2010 | | NA | NA | NA | NA | | YES | YES | | |
| 13 | SNAU/2009/C/202 | NAU U2 Clean Air - NOx (LNB) | Naughton 2 | Nov-11 | based on BART permit MD-6042A. | 10,361,642 | 100 | Jun-10 | 10003744 | Aug-10 | Yes | NOx | со | 40 CFR 51.309(g) 40 CFR 76.7, 76.11 | MD-5156 May 2009 | MD-6042A December 23, 2010 | WY Regional Haze 309(g) SIP Section 6.5.6 | NA | NA | NA | NA | , | YES | YES | | |
| 14 | SHTN/2010/C/013 | HTG U1 Clean Air - NOx (LNB) | Huntington 1 | Nov-10 | Nov-2010 based on DAQE- AN0102380019-09 permit application. Fall 2010 based on Utah SIP Section XX Regional Haze. May-2012 based on MD-5156 permit | 9,479,528 | 100 | May-09 | 10002666 | Jan-09 | Yes | NOx | со | 40 CFR 51.309 40 CFR 76.7, 76.11 | DAQE-AN0102380019-09 August 2009 | NA | Section XX Regional Haze D.6.c | NA | NA | NA | NA | | YES | YES | | |
| 15 | 10003752 | Naughton U1 Clean Air - NOx (LNB) | Naughton 1 | May-12 | application. Jun-2012 based on BART permit MD- 6042A | 9,373,081 | 100 | Apr-11 | 10003752 | May-11 | Yes | NOx | со | 40 CFR 51.309(g) 40 CFR 76.7, 76.11 | MD-5156 05/20/2009 | MD-6042A December 23, 2010 | WY Regional Haze 309(g) SIP Section 6.5.6 | NA | NA | NA. | NA | | YES | YES | | |
| | | | | | 2011 based on permit schedule dated 12/18/2009. Spring 2011 based on Uta SIP Section XX Regional Haze. | l F | | | | | | | | 40 CFR 51.309 | UDAQ Permit 1500101001 May 2008 | | | | | | | | | | | |
| 16 | SHTR/2009/C/150 | Hunter U2 Clean Air - NOx (LNB) | Hunter 2 | Apr-11 | | 6,621,239 | 100 | Sep-10 | 10002882 | Aug-10 | Yes | NOx | со | 40 CFR 76.7, 76.11 | DAQE-AN0102370012-08 March 2008 | NA | Section XX Regional Haze D.6.c | NA | NA | NA | NA | | YES | YES | | |