

### P.S.C.U. No. 48

# First Revision of Sheet No. 115.8 Canceling Original Sheet No. 115.8

## **ELECTRIC SERVICE SCHEDULE NO. 115 - Continued**

(D) (C) Notes for Table 1a: 1. To be eligible for the incentives listed, the new lighting system must use less energy than the existing lighting system replaced or the baseline lighting system as determined by the Company. 2. Incentives are capped at 50 percent of Energy Efficiency Project Costs and subject to the one-year payback cap. The incentive for Standard T8 Fluorescent will no longer be available effective July 14, 2012. 3. 4. 2' U-tube lamps may be substituted for 4' linear fluorescent lamps. 5. Incentives for T8 Fluorescent Premium Delamps may not be combined with other linear fluorescent lamp or fixture incentives. Complete fixture removals are not eligible. 6. Incentives for T8 Fluorescent Relamps may not be combined with other linear fluorescent lamp or fixture incentives and will only be paid once per facility. 7. Qualified equipment lists referenced in the above table are posted on the Utah energy efficiency program section of the Company's website. (C)The incentive for Screw-In CFL Lamps will no longer be available effective January 1, 2014. 8. BF = Ballast Factor (N) CEE = Consortium for Energy Efficiency CFL = Compact Fluorescent Lamp CMH = Ceramic Metal Halide HID = High Intensity Discharge (e.g. Mercury Vapor, High Pressure Sodium, Metal Halide) HO = High OutputLED = Light-Emitting Diode PSMH = Pulse-Start Metal Halide

#### Table 1b – Lighting Controls and Non-General Illuminance Incentives (Retrofit Only)

Measure	Category	Eligibility Requirements	Incentive
Lighting Control	Occupancy Control	PIR, Dual Tech, or Integral Sensor	\$75/Sensor
	Daylighting Control	Must control interior fixtures with driver or qualifying ballast that dims 50% or more of the fixture in response to daylight.	\$75/Sensor
	Advanced Daylighting Control	Must incorporate both an occupancy sensor and daylighting sensor operating as part of the same control sequence in the same space.	\$150
	Dimming Ballast	Continuous, Stepped, or Bi-level ballast or automated control that dims 50% or more of the fixture. Must be controlled by a qualifying occupancy or daylighting control.	\$15/Ballast

(N)

#### (continued)

Issued by authority of Report and Order of the Public Service Commission of Utah in Advice No. 12-05