

P.S.C.U. No. 49

ELECTRIC SERVICE SCHEDULE NO. 115 - Continued

Notes for Table 1a:

- 1. To be eligible for the incentives listed, the new lighting system must use less energy than the existing lighting system replaced or the baseline lighting system as determined by the Company.
- 2. Incentives are capped at 50 percent of Energy Efficiency Project Costs and subject to the one-year payback cap.
- 3. The incentive for Standard T8 Fluorescent will no longer be available effective July 14, 2012.
- 4. 2' U-tube lamps may be substituted for 4' linear fluorescent lamps.
- 5. Incentives for T8 Fluorescent Premium Delamps may not be combined with other linear fluorescent lamp or fixture incentives. Complete fixture removals are not eligible.
- 6. Incentives for T8 Fluorescent Relamps may not be combined with other linear fluorescent lamp or fixture incentives and will only be paid once per facility.
- 7. Qualified equipment lists referenced in the above table are posted on the Utah energy efficiency program section of the Company's website.
- 8. The incentive for Screw-In CFL Lamps will no longer be available effective January 1, 2014.

BF = Ballast Factor

CEE = Consortium for Energy Efficiency

CFL = Compact Fluorescent Lamp

CMH = Ceramic Metal Halide

HID = High Intensity Discharge (e.g. Mercury Vapor, High Pressure Sodium, Metal Halide)

HO = High Output

LED = Light-Emitting Diode

PSMH = Pulse-Start Metal Halide

Table 1b – Lighting Controls and Non-General Illuminance Incentives (Retrofit Only)

| Measure | Category | Eligibility Requirements | Incentive |
|------------------|---------------------------------|---|--------------|
| Lighting Control | Occupancy Control | PIR, Dual Tech, or Integral Sensor | \$75/Sensor |
| | Daylighting Control | Must control interior fixtures with driver or qualifying ballast that dims 50% or more of the fixture in response to daylight. | \$75/Sensor |
| | Advanced Daylighting Control | Must incorporate both an occupancy sensor and daylighting sensor operating as part of the same control sequence in the same space. | \$150 |
| | Dimming Ballast | Continuous, Stepped, or Bi-level ballast or automated control that dims 50% or more of the fixture. Must be controlled by a qualifying occupancy or daylighting control. | \$15/Ballast |

(continued)

Issued by authority of Report and Order of the Public Service Commission of Utah in Docket No. 11-035-200