

**ELECTRIC SERVICE SCHEDULE NO. 115 - Continued**
**Table 4b – Building Envelope Incentives (New Construction/Major Renovation)**

<b>Equipment Type</b>	<b>Category</b>	<b>Minimum Efficiency Requirement</b>	<b>Customer Incentive</b>
Cool Roof	--	ENERGY STAR Qualified	\$0.10/square foot
Roof/Attic Insulation	--	Minimum increment of R-5 insulation above code (See Note 5)	\$0.05/square foot
Wall Insulation	--	Minimum increment of R-3.7 continuous insulation above code (See Note 5)	\$0.07/square foot
Windows (See Note 3, 4)	Site-Built	U-Factor $\leq 0.30$ and SHGC $\leq 0.33$ (Glazing Only Rating)	\$0.35/square foot
	Assembly	U-Factor $\leq 0.30$ and SHGC $\leq 0.33$ (Entire Window Assembly Rating)	\$0.35/square foot

Notes for Table 4b:

1. Equipment that meets or exceeds the efficiency requirements listed for the equipment category in the above table may qualify for the listed incentive.
2. Building must be conditioned with mechanical cooling to be eligible for envelope incentives.
3. Energy performance of window assemblies and glazing products must be rated in accordance with NFRC. Site-Built metal window systems must include a thermal break within the frame or other appropriate NFRC certification to qualify for incentives. Skylights are not eligible to receive the incentives in the above table.
4. Window square footage is determined by the dimensions of the entire window assembly, not just the window glass.
5. Compliance with the minimum efficiency requirements of Roof/Attic and Wall Insulation measures may be demonstrated with equivalent U-factors and are subject to approval by the Company.

NFRC = National Fenestration Rating Council

SHGC = Solar Heat Gain Coefficient