P.S.C.U. No. 49

# Second First Revision of Sheet No. 111.4 Canceling First Revision of Original Sheet No. 111.4

# **ELECTRIC SERVICE SCHEDULE NO. 111 - Continued**

**Table 1. Qualifying Equipment or Services** - (continued)

Equipment or Service	Customer Incentive	Mid-Market Incentive	<u>Contractor</u> <u>Required</u>	<u>Participation</u> <u>Procedure</u>
Electric Water Heater(s) – tank sizes				
and Energy Factor (EF) listed below				
40 - 49 gallon tank ≥ .94 EF	<u>\$50</u>	<u>NA</u>	<u>No</u>	Post purchase application
$50 - 65$ gallon tank $\geq .95$ EF	<u>\$50</u>	<u>NA</u>	<u>No</u>	Post purchase application
$\geq$ 66 gallon tank $\geq$ .93 EF	<u>\$50</u>	<u>NA</u>	<u>No</u>	Post purchase application
Heat Pump Water Heater				
Northern Climate Specification	<u>\$600</u>	<u>\$200</u>	<u>No</u>	Post purchase application
Qualified				

#### For Water Heater Measures:

- Due to the federal standard change, incentives for electric water heaters will not be available for purchases made on or after April 16, 2015.
   Incentives will be provided only for units purchased on or before April 15, 2015.
- Due to the April 2015 federal standard changes, heat pump water heaters that do not meet the new standard will no longer be offered incentives after April 15, 2015.

<u>April 15, 2015.</u>						
Insulation - Residences with Electric hea	<u>t</u>					
Attic/ceiling insulation						
Existing R-20 or less, final R-38 or	\$0.65/SF	NA	Yes	Post purchase application		
greater	<del></del>	<del></del>	<del></del>			
Wall insulation						
Existing R-10 or less, add R-13 or fill	\$0.65/SF	<u>NA</u>	Yes	Post purchase application		
cavity				•		
Floor insulation						
Existing R-18 or less, final R-30 or	\$0.65/SF	<u>NA</u>	Yes	Post purchase application		
greater or fill cavity						
Insulation - Residences with Electric coo	ling					
Attic/ceiling insulation						
Existing R-20 or less, final R-38 or	\$0.10/SF	<u>NA</u>	Yes	Post purchase application		
greater						
Wall insulation						
Existing R-10 or less, add R-13 or fill	\$0.25/SF	<u>NA</u>	<u>Yes</u>	Post purchase application		
cavity						
Self-Installed Insulation - Residences wi	th Electric heat					
Attic/ceiling insulation						
Existing R-20 or less, final R-38 or	<u>\$0.40/SF</u>	<u>NA</u>	<u>No</u>	Post purchase application		
greater						
Wall insulation						
Existing R-10 or less, add R-13 or fill	\$0.45/SF	<u>NA</u>	<u>No</u>	Post purchase application		
<u>cavity</u>						
Floor insulation						
Existing R-18 or less, final R-30 or	<u>\$0.25/SF</u>	<u>NA</u>	<u>No</u>	Post purchase application		
greater or fill cavity						
Self-Installed Insulation - Residences with Electric cooling						
Attic/ceiling insulation	·		·	·		
Existing R-20 or less, final R-38 or	\$0.10/SF	<u>NA</u>	<u>No</u>	Post purchase application		
<u>greater</u>						
Wall insulation						
Existing R-10 or less, add R-13 or fill	\$0.20/SF	<u>NA</u>	<u>No</u>	Post purchase application		
<u>cavity</u>						

## For Insulation Measures:

- Incentive may not exceed total project cost.
- In order to receive non-self-install incentives, work must be completed by a qualified weatherization trade ally per program requirements.
- Customers with both electric heat and electric cooling are only eligible for the electric heat incentive.
- Customers applying for electric heat incentives must have a permanently installed electric furnace, heat pump or zonal electric heat system serving at least 80% of the home's conditioned floor area and used as the primary heat source of the residence.
- Customers applying for electric cooling incentives must have a permanently installed ducted central air conditioner or heat pump that cools at least 80% of the home's conditioned floor area.
- Insulation must be fully installed per program requirements prior to submitting application.

Issued by authority of Report and Order of the Public Service Commission of Utah in Advice No. 14-073-10

**FILED:** July 92, 20143 **EFFECTIVE:** May 1, 2013 August 8, 2014



# P.S.C.U. No. 49

Second First Revision of Sheet No. 111.4 Canceling First Revision of Original Sheet No. 111.4

# **ELECTRIC SERVICE SCHEDULE NO. 111 - Continued**

• For participating WAP contractors, the customer incentive will be paid directly to the WAP contractor.						
Windows - Residences with Electric heat						
Tier 2 (R-5) Windows U-Factor of $\leq 0.22$	<u>\$2.00/SF</u>	<u>NA</u>	<u>No</u>	Post purchase application		
Windows - Residences with Electric cooling						
$\frac{\text{Tier 1 Windows}}{\text{U-Factor of} \le 0.30}$	<u>\$0.50/SF</u>	<u>NA</u>	<u>No</u>	Post purchase application		
Tier 2 (R-5) Windows <u>U-Factor of <math>\leq</math> 0.22</u>	<u>\$1.00/SF</u>	<u>NA</u>	<u>No</u>	Post purchase application		

#### For Windows Measures:

- Incentive may not exceed total project cost.
- Customers with both electric heat and electric cooling are only eligible for the electric heat incentive.
- Customers applying for electric heat incentives must have a permanently installed electric furnace, heat pump or zonal electric heat system serving at least 80% of the home's conditioned floor area and used as the primary heat source of the residence.
- Customers applying for electric cooling incentives must have a permanently installed ducted central air conditioner or heat pump that cools at least 80% of the home's conditioned floor area.
- For participating WAP contractors, the customer incentive will be paid directly to the WAP contractor.

Duct sealing electric heating	\$300	\$100	Yes	Post purchase application		
$(R_{\text{initial}} > R-2)$	<u>\$300</u>	<u>\$100</u>	168	1 ost purchase application		
Duct sealing and duct insulation	\$100	\$20	Yes	Post purchase application		
Electric cooling	<u>\$100</u>	<u>\$20</u>	103	1 ost purchase application		
Duct sealing and duct insulation	<u>\$600</u>	\$200	Yes	Post purchase application		
Electric heating	<u>\$000</u>	<u>\$200</u>	168	i ost purchase application		
Manufactured Homes	NIA	Up to \$750	Yes	Direct install		
Duct Sealing, Electric heat	<u>NA</u>	<u>Op to \$730</u>	168	<u>Direct ilistan</u>		
Manufactured Homes	NIA	IIn to \$200	Vos	Direct install		
Duct Sealing, Electric cooled	<u>NA</u>	<u>Up to \$200</u>	Yes	<u>Direct instail</u>		

### For Duct Sealing & Duct Insulation Measures:

- Incentive may not exceed total project cost.
- Customers with both electric heat and electric cooling are only eligible for the electric heat incentive.
- Work must be completed by a qualified or participating HVAC trade ally per program requirements.
- Customers applying for electric heat incentives must have a permanently installed electric furnace, heat pump or zonal electric heat system serving at least 80% of the home's conditioned floor area and used as the primary heat source of the residence.
- Customers applying for electric cooling incentives must have a permanently installed ducted central air conditioner or heat pump that cools at least 80% of the home's conditioned floor area.
- For participating WAP contractors, the customer incentive and mid-market incentive will be paid directly to the WAP contractor.

New Manufactured Homes, ENERGY STAR, Electric heat	<u>NA</u>	<u>\$1,000</u>	Yes	Manufacturer rebate
New Manufactured Homes, ENERGY STAR, Electric cooled	<u>NA</u>	<u>\$500</u>	<u>Yes</u>	Manufacturer rebate

#### For New Manufactured Homes Measures:

Customers with both electric heat and electric cooling are only eligible for the electric heat incentive.

Equipment or Service	Customer	<del>Dealer</del>	Availability	Contractor	Participation
	incentive	incentive		<del>required</del>	<del>procedure</del>
Electric Water Heater(s) – tank sizes and					
Energy Factor (EF) listed below					
40 – 49 gallon tank ≥ .94 EF	<del>\$50</del>	NA	Year round	No	Post purchase application
$50-65$ gallon tank $\geq .95$ EF	<del>\$50</del>	NA	Year round	No	Post purchase application
$\geq$ 66 gallon tank $\geq$ .93 EF	<del>\$50</del>	NA	Year round	No	Post purchase application
Heat Pump Water Heater – Note 3	<del>\$300</del>	<del>\$100</del>	Year round	Yes	Post purchase application
Energy Star qualified					
Translation Decidence with Electric beat. No.	44 ( 7 0 14 15				
	tes 4, 6, 7, 8, 14, 15				
Attic/ceiling insulation	\$0.65/SF	NA	Year round	Yes	Post purchase application
Existing R-20 or less, final R-38 or greater	ψ0.05/51				

Issued by authority of Report and Order of the Public Service Commission of Utah in Advice No. 14-073-10

**FILED:** July <u>92</u>, 201<u>43</u> **EFFECTIVE**: <u>May 1, 2013 August 8, 2014</u>



P.S.C.U. No. 49

# SecondFirst Revision of Sheet No. 111.4 Canceling First Revision of Original Sheet No. 111.4

# **ELECTRIC SERVICE SCHEDULE NO. 111 - Continued**

XX7 11 1 1 1 1 1		27.4	*7 1	***	D : 1 2 2
Wall insulation	\$0.65/SF	NA	Year round	<del>Yes</del>	Post purchase application
Existing R-10 or less, add R-13 or fill cavity Floor insulation		NA	Year round	Yes	Doot associate as an illustical
Existing R-18 or less, final R-30 or greater	\$0.65/SF	<del>NA</del>	<del>Year round</del>	<del>Yes</del>	Post purchase application
	N	1.15			
Insulation - Residences with Electric cooling	Notes 5, 6, 8, 14	<u> </u>		**	
Attic/ceiling insulation	\$0.15/SF	NA	Year round	<del>Yes</del>	Post purchase application
Existing R-20 or less, final R-38 or greater Wall insulation		NA	Year round	Yes	Doot mandage and the time
Existing R-10 or less, add R-13 or fill cavity	\$0.30/SF	NA	<del>Year round</del>	<del>Yes</del>	Post purchase application
		4 6 7 0 14			
Self-Installed Insulation - Residences with Ele	etric heat Notes	4, 6, 7, 8, 14			
Attic/ceiling insulation	\$0.40/SF	NA	Year round	No	Post purchase application
Existing R-20 or less, final R-38 or greater	,				
Wall insulation	\$0.45/SF	NA	Year round	No	Post purchase application
Existing R-10 or less, add R-13 or fill cavity Floor insulation					
11001 111001111011	\$0.25/SF	NA	Year round	No	Post purchase application
Existing R-18 or less, final R-30 or greater	. 4 . 2 12 NT	5 ( 0 14			
Self-Installed Insulation - Residences with Ele	ectric cooling - N	otes 5, 6, 8, 14			
Attic/ceiling insulation	\$0.15/SF	NA	Year round	No	Post purchase application
Existing R-20 or less, final R-38 or greater					
Wall insulation	\$0.20/SF	N/A	Year round	No	Post purchase application
Existing R-10 or less, add R-13 or fill cavity		-			
Insulation Spiff – Residences with Electric He					
Incentive for installing any two of attic/ceiling,	<del>\$300</del>	NA	Year round	Yes	Post purchase application
wall and/or floor at the same time					
Windows - Residences with Electric heat and	cooling - Note 8.	).			
Tier 2 (R-5) Windows					Post purchase application
U-Factor of ≤ 0.22	\$2.00/SF	NA	Year round	Yes	r ost paremase appreauton
Windows - Residences with Electric cooling -	Note 5, 8				
Tier 1 Windows		27.1		•••	Post purchase application
U-Factor of ≤ 0.30	<del>\$0.50/SF</del>	NA	Year round	<del>Yes</del>	1 11
Tier 2 (R-5) Windows	¢1.00/GE	NTA	37 1	37	Post purchase application
U-Factor of ≤ 0.22	\$1.00/SF	NA	Year round	Yes	
Duct sealing electric heating – Notes 6, 10, 11,	\$200	<del>\$50</del>	Year round	Yes	Post purchase application.
16	+200	Ψυ σ	- Cui Toulia	100	
Duct sealing and duct insulation electric cooling	<del>\$150</del>	<del>\$50</del>	Year round	Yes	Post purchase application.
-Notes 5, 6, 16		74.4			
Duct sealing and duct insulation electric heating	<del>\$300</del>	<del>\$50</del>	Year round	Yes	Post purchase application.
-Notes 6, 10, 16					
Central Air Conditioner Tune-ups Note 17	<del>\$20</del>	NA	Year round	Yes	Post purchase application
Heat Pump Tune-ups – Note 17	\$100	\$25	Year round	Yes	Post purchase application.
Treat I amp Tane-ups - Note 17	ψ100	ΨΔ.J	1 cai 10u <del>nu</del>	103	1 ost purchase application:

(Continued)

Issued by authority of Report and Order of the Public Service Commission of Utah in Advice No. 14-073-10

**FILED:** July <u>92</u>, 201<u>43</u> **EFFECTIVE**: <u>May 1, 2013 August 8, 2014</u>