

ELECTRIC SERVICE SCHEDULE NO. 140 - Continued
Notes for Table 10:

1. Equipment that meets or exceeds the efficiency requirements above may qualify for the listed incentive.
2. Except for the zero loss condensate drain and compressed air end use reduction measures, eligibility for incentives is limited to compressed air systems with total compressor capacity of 75 hp or less, not including backup compressor capacity that does not normally run.
3. Incentives are capped at 70 percent of Energy Efficiency Project Costs, and incentives will not be available to reduce Energy Efficiency Project simple payback below one year. Energy savings and Energy Efficiency Project Costs are subject to Company approval.
4. Zero loss condensate drains purchased as an integral part of another measure are eligible for the incentive shown above.

hp = horsepower

ppm = parts per million

psi = pounds per square inch

scfm = cubic feet of air per minute at standard conditions (14.5 psia, 68°F, and 0% relative humidity)

VFD = variable frequency drive

Table 11 - Incentives for Wastewater, Oil and Gas, and Other Refrigeration Energy Efficiency Measures

Equipment Type	Replace	With	Customer Incentive
Adaptive refrigeration control	Conventional controls (defrost timeclock, space thermostat, evaporator fan control, if any, thermal expansion valve in some instances)	Adaptive refrigeration controller and, in some instances, electric expansion valve	\$0.15/kWh annual energy savings
Fast acting door	Manually operated door, automatic door with long cycle time, strip curtain, or entryway with no door in refrigerated/conditioned space	Fast acting door	\$0.15/kWh annual energy savings
Oil and gas pump off controller		Add pump off controller to existing oil or gas well	\$1,500 per controller
Wastewater – low power mixer	Excess aeration capacity	Extended range circulator	\$0.15/kWh annual energy savings

Notes for Table 11:

1. Equipment that meets or exceeds the efficiency requirements above may qualify for the listed incentive.
2. Incentives are capped at 70 percent of Energy Efficiency Project Costs, and incentives will not be available to reduce the Energy Efficiency Project simple payback below one year. Energy savings and Energy Efficiency Project Costs are subject to Company approval.

(continued)