

P.S.C.U. No. 50

First Revision of Sheet No. 140.19 Canceling Original Sheet No. 140.19

ELECTRIC SERVICE SCHEDULE NO. 140 - Continued

Table 8a - Irrigation Incentives – Measures for Wheel Line, hand Line, or Other Portable Systems (Retrofit Only) (Continued)

Irrigation Measure	Replace	With	Limitations	Incentive "up to"
New or rebuilt wheel line feed hose replacing leaking wheel line feed hose	Leaking wheel line feed hose	New or rebuilt wheel line feed hose	 Applies to leaking wheel line feed hose only. For rebuilds, invoice must show number of rebuild kits purchased and installed. 	\$12 each
New Thunderbird wheel line hub replacing leaking wheel line hub	Leaking Thunderbird wheel line hub	New Thunderbird wheel line hub	New hub must replace leaking hub	\$10 each

Table 8b - Irrigation Incentives – Measures for Pivots and Linear Systems (Retrofit Only)

Irrigation Measure	Replace	With	Limitations	Incentive "up to"
Pressure regulator	Worn pressure regulator	New pressure regulator of same design pressure or less	1. New regulator must be of same design pressure or less	\$3 each
Low pressure sprinkler (e.g. rotating, wobbling, multi-trajectory spray) replacing impact sprinkler	Impact sprinkler	New low pressure sprinkler (on-board nozzle is considered part of sprinkler, not a separate item with additional incentive)	1. New sprinkler is of same design flow or less	\$3 each
Low pressure sprinkler (e.g. rotating, wobbling, multi-trajectory spray) replacing worn low pressure sprinkler	Worn low pressure sprinkler (e.g. rotating, wobbling, multi-trajectory spray)	New low pressure sprinkler (on-board nozzle is considered part of sprinkler, not a separate item with additional incentive)	1. New sprinkler is of same design flow or less	\$1.50 each
Gooseneck as part of conversion to low pressure system		New gooseneck as part of conversion to low pressure system	Gooseneck shall be used to convert existing center pivot with sprinkler equipment mounted on top of the pivot to low pressure sprinklers with regulators on new drop tubes.	\$0.50 per outlet

(Continued)

Issued by authority of Report and Order of the Public Service Commission of Utah in Advice No. 16-03