

# 2.09 THERMWISE<sup>®</sup> ENERGY EFFICIENCY

### **ENERGY EFFICIENCY PROGRAMS**

Since 2007 the Company has designed and implemented cost effective Demand-Side Management (DSM) programs that encourage residential and commercial customers receiving service on the GS rate schedule to purchase and install energy-efficiency products and appliances. The programs currently offered by the Company are detailed in the following Sections:

- § 2.10 ThermWise<sup>®</sup> Appliance Rebates
- § 2.11 ThermWise<sup>®</sup> Builder Rebates
- § 2.12 ThermWise<sup>®</sup> Business Rebates
- § 2.13 ThermWise<sup>®</sup> Home Energy Plan
- § 2.14 ThermWise<sup>®</sup> Weatherization Rebates
- § 2.15 Low-Income Efficiency Program
- § 2.16 ThermWise® Authorized Contractors
- § 2.17 ThermWise<sup>®</sup> Energy Comparison Report

Qualifying appliances and/or measures will be eligible for rebates under only one of the above-listed programs. Program participants will be required to provide appropriate documentation as determined by the Company or its program administrator to ensure program eligibility requirements are satisfied.

### **DEFERRED ACCOUNT ACCRUAL**

The Company shall record all energy efficiency-related expenses in the DSM Deferred Account (Account 182.4).

#### AMORTIZATION OF ACCRUAL

At least annually, the Company will file with the Commission an application to amortize the balance in Account 182.4. The balance will be amortized by a uniform increase or decrease to the GS DNG block rates of the magnitude necessary to amortize the balance over one year.

## **CARRYING CHARGE**

An annual interest rate, as described in § 8.07 Calculation of Carrying Charge, shall be applied monthly to the DSM Deferred Account balance, as adjusted for the corresponding tax deferral balance in Account 283. The DSM Deferred Account will be increased by the carrying charge.

Issued by C. C. Wagstaff, Senior	Advice No.	Section Revision No.	Effective Date
VP & General Manager	20-0 <del>1</del> 7	4 <u>5</u>	MarchJanuary 1, 20201



# 2.10 THERMWISE® APPLIANCE REBATES

### **PROGRAM DESCRIPTION**

Through the ThermWise Appliance Rebates program, the Company offers a rebate to residential customers receiving service on a GS rate schedule.

Except as otherwise provided in § 2.15, a rebate under the ThermWise Appliance Rebates program is paid directly to a customer for purchasing and installing a qualifying measure at a qualifying residence. Qualifying single family residences are defined as having 3 or fewer units and multi-family as having four or more units. Qualifying measures are listed below in the ThermWise Appliance Rebates Table. This includes the replacement of existing appliances as well as first-time installations.

Except as otherwise noted in the ThermWise Appliance Rebates Table, a customer may receive rebates for up to two of each type of measure purchased and installed per dwelling unit. For example, a rebate will be paid for up to two high-efficiency furnaces and two high-efficiency water heaters, etc., purchased and installed per dwelling unit.

### **QUALIFICATION REQUIREMENTS AND REBATE AMOUNTS**

To receive a rebate, customers must submit a completed application form and required supporting documentation within 6 months of the purchase of the qualifying measure. The following requirements and rebates to customers are applicable for the ThermWise Appliance Rebates program measures.

Appliance Rebates Efficiency Measure	Minimum Efficiency Of New Equipment	Rebate Amount
Natural Gas Furnace – 95% AFUE	AFUE ≥ 95 < 97.5	\$300.00
Natural Gas Furnace – 98% AFUE	AFUE ≥ 97.5	\$350.00
Dual-Fuel Heating System	ENERGY STAR <sup>®</sup> Certified Ducted Heat Pump with $HSPF \ge 9.0$ SEER > 14 ENERGY STAR <sup>®</sup> Certified Natural Gas Heating System Changeover setpoint $\le 40^{\circ}$ F	\$800.00 single family\$450.00 multifamily
High-Efficiency Gas Storage Water Heater	ENERGY STAR <sup>®</sup> Certified	\$100.00
Tankless Gas Water Heater	ENERGY STAR® Certified	\$300.00
High-Efficiency Condensing Gas Storage Water Heater	Condensing ENERGY STAR <sup>®</sup> Certified	\$350.00
High-Efficiency Hybrid Gas Water Heater	$TE \ge 0.90$	\$350.00



Appliance Rebates Efficiency Measure	Minimum Efficiency Of New Equipment	Rebate Amount
Residential Gas Boiler – Tier 1	AFUE > 85% < 95%	\$400.00
Residential Gas Boiler – Tier 2	$AFUE \ge 95\%$	\$600.00
Solar Assisted Domestic Water Heating	Active system certified OG- 300 by SRCC	\$750.00
Solar Assisted Pool Water Heating	Active system certified OG-100 by SRCC	\$750.00
Direct-Vent Gas Fireplace	$\frac{\text{AFUE}}{\text{EE}} \ge 70\%, \text{ with an} \\ \frac{\text{electronic pilot ignition}}{\text{intermittent ignition, heat rated,}} \\ \frac{\text{thermostat controlled with blower}}{\text{thermostat controlled with blower}}$	\$200.00
Smart Thermostat	A list of manufacturers and rebate qualifying model numbers can be found at <u>www.ThermWise.com</u> . Participation is limited to 2 rebates per premises	\$50.00
Residential Boiler Reset Control	N/A	\$100.00
Combined Space and Water Heater	Must be considered one unit by manufacturer and must have an AFUE of $\geq$ 95%	\$750.00
Smart Water Heater Controller	A list of manufacturers and rebate qualifying model numbers can be found at <u>www.ThermWise.com</u> . Participation is limited to 2 rebates per premise	\$50.00
Energy Recovery Ventilation	Gas spaceheating is required Must include a central system with internal fan system and separation of indoor and outdoor airflows Must not be required by code	<u>\$300.00 single</u> <u>family</u> <u>\$150.00</u> <u>multifamily</u>

Definitio	ons:	
	AFUE	Annual Fuel Utilization Efficiency
	EF	Energy Factor
	<u>FE</u>	Fireplace Efficiency
	<u>HSPF</u>	Heating Seasonal Performance Factor
	TE	Thermal Efficiency
	<u>SEER</u>	Seasonal Energy Efficiency Ratio
	SRCC	Solar Rating and Certification Corporation



# **REBATE LIMITATIONS**

Customers receiving rebates for qualifying equipment through the Appliance Rebate Program may not receive rebates for the same equipment through any other ThermWise Program. In order to qualify for a rebate, equipment must be purchased new, not used or leased.

Issued by C. C. Wagstaff, Senior	Advice No.	Section Revision No.	Effective Date
VP & General Manager	20-0 <u>47</u>	4 <u>5</u>	MarchJanuary 1, 20201



# 2.11 THERMWISE® BUILDER REBATES

# **PROGRAM DESCRIPTION**

Residential homebuilders and owner-builders (Builder) can receive rebates for implementing qualifying measures as shown below in the Builder Rebates Table, in newly constructed single and multi-family residences that are receiving or will receive service on the GS rate schedule. A Builder will receive a rebate for up to two of each type of appliance or measure (excluding energy efficiency whole house measures) purchased and installed per dwelling unit. See example under Rebate Limitation section.

A Builder will receive a rebate for a dwelling unit that qualifies for an energy--efficient Whole--House certification, based upon the rebate tiers described below. A builder may receive additional rebates for additional measures, including mandatory measures, as more specifically described below.

<u>Rebates under the ThermWise Builder Rebates program will be paid directly to a Builder as</u> <u>indicated on the application for implementing the qualifying energy-efficiency measures.</u> <u>Qualifying</u> appliances and measures are listed in the Builder Rebates Table.

Residential homebuilders and owner-builders (Builder) can receive rebates/credits for implementing qualifying measures as shown below in the Builder Rebates Table, in newly constructed single and multi-family residences that are receiving service on the GS rate schedule. Qualifying single family residences are defined as having three or fewer units and multi-family as having four or more units.

A Builder can receive a rebate for a dwelling unit that qualifies for an energy efficient Whole House certification, based upon the rebate tiers described below. A builder may also receive rebates for additional measures, including the mandatory measures for Dominion Energy whole home rebate measures.

Builders may elect to receive either a rebate check or a rebate credit for installing furnaces and/or 2 x 6 exterior walls which meet the minimum efficiency qualifications listed in the Builder Rebates Table. A rebate credit will be applied against the Company assessed meter and service line costs (as defined in § 9.04). In the case where the rebate credit exceeds the meter and service line costs, a rebate check will be issued to the Builder for the overage. Rebate credits will be calculated using the established furnace and/or 2 x 6 exterior wall rebate amounts listed in the Builder Rebates Table. A rebate check will be the only payment option for all other measures (non-furnace and 2 x 6 exterior walls) listed in the Builder Rebates Table. Only newly constructed single family residences with natural gas space heating are eligible for participation in the rebate credit.

Rebates under the ThermWise Builder Rebates program will be paid/credited directly to a Builder for installation of qualifying energy efficiency measures.

A Builder must take the following steps in order to receive a rebate credit:

1. Builder contacts the Company to begin service line and meter installation process.

Builder provides home construction details necessary to calculate service line and meter charges (e.g. setback footage, natural gas appliance types, btu input).



- Builder submits the home's REScheck report to the Company and agrees in writing (by signing the Company's Service Line application) to install qualifying furnaces and/or 2 x 6 exterior walls.
  - . Builder remits payment to the Company for the home's meter and service line charges, less rebate credit amount.

The Company will verify installation of rebate credit qualifying equipment in the participant home. If the Company determines through its verification process that the Builder did not install the qualifying equipment it agreed to install (step 3), the Company will invoice the Builder for the misapplied rebate credit as well as the meter and service line costs previously reduced by the rebate credit. Builders who fail to accurately report the equipment installed for rebate credits may be subject to disqualification from future rebate credits and/or participation in the ThermWise<sup>®</sup> Builder Rebates program.</sup>

### MULTIFAMILY

Builders can receive a rebates check for building multifamily residences which meet program requirements. The requirements for multifamily projects are the same as those for single family projects.

## MEASURES, QUALIFICATION REQUIREMENTS AND REBATE AMOUNTS

To receive a rebate, Builders must submit a completed application form and all required supporting documentation within 6 months of the initiation of gas service. The ThermWise Builder Rebates Table provides applicable measures, qualifications and rebate amounts.

THERMWISE BUILDER REBATES TABLE			
Builder Rebates Efficiency Measure	Minimum Efficiency Qualification	Single Family Rebate Amount	Multifamily Rebate Amount
Pay for Performance	Builders must show natural gas savings achieved by comparing usage of the subject home against a software-designed UDRH. Specific software and UDRH requirements are available at ThermWise.com. Participant homes must have natural gas service.	\$3 per saved therm (\$30 per Dth) with a maximum rebate of \$1,400 per residence	\$3 per saved therm (\$30 per Dth) with a maximum rebate of \$800 per residence
ENERGY STAR <sup>®</sup> 3.0 Bonus	Home must participate in Pay for Performance measure, have certification by a HERS Rater, and be certified to ENERGY STAR <sup>®</sup> standards.	\$50.00	\$25.00
DOE Zero Energy Ready Bonus	Home must participate in Pay for Performance and Energy Star 3.0 Bonus measures to be eligible for this rebate. Home must also receive DOE Zero Energy Ready certification.	\$50.00	\$25.00



THERMWISE BUILDER REBATES TABLE				
Builder Rebates Efficiency Measure	Minimum Efficiency Qualification	Single Family Rebate Amount	Multifamily Rebate Amount	
2015 IECC 2 x 6 or Equivalent Exterior Wall	R-23 or IECC 2015 code equivalent	\$150.00	N/A	
High-Efficiency Gas Water Heater	ENERGY STAR <sup>®</sup> Certified Minimum 40 gallon capacity	\$100.00	\$100.00	
High-Efficiency Condensing Gas Storage Water Heater	Condensing ENERGY STAR <sup>®</sup> Certified	\$350.00	\$350.00	
High-Efficiency Hybrid Gas Water Heater	$TE \ge 90\%$	\$350.00	\$350.00	
Tankless Gas Water Heater	ENERGY STAR® Certified	\$300.00	\$300.00	
Natural Gas Furnace – 95% AFUE	$AFUE \ge 95\% < 97.5\%$	\$300.00	\$300.00	
Natural Gas Furnace – 98% AFUE	AFUE ≥ 97.5%	\$350.00	\$350.00	
Dual-Fuel Heating System		<u>\$800.00</u>	<u>\$450.00</u>	
Residential Gas Boiler – Tier 1	$AFUE \geq 85\% < 95\%$	\$400.00	\$400.00	
Residential Gas Boiler – Tier 2	AFUE $\geq$ 95%	\$600.00	\$600.00	
Solar Assisted Domestic Water Heating	Active system certified OG-300 by SRCC	\$750.00	\$750.00	
Solar Assisted Pool Water Heating	Active system certified OG-100 by SRCC	\$750.00	\$750.00	
R-5 Windows	U-value $\leq 0.22$	\$2.50/sq.ft.	\$2.50/sq.ft.	
Smart Thermostat	A list of manufacturers and rebate qualifying model numbers can be found at www.ThermWise.com. Participation is limited to 2 rebates per premises.	\$50.00	\$50.00	
ENERGY STAR® Multifamily High Rise	Must meet most recently adopted version of ENERGY STAR <sup>®</sup> Multifamily High Rise specification, have a natural gas water heater, and have a rebate- qualifying space heater	N/A	\$25.00 per unit	
Combined Space and Water Heater	Must be considered one unit by manufacturer and must have an AFUE of <u>&gt; 95%</u>	\$750.00	\$750.00	
	A list of manufacturers and rebate qualifying model numbers can be			



I

I

# DOMINION ENERGY UTAH UTAH NATURAL GAS TARIFF PSCU 500

THERMWISE BUILDER REBATES TABLE				
Builder Rebates Efficiency Measure	Minimum Efficiency Qualification	Single Family Rebate Amount	Multifamily Rebate Amount	
Smart Water Heater Controller	found at <u>www.ThermWise.com</u> . Participation is limited to 2 rebates per premise.	\$50.00	\$50.00	
Energy Recovery Ventilation	Gas space heating is required Must include a central system with internal fan system and separation of indoor and outdoor airflows Must not be required by code	<u>\$300.00</u>	<u>\$150.00</u>	
Definitions: AFUE Annual Fuel Utilization Efficiency   HERS Home Energy Rating System   HSPF Heating Seasonal Performance Factor   ICEE International Energy Conservation Code   SEER Seasonal Energy Efficiency Ratio   -SRCC Solar Rating and Certification Corporation   TE Thermal Efficiency   UDRH User Defined Reference Home				



## **REBATE LIMITATIONS**

Except as otherwise noted in the ThermWise Builder Rebates Table, Builders are eligible to receive rebates for a maximum of two (2) qualifying measures per measure type in each newly constructed dwelling unit. Mandatory space and water heating requirements exist in each Whole Home measure. Whole Home measures are limited to one rebate per qualifying newly constructed dwelling unit. Builders receiving rebates for qualifying equipment through the Builder Rebate Program may not receive rebates for the same equipment through any other ThermWise Program. In order to qualify for a rebate, equipment must be purchased new, not used or leased.

Issued by C. C. Wagstaff, Senior	Advice No.	Section Revision No.	Effective Date
VP & General Manager	20-0 <del>1</del> 7	<del>5</del> 6	MarchJanuary 1, 20201



# 2.12 THERMWISE® BUSINESS REBATES

#### **PROGRAM DESCRIPTION**

Through the ThermWise Business Rebates program, the Company offers prescriptive and custom rebates to a separately metered business unit receiving service on a GS rate schedule.

Prescriptive rebates are paid directly to a customer for purchasing and installing a qualifying measure at the qualifying business unit. Qualifying measures are listed below in the ThermWise Business Rebates Table. Qualifying measures include those that target cost-effective natural gas savings including retrofits of existing systems as well as first-time installations.

Custom rebates are paid directly to participants that provide submittals for a firm quantity of natural gas reduction through the installation of energy-efficient measures in return for a fixed price per dekatherm rebate up to a cap equal to a percentage of the eligible incurred project cost. Eligible projects must be installed at separately metered commercial GS customer facilities.

### **COMMERCIAL ENERGY PLAN**

Commercial GS customers are eligible to receive a commercial energy plan through an application process administered by the Company. The Company will in its sole discretion determine which customers are eligible for a commercial energy plan, based upon the Company's evaluation of qualifying factors including funding availability, the customer's ability to complete identified energy efficiency measures, potential energy efficiency opportunities at the customer's site, and technical feasibility of each measure. The Company may limit the funding amount for each project at its sole discretion.

#### PRESCRIPTIVE REBATE QUALIFICATION REQUIREMENTS AND AMOUNTS

To receive a prescriptive rebate, customers must submit a completed application form and all required supporting documentation. The following requirements are applicable to the ThermWise Business Rebates Program's prescriptive measures.

THERMWISE BUSINESS REBATES TABLE <sup>1,2</sup>			
Business Rebates Efficiency Measure	Size Category Of New Equipment	Minimum Efficiency Of New Equipment	Rebate Amount
High-Efficiency Storage	$\leq$ 75,000 Btu/Hr Input	ENERGY STAR® Certified	\$100.00
Gas Water Heater	>75,000 Btu/Hr Input	$TE \ge 82\%$	\$2.00 per kBtu/Hr Input
High-Efficiency Clothes Washer	Commercial High- Efficiency Clothes Washer (Coin- operated or Laundromat)	ENERGY STAR® Certified	\$75.00
High-Efficiency Tankless	< 200,000 Btu/Hr	ENERGY STAR®	\$2.00 per
Gas Water Heater	Input	Certified	kBtu/Hr Input



Business Rebates Efficiency Measure	Size Category Of New Equipment	Minimum Efficiency Of New Equipment	Rebate Amount
×	≥ 200,000 Btu/Hr Input	$TE \ge 82\%$	\$2.00 per kBtu/Hr Input
	≥ 200,000 Btu/Hr Input	$TE \ge 90\%$	\$3.00 per kBtu/Hr Input
High-Efficiency Pre- Rinse Spray Valve	N/A	1.28 GPM (retrofit only)	\$32.00 Direct Install
Smart Thermostat	N/A	A list of measure requirements can be found at <u>www.ThermWise.com</u> .	\$0.07/sq. ft. up to 50% of the Thermostat cost. Max \$100.00 per unit.
Natural Gas Furnace – 95% AFUE	N/A	AFUE ≥ 95% < 97.5%	\$300.00
Natural Gas Furnace – 98% AFUE	N/A	$AFUE \geq 97.5\%$	\$350.00
<u>Dual-Fuel Heating</u> System	<u>N/A</u>	ENERGY STAR® Certified DuctedHeat Pump with HSPF $\geq$ 9.0SEER $\geq$ 14ENERGY STAR® Certified NaturalGas Heating SystemChangeover setpoint $\leq$ 40° F	<u>\$800.00</u>
	< 300,000 Btu/Hr Input	AFUE ≥ 85%	\$2.00 per kBtu/Hr Input
Gas Boilers (hot water)	$\geq$ 300,000 < 2.5 million Btu/Hr Input	$TE \ge 90\%$	\$3.25 per kBtu/Hr Input
	≥ 300,000 < 2.5 million Btu/Hr Input	$TE \ge 95\%$	\$3.50 per kBtu/Hr Input
	≥ 2.5 million Btu/Hr Input	$TE \ge 90\%$	\$3.25 per KBtu/Hr Input
Gas Boilers (hot water)	≥ 2.5 million Btu/Hr Input	TE≥95%	\$3.50 per KBtu/Hr Input
Gas Boilers (steam)	< 300,000 Btu/Hr Input	AFUE ≥ 85%	\$2.00 per kBtu/Hr Input
Gas Boilers (steam) (Except Natural Draft)	≥ 300,000 Btu/Hr Input	$TE \ge 82\%$	\$2.00 per kBtu/Hr Input
Gas Boilers (Steam) (Natural Draft)	≥ 300,000 Btu/Hr Input	$TE \ge 80\%$	\$2.00 per kBtu/Hr Input
Direct Contact Gas Water Heater	N/A	TE > 90%	\$1.10 per kBtu /Hr Input
High-Efficiency Gas Unit	Non-condensing	TE ≥83% - <90%	\$1.25 per kBtu/Hr Input
Heater	Condensing	$TE \ge 90\%$	\$6.00 per kBtu/Hr Input



THERMWISE BUSINES			Dahat
Business Rebates Efficiency Measure	Size Category Of New Equipment	Minimum Efficiency Of New Equipment	Rebate Amount
Infrared Gas Heating System	N/A	Infrared Heating System (limited to replacing existing natural gas non- infrared heating systems or be installed as part of new construction project)	\$5.00 per kBtu/Hr Input
Modulating Infrared Heaters	N/A	Infrared Heating System (limited to replacing existing natural gas non- infrared heating systems or be installed as part of a new construction)	\$7.50 per kBtu/Hr Input
Modulating Infrared Heaters	N/A	Replacing existing infrared heating system	\$2.00 per kBtu/Hr Input
Condensing Indirect- Fired RTU (Rooftop unit)	≥ 50,000 Btu/Hr	TE <u>&gt;</u> 90%	\$5.00 per kBtu/Hr Input
Gas Boiler Outside Air Reset Control	N/A	Gas Boiler Outside Air Reset Control	\$250.00
	$\frac{\geq 5 \text{ Tons and } \leq 10}{\overline{\text{Tons}}}$	Code required installations are not eligible. Installations must include demand control ventilation (DCV)	<u>\$500.00</u>
Advanced Rooftop Controls	$\geq$ 10 Tons and $\leq$ 15 Tons	and remote connection enabled equipment. Contractor must verify equipment is scheduled per facility	<u>\$650.00</u>
	<u>&gt;15 Tons</u>	occupancy schedule. Rebate cannot be paired with DCV and commercial smart thermostat incentive.	<u>\$800.00</u>
Gas Commercial Fryer	N/A	Energy Star Qualified	\$500.00 per vat
Gas Steam Cooker	N/A	Energy Star Qualified	\$1,000.00 per unit
Gas Boiler Tune-up-Tier 1 <sup>3</sup>	N/A	Perform a qualifying tune- up that complies with the boiler tune-up program requirements worksheet (available at ThermWise.com)	Up to \$100.00
Gas Boiler Tune-up-Tier 2 <sup>3</sup>	≥ 300 kBtu < 1,500 kBtu	Perform a qualifying tune- up that complies with the boiler tune-up program	Up to \$200.00 per unit
Gas Boiler Tune-up-Tier 3 <sup>3</sup>	≥ 1,500 kBtu	requirements worksheet (available at ThermWise.com) and yields an improvement in combustion efficiency	Up to \$300.00 per unit
High-Efficiency Gas Convection Oven	N/A	Energy Star Qualified	\$500.00 per cavity



THERMWISE BUSINESS REBATES TABLE <sup>1,2</sup>				
Business Rebates Efficiency Measure	Size Category Of New Equipment	Minimum Efficiency Of New Equipment	Rebate Amount	
High-Efficiency Gas Combination Oven	N/A	Energy Star Qualified	\$1,000.00 per unit	
High-Efficiency Gas Griddle	N/A	Energy Star Qualified	\$300.00 per unit	
Building Shell (Retrofit) – Roof Insulation	N/A	Minimum increment of R-10 <sup>4</sup>	\$0.08/sq.ft.	
Building Shell (Retrofit) – Wall Insulation	N/A	Minimum increment of R-10 <sup>4</sup>	\$0.12/sq.ft.	
High-Efficiency Condensing Gas Storage Water Heater	≤ 75,000 Btu/Hr Input	Condensing ENERGY STAR <sup>®</sup> Certified	\$350.00	
Hybrid Gas Storage Water Heater	≥ 75,000 Btu/Hr Input	$TE \ge 90\%$	\$350.00	
Combined Space/Water Heat	N/A	> 90% AFUE, must be considered one unit by manufacturer	\$450.00	
High Efficiency Charbroiler	N/A	Infrared only	\$1,000.00	
Conveyor Oven	Conveyor width $\ge 25$ inches	Listed as qualified product by Fishnick	\$1,000.00	
Modulating Gas Dryer	N/A	Controller must modulate burner	\$75.00	
Gas Dryer Moisture Sensor	N/A	Existing dryer must not contain a moisture sensor	\$25.00	
Solar Assisted Pool Water Heating	Pool area must be less than 5,000 square feet	Active system certified OG-100 by SRCC	\$750.00	
Demand Control Ventilation System (DCV) Tier 1	N/A	A list of system requirements can be found at www.Thermwise.com	\$400.00	
Demand Control Ventilation System (DCV) Tier 2	N/A	A list of system requirements can be found at www.Thermwise.com	\$0.05 per AHU/RTU/MAU design supply CFM up to 50% of DCV controls and sensor cost	
Pipe Insulation (Hot Water)	N/A	A list of system requirements can be found at www.Thermwise.com	\$1.50/sq. ft.	



THERMWISE BUSINESS REBATES TABLE <sup>1,2</sup>				
Business Rebates Efficiency Measure	Size Category Of New Equipment	Minimum Efficiency Of New Equipment	Rebate Amount	
Pipe Insulation (Steam)	N/A	A list of system requirements can be found at www.Thermwise.com	\$4.00/sq. ft.	
Direct-Fired Heaters	N/A	100% outside air installed in a space without existing destratification	\$6.00 per kBtu/Hr Input	
Energy Recovery Ventilator	N/A	Not required by code	\$100.00 per unit	
Charbroiler (used)	N/A	Used, Infrared Only	\$500.00 per unit	
Combination Oven (used)	N/A	Used, ENERGY STAR <sup>®</sup> Qualified	\$500.00 per unit	
Commercial Fryer (used)	N/A	Used, ENERGY STAR <sup>®</sup> Qualified	\$250.00 per vat	
Convection Oven (used)	N/A	Used, ENERGY STAR <sup>®</sup> Qualified	\$250.00 per cavity	
Conveyor Oven (used)	N/A	Used, ENERGY STAR <sup>®</sup> Qualified	\$500.00 per unit	
Steam Cooker (used)	N/A	Used, ENERGY STAR <sup>®</sup> Qualified	\$500.00 per unit	
Griddle (used)	N/A	Used, ENERGY STAR <sup>®</sup> Qualified	\$150.00 per unit	
Green Certified New Buildings	N/A	Facility must be constructed within past 12 months. Facility must be heated using natural gas. Green certification must be provided (ENERGY STAR <sup>®</sup> . LEED, Green Globe, NZEB)	\$0.05/per sq. ft. not to exceed \$15,000	

Annual Fuel Utilization Efficiency Definitions: AFUE Modified Energy Factor MEF Water Factor WF EF Energy Factor ΤE Thermal Efficiency Consortium for Energy Efficiency CEE BTU/Hr British Thermal Units per Hour capacity kBTU/Hr Thousands of British Thermal Units per Hour capacity Heating Seasonal Performance Factor **HSPF** Seasonal Energy Efficiency Ratio SEER

<sup>1</sup> Measures which are required by code are not eligible for rebates through the Business Rebate Program. Customers receiving rebates for qualifying equipment through the Business Rebate Program may not receive rebates for the same equipment through any other ThermWise Program.

<sup>2</sup> In order to qualify for a rebate, equipment must be purchased new and may not be leased. Used equipment will also not qualify for a rebate, unless it is one of the food service items specifically listed in the ThermWise Business Rebates Table.

<sup>3</sup> Customers may receive only one (1) boiler tune-up rebate per boiler for the period of three years.

<sup>4</sup> Rebates for retrofit installations of wall and roof installation apply only to the first increment of R-10 insulation added to the wall or floor. Additional increments of R-10 beyond the first are not eligible to receive a rebate.

# CUSTOM REBATE QUALIFICATION REQUIREMENTS AND AMOUNTS

To be eligible for custom rebates through the ThermWise Business Rebates program, customers must submit specific information for each project and conduct energy engineering and commissioning at their own cost. Commissioning is the systematic process of ensuring that a building's complex array of systems is designed, installed and tested to perform according to the design intent and the building owner's operational needs. The commissioning of buildings will be most effective when considered throughout the planning stages and as early as schematic design. This project information will be provided in two reports: the Pre-Installation Report and Post-Installation Report. Rebates will be paid directly to participating customers who meet the program requirements. Customers may find additional program requirements in the Business Custom Program Manual, which is available at <a href="https://www.ThermWise.com">www.ThermWise.com</a>.

## STANDARD ANALYSIS MEASURE ELIGIBILITY

Qualifying measures include those that target cost-effective natural gas savings including retrofits of existing systems, improvements to existing systems and first-time installations where the system's efficiency exceeds Utah Energy Code or standard industry practice. With the exception of measures qualifying for a Simplified Analysis, the program does not explicitly specify eligible measures to provide program participants maximum flexibility in identifying potential projects. Participants may propose the inclusion of any measure that:

- Produces a verifiable natural gas reduction;
- Is installed in either existing or new construction applications;
- Has a minimum useful life of 7 years;
- Meets at least minimum cost-effectiveness requirements for the utility cost test; and
- Qualifies for the Simplified Analysis.

Measures that are excluded from consideration in this program include those that:

- Rely solely on changes in customer behavior;
- Merely terminate existing processes, facilities, or operations;
- Involve fuel-switching;
- Are required by state or federal law, building or other codes, or are standard industry practice; or
- Receive a rebate through any other Energy Efficiency program offered by the Company.

# SIMPLIFIED ANALYSIS MEASURE ELIGIBILITY

A defined list of qualifying measures will be eligible for rebates utilizing a Simplified Analysis. These measures include:

- Air to Air Heat Exchanges
- Steam/Hot Water Pipe Insulation
- Boiler Controls
- Steam Traps
- Monitoring Based Commissioning (MBCx)



# SIMPLIFIED ANALYSIS

Project-specific review procedures will be determined by the Program Administrator based on the measure submitted. Rather than completing the Pre-Installation Report in full, projects that qualify under the Simplified Analysis approach will instead need to submit a measure specific application, including identification of the project site and account information, including contact information and eligible Measure Costs. Eligible costs are based upon actual incremental expenses incurred by the customer in connection with the energy study, construction, installation, or implementation and commissioning of an eligible project. Costs may include equipment costs, engineering, consulting expenses, and labor costs. Expenses are subject to approval by the Program Administrator on a case-by-case review. For new construction facilities, eligible expenses are those that are additional and necessary to achieve energy efficiency levels that exceed standard industry practice. Measure specific parameters necessary to complete energy savings calculations are shown in the Simplified Analysis Table.

	SIMPLIFIED ANALYSIS TABLE					
Air to Air Heat Exchanger	Pipe Insulation	<b>Boiler Controls</b>	Steam Traps			
Discharge Air Temperature Setpoint (°F)	Nominal Pipe Size/Diameter (inches)	Boiler Size (kBtu/hr)	Total quality of steam traps in system			
Space Temperature Setpoint (°F)	Pipe Material (i.e. steel, iron)	Boiler Efficiency (%)	Quantity of steam traps being replaced			
Space Type	Bare Pipe Surface Temperature (°F)	Building Type/Space Type	Steam Traps being replaced have been verified as failed (Yes/No)			
Space Type Occupied Hours (hrs/yr)	Insulated Pipe Surface Temperature (°F)	Supply Water Temperature Setpoint (°F)	Time since last steam trap testing and maintenance (Years)			
Heat Exchanger Effectiveness (%)	Insulated Area (sq.ft.)	Boiler High/Low Limits (°F)	Steam Trap orifice size (Diameter-Inches)			
Heat Exchanger Location	Insulation Layers (Type, Thickness)	Historical Gas Consumption	Steam system operating pressure (PSI)			
Supply Air Volume (cfm)	System Application (hot water, steam, hot oil)		Hours of operation for the system			
Exhaust Air Volume (cfm)	System run time (hrs/yr)		Boiler Efficiency (%)			



Upon approval of the Simplified Analysis application, a site visit to verify the submitted values associated with the project and the Company will inform the customer of the approved rebate amount. The Company will pay a rebate when it verifies project completion and all requested information has been received from the customer.

## ELIGIBLE MEASURE COSTS

Eligible measure costs are based upon the actual incremental expenses incurred by the customer in connection with the construction, installation or implementation, and commissioning of an eligible project. Costs may include equipment costs, engineering and consulting expenses, and internal labor costs. Expenses are subject to approval by the Company.

Customers shall provide cooperation and access as is reasonably required for the program administrator to make a determination of eligible costs. Acceptable documentation of eligible costs may include: invoices, work orders, cancelled checks and accounting system reports.

## BASELINES FOR SAVINGS AND INCREMENTAL COSTS

Custom rebate measures are designed to encourage energy-efficiency improvements that go above and beyond the efficiency gains typically achieved in replacement or new construction projects. Consequently, savings and eligible measure costs will be based only on the difference between the efficiency and cost of the installed system and the baseline system. The baseline system is the current Utah Energy Code minimum efficiency standards, if such standards apply. In cases where standards do not exist, the baseline will be based upon standard industry practice as determined by the Company.

The Company may adjust baseline natural gas consumption and costs during the submittal review to reflect any of the following: energy codes, standard practice, changes in capacity, changes in production or facility use and equipment at the end of its useful life.

## **CUSTOM REBATE LEVELS**

The Company will make a determination of custom measure rebate levels for the installation of measures. Pursuant to the Program Agreement the rebate level will be the lesser of:

- (a) \$10.00/dekatherm per first year annual dekatherm savings as determined solely by the Company; or
- (b) 50% of the eligible project cost as determined by the Company.
- (c) <u>Qualifying MBCx customers will receive 50% of the cost, up to \$10,000, to pay for</u> integrated monitoring software and hardware.

Savings Verification Opt-Out: If the customer chooses to not conduct the savings verification activities, the annual natural gas savings and the eligible measure costs will all be reduced by 20% and the rebate will be re-calculated using the provisions specified above. Measures for which the customer has "opted–out" of savings verification will not be eligible for additional rebates at a later date.



The customer is responsible for submitting the Pre-Installation Report and allowing time for the Company review prior to purchasing equipment. Subsequent to Company approval of a Pre-Installation Report, the customer shall be required to enter into a Program Agreement with the Company in order to be eligible for rebates. Projects that have been purchased or installed prior to Pre-Installation Approval may not be eligible for custom rebates under the ThermWise Business Rebates program.

# COMPANY ASSISTANCE

The Company may provide technical support for the following as part of this program:

- Project application reviews and approvals detailed engineering review of project applications for reasonableness and accuracy of customer-submitted gas savings calculations, methodology, and costing.
- Strategic Energy Management service to engage business customers with a large portfolio of buildings and savings opportunities to offer detailed instruction on how to reduce their energy consumption and lower their utility bills at the portfolio level.
- Commercial facility benchmarking service that includes utility data review, preliminary facility audit, and benchmark comparison of facility energy use relative to the national population of similar buildings.

Issued by C. C. Wagstaff, Senior	Advice No.	Section Revision No.	Effective Date
VP & General Manager	20-0 <mark>17</mark>	<del>5</del> 6	MarchJanuary 1, 20201



## 2.13 THERMWISE® HOME ENERGY PLAN

#### **PROGRAM DESCRIPTION**

The ThermWise Home Energy Plan program offers an energy-efficiency plan to residential customers receiving service on the GS rate schedule.

The ThermWise Home Energy Plan program includes home energy plan and energyefficiency measures listed in Home Energy Plan Table.

### HOME ENERGY PLAN

The home energy plan includes two separate audit components: (1) a self-completed mail-in survey can be sent to the customer at no charge, or (2) a Company technician will conduct an in-home plan for a fee as described in the Home Energy Plan Table. In-home plans will include a blower door test to determine eligibility for air sealing measures. Customers that have previously received an in-home energy plan may request a second energy plan that includes only a blower door test to determine eligibility for air sealing measures. A participating customer will receive a customized report recommending home improvements that can be implemented to reduce natural gas usage.

During the in-home energy plan, the technician will offer certain energy-efficiency measures, identified in the Home Energy Plan Table, at no charge or with a rebate to the qualifying customer. A qualifying customer choosing to complete the energy plan process via the mail-in survey will be sent a packet containing appropriate energy-efficiency measures for the residence at no charge.

### **IN-HOME PLAN FEE**

The Company will bill a customer a \$25.00 fee per dwelling unit. This fee will be refunded to the customer upon implementation of any Company energy-efficiency rebate measures related to Company-sponsored rebate programs. The Company will waive the \$25 fee for lower-income senior citizens over the age of 65.

Customers who have previously received an in-home energy plan and request a second energy plan that includes only a blower door test will also be billed a \$25.00 fee per dwelling unit. This fee will be refunded to the customer upon implementation of air sealing measures that qualify for a rebate under § 2.14 of the Tariff.

## QUALIFICATION REQUIREMENTS AND REBATE AMOUNTS

Program efficiency measures that are offered to customers in conjunction with a Home Energy Plan are shown in the Home Energy Plan Table.



I

## DOMINION ENERGY UTAH UTAH NATURAL GAS TARIFF PSCU 500

THERMWISE HOME ENERGY PLAN TABLE						
Home Energy Plan Efficiency Measure	Qualification Requirement Of Old Equipment	Minimum Efficiency Of New Equipment	Charge To Customer			
Pipe Insulation <sup>1</sup>	Gas water heater, no pipe insulation	First 4 feet of hot water, first 2 feet of cold water	No Charge			
Faucet Aerator <sup>1</sup>	Gas water heater, faucet of 2.75 GPM or more	Less than 2.0 GPM	No Charge			
Low-Flow Shower Head <sup>1</sup>	Gas water heater, shower head of 3.0 GPM or more	Less than 2.5 GPM	No Charge			
<sup>1</sup> Provided, if recommended.	<sup>1</sup> Provided, if recommended.					

Issued by C. C. Wagstaff, Senior	Advice No.	Section Revision No.	Effective Date
VP & General Manager	20-0 <mark>1</mark> 7	4 <u>5</u>	MarchJanuary 1, 20201



# 2.14 THERMWISE<sup>®</sup> WEATHERIZATION REBATES

### **PROGRAM DESCRIPTION**

The ThermWise Weatherization Rebate program targets residences receiving service on the GS rate schedule. A qualifying single-family residence is an existing structure that has up to four residential dwelling units. A qualifying multifamily residence is an existing dwelling having five or more residential dwelling units.

For qualifying multifamily residences, a pre-qualification inspection will be required.

The ThermWise Weatherization Rebates program will include weatherization-efficiency measures listed below in the Weatherization Rebates Table.

### WEATHERIZATION EFFICIENCY MEASURES

A rebate for a qualifying weatherization efficiency measure will be offered as shown in the Weatherization Rebates Table. A customer will be required to have some measures installed by an Authorized Contractor in order to receive a rebate. See § 2.16 for a detailed description of the requirements, obligations and availability of the current list of Authorized Contractors.

## QUALIFICATION REQUIREMENTS AND REBATE AMOUNTS

To receive a rebate, customers must submit a completed application form within 6 months of the installation date and all required supporting documentation. The following requirement and rebate amounts are applicable to the Weatherization Rebates efficiency measures. Rebates may be paid to a non-profit or governmental organization as more fully set forth in § 2.15, Low-Income Efficiency Program, or to an Authorized Contractor participating in the Company's Weatherization Direct-Install Program

Т	THERMWISE WEATHERIZATION REBATES TABLE				
Weatherization Rebates Efficiency Measure <sup>1</sup>	Baseline	Minimum Efficiency of New Equipment	Authorized Contractor Installation Required <sup>2</sup>	Rebate Amount	
R-5 Windows <sup>3 4</sup>	Existing home with gas heat	U-value $\leq 0.22$	No	\$2.50/sq. ft.	
Attic Insulation <sup>45</sup>	Existing home with gas heat	Tier 1 - Minimum increment of R-19 or higher with a post installation value of at least R-38 but not more than R-60.	Yes	Tier 1 \$0.25/sq.ft.	

The following requirements are applicable to the ThermWise Weatherization Rebates program.



Page 2-39

Т	THERMWISE WEATHERIZATION REBATES TABLE				
Weatherization Rebates Efficiency Measure <sup>1</sup>	Baseline	Minimum Efficiency of New Equipment	Authorized Contractor Installation Required <sup>2</sup>	Rebate Amount	
	Existing home with gas heat	Tier 2 – An additional increment of at least R-11 with at least R-38 but not to exceed R-60		Tier 2 \$0.07/sq.ft.	
Wall Insulation <sup>46</sup>	Existing home with gas heat	Increment of R-11 or higher	Yes	\$0.30/sq.ft.	
Floor Insulation <sup>46</sup>	Existing home with gas heat	Increment of R-19 or higher	Yes	\$0.20/sq.ft.	
Duct Sealing and	Existing home with gas heat	Must be done to Dominion Energy		Single Family \$100 + \$5.25/ln. ft., not to exceed \$450.00	
Insulation <sup>7</sup> that mee	that meets the program criteria	2012 Duct Sealing & Insulation Specification posted on ThermWise.com	Yes	Multifamily Structured \$100 + \$5.25/ln. ft. not to exceed \$250.00	
Air Sealing <sup>8</sup>	Existing single family home with gas heat, with Test-in	Must be done to Dominion Energy 2012 Air Sealing specifications posted on ThermWise.com	Yes	\$200.00 + \$0.12/sq.ft. conditioned floor area, not to exceed \$850.00	
Pipe Insulation	Existing home with natural gas water heating	Available to homes participating in the ThermWise Direct- Install Weatherization Pilot Program	Yes	\$0.50 per linear foot	
Pilot Multifamily Program	Multifamily properties with natural gas space and/or water heating	The Company will rebate equipment from the existing list of qualifying measures or based on the performance of the building	Work must be performed by the International Center for Appropriate & Sustainable Technology (ICAST)	Rebates will vary by property	

<sup>1</sup> These measures are available to existing dwelling units heated with natural gas. Multifamily dwelling units must have a pre-qualification inspection. Customers receiving rebates for qualifying measures through the Weatherization Rebate Program may not receive rebates for the same measures through any other ThermWise Program. Installations must comply with all local codes and ordinances.



### DOMINION ENERGY UTAH UTAH NATURAL GAS TARIFF PSCU 500

<sup>2</sup> If yes, this measure must be installed by a ThermWise Authorized Contractor. Do\_it\_yourself installations are allowed for attic, floor and wall insulation.

<sup>3</sup> Including sliding glass patio doors, but excluding all other doors (storm doors, wood and/or metal doors with windows). Energy performance of window assemblies and glazing products must be rated in accordance with NFRC. Site built windows or glass only will not qualify for a rebate in the residential weatherization program. <sup>4</sup> Eligible installations must be between a heated space and an unconditioned space or an area outside of the building envelope. An unconditioned space is defined as an area or room within a building that is not being heated or cooled, that has no fixed opening directly into an adjacent conditioned space, or which is outside of the building envelope.

<sup>5</sup>Attic insulation will be available in homes that have not had the measure rebated with the ThermWise program in previous years. This measure will be available on a one-time basis per measure per premises. An exception to this rule will be in the event that additional attic insulation is recommended by a ThermWise Energy Plan or Home Performance audit for a premises which was previously rebated for attic insulation. In the case of such a recommendation, the homeowner will be eligible to participate in the Tier 2 attic insulation measure without additional participation in the Tier 1 measure. Another exception to this rule will be in the event a new owner qualifies and has installed insulation qualifying for a Tier 2 attic insulation rebate.

<sup>6</sup> Floor and wall insulation may be eligible for multiple rebates when the work completed covers a portion of the dwelling not previously submitted for a rebate.

<sup>7</sup> Eligible rebates are available only for work completed per the duct sealing and duct insulation specifications posted on ThermWise.com and are only available to dwelling units with heating ducts in unconditioned space. Unconditioned space is defined as an area or room within a building that is not being heated or cooled, that has no fixed opening directly into an adjacent conditioned space, or which is outside of the building envelope.

<sup>8</sup> To be eligible for the Air Sealing measure a single-family dwelling must first be recommended by a ThermWise Energy Plan or Low-Income Efficiency Program audit. Air sealing will be available on a one-time basis per premises.

Definitions: U-Factor is the reciprocal of R-Value

Issued by C. C. Wagstaff, Senior	Advice No.	Section Revision No.	Effective Date
VP & General Manager	20-0 <mark>+7</mark>	<del>5</del> 6	MarchJanuary 1, 20201



## 2.15 LOW-INCOME EFFICIENCY PROGRAM

#### **PROGRAM DESCRIPTION**

The Low-Income Efficiency Program is available to improve the natural gas efficiency for dwelling units of low-income residential customers receiving service on a GS rate schedule. Each year, in semi-annual payments, the Company will contribute \$250,000 (an annual total of \$500,000) to the Utah Department of Workforce Services, Housing and Community Development Division (HCD) for low-income Dominion Energy Utah customers. These funds are used by HCD to address only natural gas related issues. In addition to providing high-efficiency natural gas furnaces, when needed, the funds are used for correcting problems such as gas leaks, high carbon monoxide levels, inappropriate venting of natural gas appliances and adjustment of natural gas appliances. Customers apply for this assistance through the HCD.

An approved non-profit or governmental organization may apply for rebates under the ThermWise Appliance and Weatherization programs for qualifying measures listed in § 2.10 and § 2.14 of the Tariff. The qualifying measures must be installed with funding from other sources in order to be eligible for a rebate. Qualifying measures installed with funding from the Company's semi-annual payments to the HCD will not be eligible for ThermWise program rebates. The non-profit or governmental organization may file each month an electronic spreadsheet containing all of the information required to qualify each measure within 6 months of the measure installation date. Dominion Energy Utah will pay approved rebates directly to the non-profit or governmental organization. The non-profit or governmental organization must comply with all of the other requirements of each measure to be eligible for rebates, except as noted below.

Currently the HCD contracts with seven (7) Low-Income Efficiency Program Agencies to perform low-income efficiency activities. Those agencies are: Bear River Association of Governments, Salt Lake Community Action Program, Housing Authority of Utah County, Six County Association of Governments, Five County Association of Governments, Uintah Basin Association of Governments, and Southeastern Utah Association of Local Governments, all of which qualify as approved non-profit or governmental organizations (HCD implementation agencies).

In order to be eligible for an air sealing rebate, dwelling must first be tested by a ThermWise Home Energy Plan or an audit performed by one of the HCD implementation agencies.

Issued by C. C. Wagstaff, Senior	Advice No.	Section Revision No.	Effective Date
VP & General Manager	20-0 <del>1</del> 7	4 <u>5</u>	MarchJanuary 1, 20201



## 2.16 AUTHORIZED CONTRACTORS

### MINIMUM CRITERIA

For those programs in which authorized contractors must provide services or products in order for the services or products to be eligible for a ThermWise rebate, contractors who desire to provide such services or products must enter into a written Authorized Contractor Agreement with the Company. The Authorized Contractor Agreement will include at least the following requirements:

- (1) Authorized Contractors must be licensed and in good standing to do business in all states in which they conduct business, and they and their employees, representatives and subcontractors, must have all necessary professional accreditations, registrations, training and licenses to perform all activities and services offered by the contractor, that are or may be eligible for a rebate under any of the ThermWise Energy Efficiency Programs.
- (2) Authorized Contractors must perform all work in a fashion that meets or exceeds all applicable statutes, rules, regulations, ordinances, codes, accepted industry standards, applicable program manual requirements and minimum standards set forth by the Company. Authorized Contractors must warrant that any work they perform that is eligible for a rebate under any ThermWise program is adequate and sufficient for its intended purpose and complies with those requirements set forth above.
- (3) Authorized Contractors must hold a minimum of \$2 million in general liability insurance, as well as sufficient levels of workman's compensation liability insurance and automobile liability insurance to meet any obligations or liabilities it may incur in providing services or products that are eligible for rebates under any ThermWise program or in complying with the applicable Authorized Contractor Agreement.
- (4) Authorized Contractors must be truthful and accurate in all representations related to the ThermWise Rebate Programs' promotion and rebate opportunities. Authorized Contractors may not represent that any contractor is an affiliate or subcontractor of the Company, or that the Company endorses any contractor's services or products. Authorized Contractors must not use The Company's corporate name, logo, identity, or any alleged affiliation on any marketing materials (printed, electronic or any other medium) without the Company's prior written consent.
- (5) Authorized Contractors must agree to defend and indemnify the Company against any and all liabilities related to the performance of work that is or may qualify for rebates under any ThermWise Energy Efficiency Program, minimum criteria set forth in this Tariff provision, and/or any representation or action by the contractor that relates in any way to the Company, the Company's name, trademark, or any of the Company's ThermWise Energy Efficiency programs.
- (6) Authorized Contractors will cooperate with the Company in resolving any and all customer complaints from any of the contractor's customers relating to work that is the subject of any ThermWise rebate application. Authorized Contractors must employ commercially reasonable efforts to resolve all such customer complaints, whether made directly to the Company or not, to the complaining customer's satisfaction including, but not limited to remedying, repairing, or replacing the deficiencies at the contractor's own expense and within a time frame acceptable to the complaining customer.



- In addition to maintaining all applicable licenses, as referenced above; Authorized Contractors offering attic, wall and/or floor insulation services eligible for a rebate under the ThermWise Weatherization Rebates Program must also maintain one or more licenses required by the state in which the contractor performs work. Information about currently acceptable licenses can be found on the ThermWise website.
- (8) In addition to maintaining all applicable licenses, as referenced above, Authorized Contractors offering duct sealing and duct insulation services eligible for a rebate under the ThermWise Weatherization Rebates Program must also maintain one or more licenses required by the state in which the contractor performs work. Information about currently acceptable licenses can be found on the ThermWise website. Contractors must also submit certification they have obtained RESNET, BPI or other similar certification in order to perform work using required testing equipment and procedures.

## DENIAL OF STATUS OF AUTHORIZED CONTRACTOR

Any Authorized Contractor who fails to comply with the minimum criteria set forth above, or who fails to comply with any term of the Authorized Contractor Agreement between the contractor and the Company, is subject to denial of Authorized Contractor status, and any work performed by a contractor not in good standing as an Authorized Contractor will be ineligible for rebates or other benefits under any ThermWise program that requires services or products to be provided by an Authorized Contractor. Removal from the Authorized Contractor program for failure to meet any minimum criteria or for breach of an Authorized Contractor Agreement is permanent and a contractor so removed will not be permitted to re-apply or to participate as an Authorized Contractor in the future. The Company also will not contract with a business entity seeking Authorized Contractor status which has a Contractor License "Qualifier" and "Classification" (as defined by the Utah Department of Professional Licensing in the Utah Construction Trades Licensing Act 58-55) in common with a previous Authorized Contractor whose status was terminated by the Company for cause.

## CURRENT LIST OF AUTHORIZED CONTRACTORS

The Company maintains an up-to-date list of Authorized Contractors on ThermWise.com. A current list can be obtained by calling 1-888-324-3221 or by sending a request via e-mail to AuthorizedContractors@ThermWise.com.

Issued by C. C. Wagstaff, Senior	Advice No.	Section Revision No.	Effective Date
VP & General Manager	20-0 <del>1</del> 7	4 <u>5</u>	MarchJanuary 1, 20201



# 2.17 THERMWISE® ENERGY COMPARISON REPORT

### **PROGRAM DESCRIPTION**

The ThermWise Energy Comparison Report allows customers to compare their natural gas usage with neighboring homes. The Comparison Report also encourages customers to employ natural gas saving measures and behaviors by providing customized tips which are shaped by a customer's past participation in any of the ThermWise programs.

### **COMPARISON CHARACTERISTICS**

Customers are compared to the one-hundred closest homes in the same weather zone based on square footage and year built. Additionally, the Company employs a comparison of homes based on a "similarity index" of customer baseload, peak to base usage, and weather sensitivity. The Company may adjust the similarity index as necessary.

### PARTICIPATION

All customers receiving service on a GS rate schedule are eligible to receive their Comparison Report. The Company's will (1) push the report to customers with higher usage relative to the comparison characteristics as determined by the Company; (2) provide the report to those customers who opt-in to be included in the push reports; (3) make the report available to all customers who want to generate a copy of the report through their online account at <u>www.dominionenergy.com</u>.

### **REPORT OPT-OUT**

Customers receiving the push report may opt-out by contacting the Company.

Issued by C. C. Wagstaff, Senior	Advice No.	Section Revision No.	Effective Date
VP & General Manager	20-0 <del>1</del> 7	<del>5</del> 6	MarchJanuary 1, 20201