FEDERAL ENERGY REGULATORY COMMISSION WASHINGTON, DC

OMB Control # 1902-0075 Expiration 5/31/2013

Form 556 Certification of Qualifying Facility (QF) Status for a Small Power

General

Questions about completing this form should be sent to Form556@ferc.gov. Information about the Commission's QF program, answers to frequently asked questions about QF requirements or completing this form, and contact information for QF program staff are available at the Commission's QF website, www.ferc.gov/QF. The Commission's QF website also provides links to the Commission's QF regulations (18 C.F.R. § 131.80 and Part 292), as well as other statutes and orders pertaining to the Commission's QF program.

Who Must File

Any applicant seeking QF status or recertification of QF status for a generating facility with a net power production capacity (as determined in lines 7a through 7g below) greater than 1000 kW must file a self-certification or an application for Commission certification of QF status, which includes a properly completed Form 556. Any applicant seeking QF status for a generating facility with a net power production capacity 1000 kW or less is exempt from the certification requirement, and is therefore not required to complete or file a Form 556. See 18 C.F.R. § 292,203,

How to Complete the Form 556

This form is intended to be completed by responding to the items in the order they are presented, according to the instructions given. If you need to back-track, you may need to clear certain responses before you will be allowed to change other responses made previously in the form. If you experience problems, click on the nearest help button () for assistance, or contact Commission staff at Form556@ferc.gov.

Certain lines in this form will be automatically calculated based on responses to previous lines, with the relevant formulas shown. You must respond to all of the previous lines within a section before the results of an automatically calculated field will be displayed. If you disagree with the results of any automatic calculation on this form, contact Commission staff at Form556@ferc.gov to discuss the discrepancy before filling.

You must complete all lines in this form unless instructed otherwise. Do not alter this form or save this form in a different format. Incomplete or altered forms, or forms saved in formats other than PDF, will be rejected.

How to File a Completed Form 556

Applicants are required to file their Form 556 electronically through the Commission's eFiling website (see instructions on page 2). By filing electronically, you will reduce your filing burden, save paper resources, save postage or courier charges, help keep Commission expenses to a minimum, and receive a much faster confirmation (via an email containing the docket number assigned to your facility) that the Commission has received your filing.

If you are simultaneously filing both a waiver request and a Form 556 as part of an application for Commission certification, see the "Waiver Requests" section on page 3 for more information on how to file.

Paperwork Reduction Act Notice

This form is approved by the Office of Management and Budget (OMB Control No. 1902-0075, expiration 05/31/2013). Compliance with the information requirements established by the FERC Form No. 556 is required to obtain or maintain status as a QF. See 18 C.F.R. § 131.80 and Part 292. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The estimated burden for completing the FERC Form No. 556, including gathering and reporting information, is as follows: 3 hours for self-certification of a small power production facility, 8 hours for self-certifications of a cogeneration facility, 6 hours for an application for Commission certification of a small power production facility, and 50 hours for an application for Commission certification of a cogeneration facility. Send comments regarding this burden estimate or any aspect of this collection of information, including suggestions for reducing this burden, to the following: Information Clearance Officer, Office of the Executive Director (ED-32), Federal Energy Regulatory Commission, 888 First Street N.E., Washington, DC 20426; and Desk Officer for FERC, Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503 (oira_submission@omb.eop.gov). Include the Control No. 1902-0075 in any correspondence.

Electronic Filing (eFiling)

To electronically file your Form 556, visit the Commission's QF website at www.ferc.gov/QF and click the eFiling link.

If you are eFiling your first document, you will need to register with your name, email address, mailing address, and phone number. If you are registering on behalf of an employer, then you will also need to provide the employer name, alternate contact name, alternate contact name, alternate contact phone number and and alternate contact email.

Once you are registered, log in to effling with your registered email address and the password that you created at registration. Follow the instructions. When prompted, select one of the following QF-related filing types, as appropriate, from the Electric or General filing category.

Filing category	ory Filing Type as listed in eFiling Description	
	(Fee) Application for Commission Cert. as Cogeneration QF	Use to submit an application for Commission certification or Commission recertification of a cogeneration facility as a QF,
	(Fee) Application for Commission Cert. as Small Power QF	Use to submit an application for Commission certification or Commission recertification of a small power production facility as a QF.
	Self-Certification Notice (QF, EG, FC)	Use to submit a notice of self- certification of your facility (cogeneration or small power production) as a QF.
Electric	Self-Recertification of Qualifying Facility (QF)	Use to submit a notice of self- recertification of your facility (cogeneration or small power production) as a QF,
	Supplemental Information or Request	Use to correct or supplement a Form 556 that was submitted with errors or omissions, or for which Commission staff has requested additional information. Do not use this filling type to report new changes to a facility or its ownership; rather, use a self-recertification or Commission recertification to report such changes.
General	Use to submit a petition declaratory order granting of Commission QF regular pursuant to 18 C.F.R. §§ 2	

You will be prompted to submit your filing fee, if applicable, during the electronic submission process. Filing fees can be paid via electronic bank account debit or credit card.

During the eFiling process, you will be prompted to select your file(s) for upload from your computer.

Filing Fee

No filing fee is required if you are submitting a self-certification or self-recertification of your facility as a QF pursuant to 18 C.F.R. § 292.207(a).

A filling fee is required if you are filling either of the following:

(1) an application for Commission certification or recertification of your facility as a QF pursuant to 18 C.F.R. § 292.207(b), or (2) a petition for declaratory order granting waiver pursuant to 18 C.F.R. §§ 292.204(a)(3) and/or 292.205(c).

The current fees for applications for Commission certifications and petitions for declaratory order can be found by visiting the Commission's QF website at www.ferc.gov/QF and clicking the Fee Schedule link.

You will be prompted to submit your filing fee, if applicable, during the electronic filing process described on page 2.

Required Notice to Utilities and State Regulatory Authorities

Pursuant to 18 C.F.R. § 292.207(a)(II), you must provide a copy of your self-certification or request for Commission certification to the utilities with which the facility will interconnect and/or transact, as well as to the State regulatory authorities of the states in which your facility and those utilities reside. Links to information about the regulatory authorities in various states can be found by visiting the Commission's QF website at www.ferc.gov/QF and clicking the Notice Requirements link.

What to Expect From the Commission After You File

An applicant filing a Form 556 electronically will receive an email message acknowledging receipt of the filing and showing the docket number assigned to the filing. Such email is typically sent within one business day, but may be delayed pending confirmation by the Secretary of the Commission of the contents of the filing.

An applicant submitting a self-certification of QF status should expect to receive no documents from the Commission, other than the electronic acknowledgement of receipt described above. Consistent with its name, a self-certification is a certification by the applicant itself that the facility meets the relevant requirements for QF status, and does not involve a determination by the Commission as to the status of the facility. An acknowledgement of receipt of a self-certification, in particular, does not represent a determination by the Commission with regard to the QF status of the facility. An applicant self-certifying may, however, receive a rejection, revocation or deficiency letter if its application is found, during periodic compliance reviews, not to comply with the relevant requirements.

An applicant submitting a request for Commission certification will receive an order either granting or denying certification of QF status, or a letter requesting additional information or rejecting the application. Pursuant to 18 C.F.R. § 292.207(b)(3), the Commission must act on an application for Commission certification within 90 days of the later of the filing date of the application or the filing date of a supplement, amendment or other change to the application.

Waiver Requests

18 C.F.R. § 292.204(a)(3) allows an applicant to request a waiver to modify the method of calculation pursuant to 18 C.F.R. § 292.204(a)(2) to determine if two facilities are considered to be located at the same site, for good cause. 18 C.F.R. § 292.205(c) allows an applicant to request waiver of the requirements of 18 C.F.R. §§ 292.205(a) and (b) for operating and efficiency upon a showing that the facility will produce significant energy savings. A request for waiver of these requirements must be submitted as a petition for declaratory order, with the appropriate filling fee for a petition for declaratory order. Applicants requesting Commission recertification as part of a request for waiver of one of these requirements should electronically submit their completed Form 556 along with their petition for declaratory order, rather than filling their Form 556 as a separate request for Commission recertification. Only the filling fee for the petition for declaratory order must be paid to cover both the waiver request and the request for recertification if such requests are made simultaneously.

18 C.F.R. § 292.203(d)(2) allows an applicant to request a walver of the Form 556 filing requirements, for good cause, Applicants filing a petition for declaratory order requesting a walver under 18 C.F.R. § 292.203(d)(2) do not need to complete or submit a Form 556 with their petition.

Geographic Coordinates

If a street address does not exist for your facility, then line 3c of the Form 556 requires you to report your facility's geographic coordinates (latitude and longitude). Geographic coordinates may be obtained from several different sources. You can find links to online services that show latitude and longitude coordinates on online maps by visiting the Commission's QF webpage at www.ferc.gov/QF and clicking the Geographic Coordinates link. You may also be able to obtain your geographic coordinates from a GPS device, Google Earth (available free at http://earth.google.com), a property survey, various engineering or construction drawings, a property deed, or a municipal or county map showing property lines.

Filing Privileged Data or Critical Energy Infrastructure Information in a Form 556

The Commission's regulations provide procedures for applicants to either (1) request that any information submitted with a Form 556 be given privileged treatment because the information is exempt from the mandatory public disclosure requirements of the Freedom of information Act, 5 U.S.C. § 552, and should be withheld from public disclosure; or (2) identify any documents containing critical energy infrastructure information (CEII) as defined in 18 C.F.R. § 388.113 that should not be made public.

If you are seeking privileged treatment or CEII status for any data in your Form 556, then you must follow the procedures in 18 C.F.R. § 388,112. See www.ferc.gov/help/filing-guide/file-ceii.asp for more information.

Among other things (see 18 C.F.R. § 388.112 for other requirements), applicants seeking privileged treatment or CEII status for data submitted in a Form 556 must prepare and file both (1) a complete version of the Form 556 (containing the privileged and/or CEII data), and (2) a public version of the Form 556 (with the privileged and/or CEII data redacted). Applicants preparing and filing these different versions of their Form 556 must indicate below the security designation of this version of their document. If you are *not* seeking privileged treatment or CEII status for any of your Form 556 data, then you should not respond to any of the items on this page.

Non-Public: Applicant is seeking privileged treatment and/or CEII status for data contained in the Form 556 lines indicated below. This non-public version of the applicant's Form 556 contains all data, including the data that is redacted in the (separate) public version of the applicant's Form 556.
Public (redacted): Applicant is seeking privileged treatment and/or CEII status for data contained in the Form 556 lines indicated below. This public version of the applicants's Form 556 contains all data except for data from the lines indicated below, which has been redacted.
Privileged: Indicate below which lines of your form contain data for which you are seeking privileged treatment
Critical Energy Infrastructure Information (CEII): Indicate below which lines of your form contain data for which you are seeking CEII status

The eFiling process described on page 2 will allow you to identify which versions of the electronic documents you submit are public, privileged and/or CEII. The filenames for such documents should begin with "Public", "Priv", or "CEII", as applicable, to clearly indicate the security designation of the file. Both versions of the Form 556 should be unaltered PDF copies of the Form 556, as available for download from www.ferc.gov/QF. To redact data from the public copy of the submittal, simply omit the relevant data from the Form. For numerical fields, leave the redacted fields blank. For text fields, complete as much of the field as possible, and replace the redacted portions of the field with the word "REDACTED" in brackets. Be sure to identify above all fields which contain data for which you are seeking non-public status.

The Commission is not responsible for detecting or correcting filer errors, including those errors related to security designation. If your documents contain sensitive information, make sure they are filed using the proper security designation.

Form 556

FEDERAL ENERGY REGULATORY COMMISSION WASHINGTON, DC

OMB Control # 1902-0075 Expiration 5/31/2013

Form 556 Certification of Qualifying Facility (QF) Status for a Small Power Production or Cogeneration Facility

1b Applicant street add 6614 W. Crimson			
1c City		1d State/provi	nce
South Jordan		Utah	
1e Postal code 84095 1f Country (if not United States)		· · · · · · · · · · · · · · · · · · ·	1g Telephone number 801-260-8200
1h Has the instant facili	ty ever previously been certified as a Q	F? Yes 🗌 N	lo 🛚
1i If yes, provide the do	cket number of the last known QF filing	g pertaining to th	nis facility: QF
1j Under which certifica	tion process is the applicant making th	nis filing?	
Notice of self-certif	ication \Box A fe	pplication for Co e; see "Filing Fee	mmission certification (requires filing " section on page 3)
QF status. A notice	of self-certification does not establish a ation to verify compliance. See the "W	proceeding, and	ility complies with the requirements for d the Commission does not review a om the Commission After You File"
1k What type(s) of QF st	atus is the applicant seeking for its faci	lity? (check all th	at apply)
Qualifying small po	ower production facility status 🔲 Q	ualifylng cogene	ration facility status
11 What is the purpose a	nd expected effective date(s) of this fil	ing?	
Original certification	n; facility expected to be installed by	<u>5/3/13</u> ar	nd to begin operation on 7/11/13
	viously certified facility to be effective o		
(Identify type(s) of	change(s) below, and describe change	e(s) in the Miscell	aneous section starting on page 19)
	nd/or other administrative change(s)		
☐ Change in own	•		
			city and/or cogeneration thermal outpur
•—	ection to a previous filing submitted or		40)
	ement or correction in the Miscellaneo	 	
to the extent possibl	e, explaining any special circumstance:	s in the Miscellan	- • -
☐ previously grante	y compiles with the Commission's QF r id by the Commission In an order date cellaneous section starting on page 19)	d ,	virtue of a waiver of certain regulations (specify any other relevant waiver
	y would comply with the Commission's this application is granted	s QF requiremen	ts if a petition for waiver submitted
employment of u	y complies with the Commission's regunique or innovative technologies not control of compliance via this form difficult of	ontemplated by	the structure of this form, that make

Page 6 - All Facilities

tyvo uncet ov	vners with the largest equity interest in the facility. Full legal names of direct owners	Electric u hold comp	Ing	If \ % ed Inte
1) eBay, Inc	o	Yes 🗌	No 🛛	
2)		Yes 🗌	No 🗌	
3)		Yes [No 🗌	
4)		Yes [№ 🗌	
5)		Yes [No 🔲	
6)		Yes 🗌	No 🔲	
7)		Yes [_]	No 🔲	
8)		Yes [No 🗌	
1 01			No 🔲	
10)			No 🗍	
5b Upstream (i.e of the facility defined in se 1262(8) of the equity intere	ere and continue in the Miscellaneous section starting on page a, indirect) ownership as of effective date or operation date: Id that both (1) hold at least 10 percent equity interest in the fact ction 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or hold e Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(st in the facility held by such owners. (Note that, because upst I percent equity interest reported may exceed 100 percent.)	e 19 if additional space entify all upstream (i. ility, and (2) are election ling companies, as de 8)). Also provide the	e., Indire lc utilitie fined in percenta	ect) ow es, as section age of
5b Upstream (I.e of the facility defined in se 1262(8) of the equity intere another, tota	ere and continue in the Miscellaneous section starting on page a., Indirect) ownership as of effective date or operation date: Id that both (1) hold at least 10 percent equity interest in the faction 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or hold at Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(see in the facility held by such owners. (Note that, because upstal percent equity interest reported may exceed 100 percent.)	entify all upstream (I. entify all upstream (I. lity, and (2) are electi ling companies, as de 8)). Also provide the ream owners may be	e., Indire lc utilitie fined in percenta	ect) owes, as sectionage of tries of the section when the section is a section of the section when the section is a section is a section when the section is a section is a section is a section in the section in the section is a section in the section in the section is a section in the section in the section is a section in the section in the section is a section in the section in the section in the section is a section in the section in the section in the section is a section in the section in
5b Upstream (i.e of the facility defined in se 1262(8) of the equity intere another, tota Check here if	ere and continue in the Miscellaneous section starting on page e., Indirect) ownership as of effective date or operation date: Id that both (1) hold at least 10 percent equity interest in the factorion 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or hold at Public Utility Holding Company Act of 2005 (42 U.S.C. 16451) at in the facility held by such owners. (Note that, because upstal percent equity interest reported may exceed 100 percent.) no such upstream owners exist.	e 19 If additional space entify all upstream (I. liity, and (2) are electring companies, as de 8)). Also provide the ream owners may be	e., Indire de utilitle efined in percenta subsidia	ect) owes, as sectionage of tries of the section when the section is a section of the section when the section is a section is a section when the section is a section is a section is a section in the section in the section is a section in the section in the section is a section in the section in the section is a section in the section in the section is a section in the section in the section in the section is a section in the section in the section in the section is a section in the section in
5b Upstream (i.e of the facility defined in se 1262(8) of the equity intere another, tota Check here if	ere and continue in the Miscellaneous section starting on page a., indirect) ownership as of effective date or operation date: Id that both (1) hold at least 10 percent equity interest in the factorion 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or hold a Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(ast in the facility held by such owners. (Note that, because upstil percent equity interest reported may exceed 100 percent.) no such upstream owners exist.	entify all upstream (I. entify all upstream (I. ility, and (2) are electi ling companies, as de 8)). Also provide the ream owners may be	e., Indire de utilitle efined in percenta subsidia	ect) owers, as sectionage of the order of th
5b Upstream (i.e of the facility defined in se 1262(8) of the equity intere another, total Check here if	ere and continue in the Miscellaneous section starting on page a., indirect) ownership as of effective date or operation date: Id that both (1) hold at least 10 percent equity interest in the factorion 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or hold a Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(6) at in the facility held by such owners. (Note that, because upstripercent equity interest reported may exceed 100 percent.) no such upstream owners exist.	entify all upstream (I. entify all upstream (I. ility, and (2) are electi ling companies, as de 8)). Also provide the ream owners may be	e., Indire de utilitle efined in percenta subsidia	ect) owes, as sectionage of tries of week
5b Upstream (i.e of the facility defined in se 1262(8) of the equity intere another, total Check here if	ere and continue in the Miscellaneous section starting on page a., Indirect) ownership as of effective date or operation date: Id that both (1) hold at least 10 percent equity interest in the factorion 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or hold at Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(st in the facility held by such owners. (Note that, because upstal percent equity interest reported may exceed 100 percent.) no such upstream owners exist.	entify all upstream (I. entify all upstream (I. ility, and (2) are electi ling companies, as de 8)). Also provide the ream owners may be	e., Indire de utilitle efined in percenta subsidia	ect) owes, as sectionage of tries of week
5b Upstream (i.e of the facility defined in se 1262(8) of the equity intere another, total Check here if	ere and continue in the Miscellaneous section starting on page a., indirect) ownership as of effective date or operation date: Id that both (1) hold at least 10 percent equity interest in the factorion 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or hold a Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(6) at in the facility held by such owners. (Note that, because upstripercent equity interest reported may exceed 100 percent.) no such upstream owners exist.	entify all upstream (I. entify all upstream (I. ility, and (2) are electi ling companies, as de 8)). Also provide the ream owners may be	e., Indire de utilitle efined in percenta subsidia	ect) owes, as sectionage of tries of which we constitute the const
5b Upstream (i.e of the facility defined in se 1262(8) of the equity intere another, total Check here if	ere and continue in the Miscellaneous section starting on page a., Indirect) ownership as of effective date or operation date: Id that both (1) hold at least 10 percent equity interest in the factorion 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or hold at Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(st in the facility held by such owners. (Note that, because upstal percent equity interest reported may exceed 100 percent.) no such upstream owners exist.	entify all upstream (I. entify all upstream (I. ility, and (2) are electi ling companies, as de 8)). Also provide the ream owners may be	e., Indire de utilitle efined in percenta subsidia	ect) owes, as sectionage of tries of which we constitute the const
5b Upstream (l.e of the facility defined in se 1262(8) of the equity intere another, tota Check here if	ere and continue in the Miscellaneous section starting on page a., Indirect) ownership as of effective date or operation date: Id that both (1) hold at least 10 percent equity interest in the factorion 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or hold at Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(st in the facility held by such owners. (Note that, because upstal percent equity interest reported may exceed 100 percent.) no such upstream owners exist.	entify all upstream (I. entify all upstream (I. ility, and (2) are electi ling companies, as de 8)). Also provide the ream owners may be	e., Indire de utilitle efined in percenta subsidia	ect) ow es, as section age of
5b Upstream (i.e of the facility defined in se 1262(8) of the equity intere another, total Check here if	ere and continue in the Miscellaneous section starting on page a., indirect) ownership as of effective date or operation date: Id that both (1) hold at least 10 percent equity interest in the factorion 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or hold a Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(ast in the facility held by such owners. (Note that, because upstil percent equity interest reported may exceed 100 percent.) no such upstream owners exist.	entify all upstream (I. entify all upstream (I. ility, and (2) are electi ling companies, as de 8)). Also provide the ream owners may be	e., Indire de utilitle efined in percenta subsidia	ect) owes, as sectionage of tries of which we constitute the const
5b Upstream (l.e of the facility defined in se 1262(8) of the equity intere another, total Check here if	ere and continue in the Miscellaneous section starting on page a., Indirect) ownership as of effective date or operation date: Id that both (1) hold at least 10 percent equity interest in the factorion 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or hold at Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(st in the facility held by such owners. (Note that, because upstal percent equity interest reported may exceed 100 percent.) no such upstream owners exist.	entify all upstream (I. entify all upstream (I. lility, and (2) are electi ling companies, as de 8)). Also provide the ream owners may be	e., Indire de utilitle efined in percenta subsidia	ect) owes, as sectionage of tries of which we constitute the const

5a Direct ownership as of effective date or operation date: Identify all direct owners of the facility holding at least 10

()

_		_	_		
FI	- 2		FΛ	rn	· 556

Page 8 - All Facilities

	6a Describe the primary energy input: (check one main category and, if applicable, one subcategory)									
		⊠ Bioma	ss (specify)	Re	new	able resources (s	pecify)	Geot	hermal	
:		\boxtimes 1	Landfill gas			-lydro power - rlv	er er	Fossi	l fuel (spec	ify)
			Manure digester gas	İ		-lydro power - tic	lal		Coal (not	waste)
			Municipal solid waste			-lydro power - wa	ave _		Fuel oil/d	iesel
			Sewage digester gas	ļ		Solar - photovolt	aic		Natural g	as (not waste)
		□ '	Wood			Solar - thermal		-	Other fos:	sil fuel
			Other biomass (describe on	page 19)	<u></u> ⊓ \	Wind		Ц	(describe	on page 19)
		☐ Waste	(specify type below in line	6b)		Other renewable (describe on pag	resource e 19)	Othe	r (describe	on page 19)
	6b	If you spec	cified "waste" as the primary	y energy Inpu	ıt İn	line 6a, indicate i	the type o	f waste fuel	used: (che	ck one)
		☐ Wast	e fuel listed in 18 C.F.R. § 29	92,202(b) (spe	clfy	one of the follov	ving)			
	}		Anthracite culm produced	l prior to July	23,	1985				
			Anthracite refuse that has ash content of 45 percent		eat (content of 6,000	Btu or les	s per pound	l and has a	n average
			Bituminous coal refuse that average ash content of 25			heat content of	9,500 Btu	per pound	or less and	has an
Input			Top or bottom subbitumir determined to be waste by (BLM) or that is located on the applicant shows that t	y the United : non-Federal	State or n	es Department of on-Indian lands	f the Inter outside of	ior's Bureau f BLM's juris	of Land M diction, pro	anagement ovided that
Energy Input		Coal refuse produced on Federal lands or on Indian lands that has been determined to be waste by the BLM or that is located on non-Federal or non-Indian lands outside of BLM's jurisdiction, provided that applicant shows that the latter is an extension of that determined by BLM to be waste								
. []		Lignite produced in association with the production of montan wax and lignite that becomes exposed as a result of such a mining operation								
		☐ Gaseous fuels (except natural gas and synthetic gas from coal) (describe on page 19)								
			Waste natural gas from ga C,F,R, § 2,400 for waste na compliance with 18 C,F,R,	tural gas; incl						
			Materials that a governme	nt agency ha	s cei	rtifled for dispose	al by com	bustion (de	scribe on p	age 19)
			Heat from exothermic read	ctions (descri	be o	n page 19)	☐ F	Residual hea	it (describe	on page 19)
			Used rubber tires] Plastic mat	terla	ls 🗌 Re	efinery off	-gas	☐ Petro	oleum coke
		Other waste energy input that has little or no commercial value and exists in the absence of the qualifying facility industry (describe in the Miscellaneous section starting on page 19; include a discussion of the fuel's lack of commercial value and existence in the absence of the qualifying facility industry)								
	6c Provide the average energy input, calculated on a calendar year basis, in terms of Btu/h for the following fossil fur energy inputs, and provide the related percentage of the total average annual energy input to the facility (18 C.F. 292.202(j)). For any oil or natural gas fuel, use lower heating value (18 C.F.R. § 292.202(m)).				g fossil fuel ity (18 C.F.R. §					
i			Fuel			verage energy r specified fuel		Percentage annual ener		
			Natural gas			-	Btu/h		0 %	
			Oil-based fuels				Btu/h		0 %	
			Coal				Btu/h		0 %	

indicate the maximum gross and maximum net electric power production capacity of the facility at the point(s) of delivery by completing the worksheet below. Respond to all items. If any of the parasitic loads and/or losses identified in lines 7b through 7e are negligible, enter zero for those lines.

7a The maximum gross power production capacity at the terminals of the individual generator(s) under the most favorable anticipated design conditions	6,000 kW
7b Parasitic station power used at the facility to run equipment which is necessary and integral to the power production process (boiler feed pumps, fans/blowers, office or maintenance buildings directly related to the operation of the power generating facility, etc.). If this facility includes non-power production processes (for instance, power consumed by a cogeneration facility's thermal host), do not include any power consumed by the non-power production activities in your reported parasitic station power.	5 kW
7c Electrical losses in interconnection transformers	125 kW
7d Electrical losses in AC/DC conversion equipment, if any	0 kW
7e Other interconnection losses in power lines or facilities (other than transformers and AC/DC conversion equipment) between the terminals of the generator(s) and the point of interconnection with the utility	o kW
7f Total deductions from gross power production capacity = 7b + 7c + 7d + 7e	130.0 kW
7g Maximum net power production capacity = 7a - 7f	5,870.0 kW

7h Description of facility and primary components: Describe the facility and its operation. Identify all boilers, heat recovery steam generators, prime movers (any mechanical equipment driving an electric generator), electrical generators, photovoltaic solar equipment, fuel cell equipment and/or other primary power generation equipment used in the facility. Descriptions of components should include (as applicable) specifications of the nominal capacities for mechanical output, electrical output, or steam generation of the identified equipment. For each piece of equipment identified, clearly indicate how many pieces of that type of equipment are included in the plant, and which components are normally operating or normally in standby mode. Provide a description of how the components operate as a system. Applicants for cogeneration facilities do not need to describe operations of systems that are clearly depicted on and easily understandable from a cogeneration facility's attached mass and heat balance diagram; however, such applicants should provide any necessary description needed to understand the sequential operation of the facility depicted in their mass and heat balance diagram. If additional space is needed, continue in the Miscellaneous section starting on page 19.

The facility will consist of five Bloom Energy fuel cell systems using a patented solid oxide fuel cell technology to generate electricity. The oxygen from the ambient air is ionized and attracted through the solid oxide electrolyte and though this activity, the electricity of the negatively charged ion is captured. The bonding of hydrogen to oxygen is an exothermic reaction, which creates the heat that is used to reform (separate) the fuel.

Each of the five fuel cell systems is comprised of six Bloom ES-5700 Energy Servers, one 480V Electrical Distribution Module, grid parallel, one 480V Electrical Distribution Module, standalone, one Static Bypass Module, one Telemetry Switch and control section, and two Water Deionization Modules. Each ES-5700 fuel cell server produces 200 kW. The systems have a modular design that allows the simultaneous use of multiple systems in order to achieve the desired electric generation output. Each 200 kW (AC) Energy Server system is comprised of six individual direct current (DC) power-producing modules and one input/output module for fuel intake and electricity output. Each of the six individual DC power producing modules is feeding electricity to the input/output module which converts the DC power into the systems AC power output. The combination of six DC modules and one input/output module comprise a 1200 kW (AC) all-electric system. There are a total of 30 energy servers making up 5 systems for a total generating capacity for the facility of 6 MW (AC). [Continued on page 19.]



Information Required for Small Power Production Facility

If you indicated in line 1k that you are seeking qualifying small power production facility status for your facility, then you must respond to the Items on this page. Otherwise, skip page 10,

11103	Pursuant to 18 C.F.R. § 292.204(a), with the power production capacit resource, are owned by the same particles with size limitation under the (Pub. L. 101-575, 104 Stat. 2834 (194 through 8e below (as applicable). 8a Identify any facilities with elected equipment of the instant facility, a least a 5 percent equity interest.	the power production carry of any other small powerson(s) or its affiliates, ollance with this size limits solar, Wind, Waste, and 190) as amended by Pub. Trical generating equipment for which any of the	ver production facilities that use and are located at the same site itation, or to demonstrate that y Geothermal Power Production L. 102-46, 105 Stat. 249 (1991)), ment located within 1 mile of the	e the same energy e, may not exceed 80 your facility is exempt incentives Act of 1990 respond to lines 8a	
JCe	Check here if no such facilities exist	. 🛛			
ons ons	Facility location (city or county, state)	Root docket # (if any)	Common owner(s)	Maximum net power production capacity	
om tati	1)	QF		kW	
f Co	2)	QF		kW	
n oj e Li	3)	QF		kW	
tio Siz	Check here and continue in the	e Miscellaneous section	starting on page 19 if addition	al space is needed	
Certification of Compliance with Size Limitations	8b The Solar, Wind, Waste, and Geothermal Power Production Incentives Act of 1990 (Incentives Act) provides exemption from the size limitations in 18 C.F.R. § 292.204(a) for certain facilities that were certified prior to 1995. Are you seeking exemption from the size limitations in 18 C.F.R. § 292.204(a) by virtue of the incentives Act? ☐ Yes (continue at line 8c below) ☐ No (skip lines 8c through 8e) 8c Was the original notice of self-certification or application for Commission certification of the facility filed on or before December 31, 1994? Yes ☐ No ☐				
	8d Did construction of the facility commence on or before December 31, 19997 Yes No				
	Be If you answered No in line 8d, in the facility, taking into account all fa brief narrative explanation in the particular, describe why construction toward completion of the facility.	actors relevant to const Miscellaneous section s	ruction? Yes \square No \square If your tarting on page 19 of the consti	ou answered Yes, provide ruction timeline (in	
Certification of Compliance vith Fuel Use Requirements	Pursuant to 18 C.F.R. § 292.204(b), amounts, for only the following pure prevention of unanticipated equipathe public health, safety, or welfare used for these purposes may not experiod beginning with the date the	rposes: Ignition; start-u ment outages; and allev , which would result fro xceed 25 percent of the	p; testing; flame stabilization; co lation or prevention of emerge m electric power outages. The total energy input of the facility	ontrol use; alleviation or ncies, directly affecting amount of fossil fuels during the 12-month	
of C Re(9a Certification of compliance with	9a Certification of compliance with 18 C.F.R. § 292,204(b) with respect to uses of fossil fuel:			
on c Use	Applicant certifies that the	facility will use fossil fue	ls <i>exclusively</i> for the purposes li	sted above.	
cati Iel I	9b Certification of compliance with	h 18 C.F.R. § 292.204(b)	with respect to amount of fossil	fuel used annually:	
ertific ith Fu	Applicant certifies that the percent of the total energy facility first produces electr	input of the facility duri			

Information Required for Cogeneration Facility

If you indicated in line 1k that you are seeking qualifying cogeneration facility status for your facility, then you must respond to the items on pages 11 through 13. Otherwise, skip pages 11 through 13.

		, <u>, , , , , , , , , , , , , , , , , , </u>
	energy (such as heat or s use of energy. Pursuant cycle cogeneration facili thermal application or p	92.202(c), a cogeneration facility produces electric energy and forms of useful thermal steam) used for industrial, commercial, heating, or cooling purposes, through the sequential to 18 C.F.R. § 292.202(s), "sequential use" of energy means the following: (1) for a topping-lity, the use of reject heat from a power production process in sufficient amounts in a process to conform to the requirements of the operating standard contained in 18 C.F.R. § ottoming-cycle cogeneration facility, the use of at least some reject heat from a thermal or power production.
	1	generation technology does the facility represent? (check all that apply)
	Topping-cycle	e cogeneration [] Bottoming-cycle cogeneration
	other requirements balance diagram de meet certain requir	te the sequential operation of the cogeneration process, and to support compilance with as such as the operating and efficiency standards, include with your filing a mass and heat epicting average annual operating conditions. This diagram must include certain items and rements, as described below. You must check next to the description of each requirement at you have compiled with these requirements.
	Check to certify compliance with	
	Indicated requirement	Requirement
ration n		Diagram must show orientation within system piping and/or ducts of all prime movers, heat recovery steam generators, boilers, electric generators, and condensers (as applicable), as well as any other primary equipment relevant to the cogeneration process.
gene natior		Any average annual values required to be reported in lines 10b, 12a, 13a, 13b, 13d, 13f, 14a, 15b, 15d and/or 15f must be computed over the anticipated hours of operation.
General Cogeneration Information		Diagram must specify all fuel inputs by fuel type and average annual rate in Btu/h. Fuel for supplementary firing should be specified separately and clearly labeled. All specifications of fuel inputs should use lower heating values.
ien(Diagram must specify average gross electric output in kW or MW for each generator.
9		Diagram must specify average mechanical output (that is, any mechanical energy taken off of the shaft of the prime movers for purposes not directly related to electric power generation) in horsepower, if any. Typically, a cogeneration facility has no mechanical output.
		At each point for which working fluid flow conditions are required to be specified (see below), such flow condition data must include mass flow rate (in ib/h or kg/s), temperature (in °F, R, °C or K), absolute pressure (in psia or kPa) and enthalpy (in Btu/ib or kJ/kg). Exception: For systems where the working fluid is <i>liquid only</i> (no vapor at any point in the cycle) and where the type of liquid and specific heat of that liquid are clearly indicated on the diagram or in the Miscellaneous section starting on page 19, only mass flow rate and temperature (not pressure and enthalpy) need be specified. For reference, specific heat at standard conditions for pure liquid water is approximately 1.002 Btu/ (lb*R) or 4.195 kJ/(kg*K).
		Diagram must specify working fluid flow conditions at input to and output from each steam turbine or other expansion turbine or back-pressure turbine.
		Diagram must specify working fluid flow conditions at delivery to and return from each thermal application.
		Diagram must specify working fluid flow conditions at make-up water inputs.

	EPAct 2005 cogeneration facilities: The Energy Policy Act of 2005 (EPAct 2005) established a new section 210(n) of the Public Utility Regulatory Policies Act of 1978 (PURPA), 16 USC 824a-3(n), with additional requirements for any qualifying cogeneration facility that (1) is seeking to sell electric energy pursuant to section 210 of PURPA and (2) was either not a cogeneration facility on August 8, 2005, or had not filed a self-certification or application for Commission certification of QF status on or before February 1, 2006. These requirements were implemented by the Commission in 18 C.F.R. § 292.205(d). Complete the lines below, carefully following the instructions, to demonstrate whether these additional requirements apply to your cogeneration facility and, if so, whether your facility complies with such requirements.	
	11a Was your facility operating as a qualifying cogeneration facility on or before August 8, 2005? Yes No	Û
		Ü
ig v	If the answer to either line 11a or 11b is Yes, then continue at line 11c below. Otherwise, if the answers to both lines 11a and 11b are No, skip to line 11e below.	
acilitie	11c With respect to the design and operation of the facility, have any changes been implemented on or after February 2, 2006 that affect general plant operation, affect use of thermal output, and/or increase net power production capacity from the plant's capacity on February 1, 2006?	Ø
ner n F	Yes (continue at line 11d below)	
rundar ıeratio	No. Your facility is not subject to the requirements of 18 C.F.R. § 292.205(d) at this time. However, it may be subject to to these requirements in the future if changes are made to the facility. At such time, the applicant would need to recertly the facility to determine eligibility. Skip lines 11d through 11j.	
s ror oger	11d Does the applicant contend that the changes identified in line 11c are not so significant as to make the facility a "new" cogeneration facility that would be subject to the 18 C.F.R. § 292.205(d) cogeneration requirements?	Ū
ement from C	Yes. Provide in the Miscellaneous section starting on page 19 a description of any relevant changes made to the facility (including the purpose of the changes) and a discussion of why the facility should not be considered a "new" cogeneration facility in light of these changes. Skip lines 11e through 11j.	
Er Act 2005 Requirements for Fundamental Use of Energy Output from Cogeneration Facilities	No. Applicant stipulates to the fact that it is a "new" cogeneration facility (for purposes of determining the applicability of the requirements of 18 C.F.R. § 292.205(d)) by virtue of modifications to the facility that were initiated on or after February 2, 2006. Continue below at line 11e.	
))	11e WIII electric energy from the facility be sold pursuant to section 210 of PURPA?	Û
nerg	Yes. The facility is an EPAct 2005 cogeneration facility. You must demonstrate compliance with 18 C.F.R. § 292.205(d)(2) by continuing at line 11f below.	_
	No. Applicant certifles that energy will <i>not</i> be sold pursuant to section 210 of PURPA. Applicant also certifies its understanding that it must recertify its facility in order to determine compliance with the requirements of 18 C.F.R. § 292.205(d) <i>before</i> selling energy pursuant to section 210 of PURPA in the future. Skip lines 11f through 11j.	
	11f is the net power production capacity of your cogeneration facility, as indicated in line 7g above, less than or equal to 5,000 kW?	O
	Yes, the net power production capacity is less than or equal to 5,000 kW. 18 C.F.R. § 292.205(d)(4) provides a rebuttable presumption that cogeneration facilities of 5,000 kW and smaller capacity comply with the requirements for fundamental use of the facility's energy output in 18 C.F.R. § 292.205(d)(2). Applicant certifies its understanding that, should the power production capacity of the facility increase above 5,000 kW, then the facility must be recertified to (among other things) demonstrate compliance with 18 C.F.R. § 292.205(d)(2). Skip lines 11g through 11j.	
	No, the net power production capacity is greater than 5,000 kW. Demonstrate compliance with the [_] requirements for fundamental use of the facility's energy output in 18 C.F.R. § 292.205(d)(2) by continuing on the next page at line 11g.	

EPAct 2005 Requirements for Fundamental Use of Energy Output from Cogeneration Facilities (continued)

Lines 11g through 11k below guide the applicant through the process of demonstrating compliance with the requirements for "fundamental use" of the facility's energy output. 18 C.F.R. § 292.205(d)(2). Only respond to the lines on this page if the instructions on the previous page direct you to do so. Otherwise, skip this page.

18 C.F.R. § 292,205(d)(2) requires that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a qualifying facility to its host facility. If you were directed on the previous page to respond to the items on this page, then your facility is an EPAct 2005 cogeneration facility that is subject to this "fundamental use" requirement,

The Commission's regulations provide a two-pronged approach to demonstrating compliance with the requirements for fundamental use of the facility's energy output. First, the Commission has established in 18 C.F.R. § 292.205(d)(3) a "fundamental use test" that can be used to demonstrate compliance with 18 C.F.R. § 292.205(d)(2). Under the fundamental use test, a facility is considered to comply with 18 C.F.R. § 292.205(d)(2) If at least 50 percent of the facility's total annual energy output (including electrical, thermal, chemical and mechanical energy output) is used for industrial, commercial, residential or institutional purposes.

Second, an applicant for a facility that does not pass the fundamental use test may provide a narrative explanation of and support for its contention that the facility nonetheless meets the requirement that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a qualifying facility to its host facility.

Complete lines 11g through 11j below to determine compliance with the fundamental use test in 18 C.F.R. § 292.205(d)(3). Complete lines 11g through 11j even if you do not intend to rely upon the fundamental use test to demonstrate compliance with 18 C.F.R. § 292.205(d)(2).

11g Amount of electrical, thermal, chemical and mechanical energy output (net of internal	
generation plant losses and parasitic loads) expected to be used annually for industrial,	
commercial, residential or institutional purposes and not sold to an electric utility	MWI
11h Total amount of electrical, thermal, chemical and mechanical energy expected to be	
sold to an electric utility	MWI
111 Percentage of total annual energy output expected to be used for industrial,	
commercial, residential or institutional purposes and not sold to a utility	
= 100 * 11g /(11g + 11h)	0 %

11] Is the response in line 11] greater than or equal to 50 percent?

Yes. Your facility complies with 18 C.F.R. § 292.205(d)(2) by virtue of passing the fundamental use test provided in 18 C.F.R. § 292.205(d)(3). Applicant certifies its understanding that, if it is to rely upon passing the fundamental use test as a basis for complying with 18 C.F.R. § 292.205(d)(2), then the facility must comply with the fundamental use test both in the 12-month period beginning with the date the facility first produces electric energy, and in all subsequent calendar years.

No. Your facility does not pass the fundamental use test. Instead, you must provide in the Miscellaneous section starting on page 19 a narrative explanation of and support for why your facility meets the requirement that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a QF to its host facility. Applicants providing a narrative explanation of why their facility should be found to comply with 18 C.F.R. § 292,205(d)(2) in spite of non-compliance with the fundamental use test may want to review paragraphs 47 through 61 of Order No. 671 (accessible from the Commission's QF website at www.ferc.gov/QF), which provide discussion of the facts and circumstances that may support their explanation. Applicant should also note that the percentage reported above will establish the standard that that facility must comply with, both for the 12-month period beginning with the date the facility first produces electric energy, and in all subsequent calendar years. See Order No. 671 at paragraph 51. As such,

the applicant should make sure that it reports appropriate values on lines 11g and 11h above to serve as the

relevant annual standard, taking into account expected variations in production conditions.



Usefulness of Topping-Cycle

Information Required for Topping-Cycle Cogeneration Facility

If you indicated in line 10a that your facility represents topping-cycle cogeneration technology, then you must respond to the items on pages 14 and 15. Otherwise, skip pages 14 and 15.

The thermal energy output of a topping-cycle cogeneration facility is the net energy made available to an industrial or commercial process or used in a heating or cooling application. Pursuant to sections 292,202(c), (d) and (h) of the Commission's regulations (18 C.F.R. §§ 292.202(c), (d) and (h)), the thermal energy output of a qualifying toppingcycle cogeneration facility must be useful. In connection with this requirement, describe the thermal output of the topping-cycle cogeneration facility by responding to lines 12a and 12b below. 12a Identify and describe each thermal host, and specify the annual average rate of thermal output made available to each host for each use. For hosts with multiple uses of thermal output, provide the data for each use in separate rows. Average annual rate of thermal output attributable to use (net of Name of entity (thermal host) Thermal host's relationship to facility: heat contained in process taking thermal output Thermal host's use of thermal output return or make-up water) Select thermal host's relationship to facility 1) Select thermal host's use of thermal output Btu/h Select thermal host's relationship to facility 2) Select thermal host's use of thermal output Btu/h Select thermal host's relationship to facility 3) Select thermal host's use of thermal output Btu/h Thermal Output Select thermal host's relationship to facility 4) Select thermal host's use of thermal output Btu/h Select thermal host's relationship to facility 5) Select thermal host's use of thermal output Btu/h Select thermal host's relationship to facility 6) Select thermal host's use of thermal output Check here and continue in the Miscellaneous section starting on page 19 if additional space is needed 12b Demonstration of usefulness of thermal output: At a minimum, provide a brief description of each use of the thermal output identified above. In some cases, this brief description is sufficient to demonstrate usefulness. However, if your facility's use of thermal output is not common, and/or if the usefulness of such thermal output is not reasonably clear, then you must provide additional details as necessary to demonstrate usefulness. Your application may be rejected and/or additional information may be required if an insufficient showing of usefulness Is made. (Exception: If you have previously received a Commission certification approving a specific use of thermal output related to the instant facility, then you need only provide a brief description of that use and a reference by date and docket number to the order certifying your facility with the indicated use. Such exemption may not be used If any change creates a material deviation from the previously authorized use.) If additional space is needed, continue in the Miscellaneous section starting on page 19.



m 556	Page 15 - Topping-Cycle Cogeneration Facilitie
cycle operating standard and, if applicable, e regulations (18 C.F.R. § 292.205(a)(1)) establi the useful thermal energy output must be ne (18 C.F.R. § 292.205(a)(2)) establishes the effi installation commenced on or after March 1: thermal energy output must (A) be no less the facility; and (B) if the useful thermal energy of be no less than 45 percent of the total energy compliance with the topping-cycle operating	g-cycle technology must demonstrate compliance with the topping- efficiency standard. Section 292.205(a)(1) of the Commission's shes the operating standard for topping-cycle cogeneration facilities: o less than 5 percent of the total energy output. Section 292.205(a)(2) ciency standard for topping-cycle cogeneration facilities for which 3, 1980: the useful power output of the facility plus one-half the useful nan 42.5 percent of the total energy input of natural gas and oil to the output is less than 15 percent of the total energy output of the facility, y input of natural gas and oil to the facility. To demonstrate g and/or efficiency standards, or to demonstrate that your facility is on the date that installation commenced, respond to lines 13a through
technology, then respond to lines 13a throu attributable to the topping-cycle portion of	epresents <i>both</i> topping-cycle and bottoming-cycle cogeneration gh 13I below considering only the energy inputs and outputs your facility. Your mass and heat balance diagram must make clear em components are for which portion (topping or bottoming) of the
13a Indicate the annual average rate of user	-, · · · · · · · · · · · · · · · · · · ·

cogeneration system.				
13a Indicate the annual average rate of useful thermal	energy output made available			
to the host(s), net of any heat contained in condensate s	eturn or make-up water		Btu/h	
13b Indicate the annual average rate of net electrical er	nergy output			
			kW	
13c Multiply line 13b by 3,412 to convert from kW to Bt	u/h			
		0	Btu/h	
13d Indicate the annual average rate of mechanical ene	ergy output taken directly off			
of the shaft of a prime mover for purposes not directly re	elated to power production			
(this value is usually zero)			hp	
13e Multiply line 13d by 2,544 to convert from hp to Bt				
		0	Btu/h	
13f Indicate the annual average rate of energy input fro		· · · · · ·		
	-		Btu/h	
13g Topping-cycle operating value = 100 * 13a / (13a +	13c + 13e)	· · · · · · · · · · · · · · · · · · ·		
	·	0	%	
13h Topping-cycle efficiency value = 100 * (0.5*13a + 1	3c + 13e) / 13f	-		
,		0	%	
13i Compliance with operating standard: is the operati	ng value shown in line 13g gre	ater than or equal to 5	%7	
		•	, , ,	
Yes (complies with operating standard)	No (does not comply wi	th operating standard)		
13j Did installation of the facility in its current form com	mence on or after March 13, 1	980?	·····	
,	•			
Yes. Your facility is subject to the efficiency requirements of 18 C.F.R. § 292.205(a)(2). Demonstrate				
\square compliance with the efficiency requirement by responding to line 13k or 13l, as applicable, below.				
No. Your facility is exempt from the efficiency st	andard Skin lines 13k and 13l			
No. Your facility is exempt from the efficiency standard. Skip lines 13k and 13l.				
13k Compliance with efficiency standard (for low opera	ting value): If the operating va	lue shown in line 13a i	s less	
than 15%, then indicate below whether the efficiency va	lue shown in line 13h greater i	than or equal to 45%:	0 1000	
Yes (complies with efficiency standard)	No (does not comply wi	th efficiency standard)		
131 Compliance with efficiency standard (for high opera	iting value): If the operating va	alue shown in line 13g	s	
greater than or equal to 15%, then indicate below wheth	ner the efficiency value shown	In line 13h is greater th	an or	
equal to 42,5%:				
Yes (complies with efficiency standard)	No (does not comply wi	th efficiency standard)		

Information Required for Bottoming-Cycle Cogeneration Facility

If you indicated in line 10a that your facility represents bottoming-cycle cogeneration technology, then you must respond to the items on pages 16 and 17. Otherwise, skip pages 16 and 17.

The thermal energy output of a bottoming-cycle cogeneration facility is the energy related to the process(es) from which at least some of the reject heat is then used for power production. Pursuant to sections 292,202(c) and (e) of the Commission's regulations (18 C.F.R. § 292,202(c) and (e)), the thermal energy output of a qualifying bottomingcycle cogeneration facility must be useful. In connection with this requirement, describe the process(es) from which at least some of the reject heat is used for power production by responding to lines 14a and 14b below. 14a identify and describe each thermal host and each bottoming-cycle cogeneration process engaged in by each host. For hosts with multiple bottoming-cycle cogeneration processes, provide the data for each process in separate rows. Has the energy input to Name of entity (thermal host) the thermal host been performing the process from augmented for purposes which at least some of the of increasing power reject heat is used for power Thermal host's relationship to facility; production capacity? production (If Yes, describe on p. 19) Thermal host's process type Select thermal host's relationship to facility Yes No 1) Select thermal host's process type Select thermal host's relationship to facility Usefulness of Bottoming-Cycle Yes No Select thermal host's process type Select thermal host's relationship to facility Yes No 3) hermal Output Select thermal host's process type Check here and continue in the Miscellaneous section starting on page 19 if additional space is needed 14b Demonstration of usefulness of thermal output: At a minimum, provide a brief description of each process identified above. In some cases, this brief description is sufficient to demonstrate usefulness. However, if your facility's process is not common, and/or if the usefulness of such thermal output is not reasonably clear, then you must provide additional details as necessary to demonstrate usefulness. Your application may be rejected and/or additional information may be required if an insufficient showing of usefulness is made. (Exception: If you have previously received a Commission certification approving a specific bottoming-cycle process related to the instant facility, then you need only provide a brief description of that process and a reference by date and docket number to the order certifying your facility with the indicated process. Such exemption may not be used if any material changes to the process have been made.) If additional space is needed, continue in the Miscellaneous section starting on page 19.



No (does not comply with efficiency standard)

Bottoming-Cycle Operating and Efficiency Value Calculation

rm 556 Page 17 - Bottomin	g-Cycle Cogeneration Facilities			
Applicants for facilities representing bottoming-cycle technology and for which installation commenced on or after March 13, 1990 must demonstrate compliance with the bottoming-cycle efficiency standards. Section 292,205(b) of the Commission's regulations (18 C.F.R. § 292,205(b)) establishes the efficiency standard for bottoming-cycle cogeneration facilities: the useful power output of the facility must be no less than 45 percent of the energy input of natural gas and oil for supplementary firing. To demonstrate compliance with the bottoming-cycle efficiency standard (if applicable), or to demonstrate that your facility is exempt from this standard based on the date that installation of the facility began, respond to lines 15a through 15h below.				
if you indicated in line 10a that your facility represents <i>both</i> topping-cycle and bottoming-cycle cogeneration technology, then respond to lines 15a through 15h below considering only the energy inputs and outputs attributable to the bottoming-cycle portion of your facility. Your mass and heat balance diagram must make clear which mass and energy flow values and system components are for which portion of the cogeneration system (topping or bottoming).				
15a Did installation of the facility in its current form commence on or after March 13, 1980?				
Yes. Your facility is subject to the efficiency requirement of 18 C.F.R. § 292.205(b). Demonstrate compliance with the efficiency requirement by responding to lines 15b through 15h below.				
No. Your facility is exempt from the efficiency standard. Skip the rest of page 17.				
15b Indicate the annual average rate of net electrical energy output	kW			
15c Multiply line 15b by 3,412 to convert from kW to Btu/h	0 Btu/h			
15d Indicate the annual average rate of mechanical energy output taken directly off of the shaft of a prime mover for purposes not directly related to power production (this value is usually zero)	hp			
15e Multiply line 15d by 2,544 to convert from hp to Btu/h	1112			
	0 Btu/h			
15f Indicate the annual average rate of supplementary energy input from natural gas or oil	Btu/h			
15g Bottoming-cycle efficiency value = 100 * (15c + 15e) / 15f	0 %			
15h Compliance with efficiency standard: Indicate below whether the efficiency value shown in line 15g is greater than or equal to 45%:				

Yes (complies with efficiency standard)

Commission Staff Use Only:

Certificate of Completeness, Accuracy and Authority

Applicant must certify compliance with and understanding of filing requirements by checking next to each item below and signing at the bottom of this section. Forms with incomplete Certificates of Completeness, Accuracy and Authority will be rejected by the Secretary of the Commission.

	ejected by the Secretary of the Commiss	ion.	lecturely and Authority will be				
5	igner identified below certifies the follow	wing: (check all items and applicable subitems)					
	He or she has read the filing, including any information contained in any attached documents, such as cogeneration mass and heat balance diagrams, and any information contained in the Miscellaneous section starting on page 19, and knows its contents.						
	He or she has provided all of the required information for certification, and the provided information is true as stated, to the best of his or her knowledge and belief.						
	He or she possess full power and authority to sign the filing; as required by Rule 2005(a)(3) of the Commission's Rules of Practice and Procedure (18 C.F.R. § 385.2005(a)(3)), he or she is one of the following: (check one)						
	☐ The person on whose behalf	☐ The person on whose behalf the filing is made					
	☐ An officer of the corporation,	An officer of the corporation, trust, association, or other organized group on behalf of which the filing is made					
	\Box An officer, agent, or employe of the governmental authority, agency, or instrumentality on behalf of which the filing is made						
	A representative qualified to practice before the Commission under Rule 2101 of the Commission's Rules of Practice and Procedure (18 C.F.R. § 385.2101) and who possesses authority to sign						
	He or she has reviewed all automatic calculations and agrees with their results, unless otherwise noted in the Miscellaneous section starting on page 19.						
	He or she has provided a copy of this Form 556 and all attachments to the utilities with which the facility will interconnect and transact (see lines 4a through 4d), as well as to the regulatory authorities of the states in which the facility and those utilities reside. See the Required Notice to Public Utilities and State Regulatory Authorities section on page 3 for more information.						
Provide your signature, address and signature date below. Rule 2005(c) of the Commission's Rules of Practice and Procedure (18 C.F.R. § 385.2005(c)) provides that persons filing their documents electronically may use typed characters representing his or her name to sign the filed documents. A person filing this document electronically should sign (by typing his or her name) in the space provided below.							
	Your Signature	Your address	Date				
	Steven W. Snarr	Holland & Hart, 222 South Main St. #2200, Salt Lake City, Utah 84101	11/15/2012				
	Audit Notes						
	·						

Miscellaneous

Use this space to provide any information for which there was not sufficient space in the previous sections of the form to provide. For each such item of information *clearly identify the line number that the information belongs to.* You may also use this space to provide any additional information you believe is relevant to the certification of your facility.

Your response below is not limited to one page. Additional page(s) will automatically be inserted into this form if the length of your response exceeds the space on this page. Use as many pages as you require.

Continued from Section 7(h).

See attached Bloom Fuel Cell System Typical Plan document for additional information regarding the fuel cell system and Site Plan for fuel cell system locations.

The systems will be fueled by qualified landfill gas that will be purchased via the interstate pipeline system consistent with the U.S. Energy Information Administration's definition of renewable energy. To be injected into the natural gas pipeline system and authorized as pipeline grade gas, the landfill gas must meet strict heat content and quality requirements. Landfill gas must be upgraded (cleaned and separated to remove components such as hydrogen sulfide, chlorine, and sulfur and to increase methane content) prior to being injected into a pipeline. Once injected into the pipeline system, it comingles with the conventional natural gas and is treated with the same high standards as conventional natural gas regarding safety and burning quality. The renewable landfill gas after being injected into the natural gas pipeline system displaces and offsets an equal quantity of conventional gas. The landfill gas is designated for the customer through the standardized natural gas system nomination process. The contract and purchase of landfill gas demonstrates compliance with 18 C.F.R. 292.204 (b). A utility meter and a private meter at the facility will measure actual gas consumption by the facility. A revenue grade meter will measure electricity generated by the Facility.

This facility is in keeping with the stated reasons for the implementation of the Public Utility Regulatory Policies Act of 1978 (PURPA), regarding the increased conservation of electrical energy, increased efficiency in the use of facility and resources by electric utilities and the conservation of natural gas. In the case of this facility, the use of landfill gas, which displaces conventional natural gas, to generate electricity will reduce greenhouse gas emissions and smog forming pollutants while also diversifying the fuel used to generate electricity. The systems that make up this Facility consume less fuel and produce less CO2 than other technologies. Each systems emits less than 0.01 lbs/MW-hr of NOX, negligible SOX, less than 0.01 lbs/MW-hr of CO and less than 0.02 lbs/MW-hr of VOCs. The systems require very little water, with an average water use of approximately 0.00001 gallons/kWh. The low carbon footprint, minimum pollutants, and negligible water use, make this facility an excellent example of the Commission's goal of increasing renewable energy and investing in environmentally friendly technologies.

Project Number: 0390,00

eBay PROJECT QUICKSILVER 6614 W. Ormen Versions South Jordan, UT 84000

AHA


SONTHUSSOO

Reserve to the source of th

1445 244 3 515 505 41.2 505 41.2

WINTER STREET ARCHITECTS

TYPICAL FUEL CELL STAMP CONDUIT LAYOUT



ECLASCIO.

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730) 344° EN 2019 10 CO DIREGIO O

O CIRCLI (2019 + 1730

TYPICAL FUEL CELL STAMP NETWORK CABLING LAYOUT

A0.6

ARCHITECTURAL SITE PLAN

ter ni te \$25.4 \$4 \$4\$.5 \$1.4 \$5 \$2.5 \$5.5 \$1.5 WINTER STREET ARCHITECTS AHA CONSULTING ENGINEERS

- 1 OLD BINCHAM HIGHWAY 0 ANOHITOTICAL BILLIAN