Form Approved OMB No. 2137-0522 Expires: 8/31/2020



U.S. Department of Transportation Pipeline and Hazardous Materials Safety Administration

ANNUAL REPORT FOR CALENDAR YEAR 2017 NATURAL OR OTHER GAS TRANSMISSION and GATHERING SYSTEMS

Initial Date Submitted	03/15/2018
Report Submission Type	INITIAL
Date Submitted	

A federal agency may not conduct or sponsor, and a person is not required to respond to, nor shall a person be subject to a penalty for failure to comply with a collection of information subject to the requirements of the Paperwork Reduction Act unless that collection of information displays a current valid OMB Control Number. The OMB Control Number for this information collection is 2137-0522. Public reporting for this collection of information is estimated to be approximately 42 hours per response, including the time for reviewing instructions, gathering the data needed, and completing and reviewing the collection of information. All responses to this collection of information are mandatory. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to: Information Collection Clearance Officer, PHMSA, Office of Pipeline Safety (PHP-30) 1200 New Jersey Avenue, SE, Washington, D.C. 20590.

Important: Please read the separate instructions for completing this form before you begin. They clarify the information requested and provide specific examples. If you do not have a copy of the instructions, you can obtain one from the PHMSA Pipeline Safety Community Web Page at http://www.phmsa.dot.gov/pipeline/library/forms.

PART A - OPERATOR INFORMATION	DOT USE ONLY	20187448 - 34688	
1. OPERATOR'S 5 DIGIT IDENTIFICATION NUMBER (OPID)	2. NAME OF OPERATOR: DOMINION ENERGY UTAH/WYOMING/IDAHO		
12876			
3. RESERVED	4. HEADQUARTERS ADDRESS:		
	333 SOUTH STATE S Street Address	STREET P.O. BOX 45360	
	SALT LAKE CITY City		
	State: UT Zip Code: 8	4145	
5. THIS REPORT PERTAINS TO THE FOLLOWING COMMODITY G and complete the report for that Commodity Group. File a separate re			
Natural Gas			
6. RESERVED			

7. FOR THE DESIGNATED "COMMODITY GROUP", THE PIPELINES AND/OR PIPELINE FACILITIES INCLUDED WITHIN THIS OPID ARE: (Select one or both)

INTERstate pipeline – List all of the States and OSC portions in which INTERstate pipelines and/or pipeline facilities included under this OPID exist. etc.

INTRAstate pipeline – List all of the States in which INTRAstate pipelines and or pipeline facilities included under this OPID exist. **IDAHO, UTAH, WYOMING** etc.

8. RESERVED

For the designated Commodity Group, PARTs B and D will be calculated based on the data entered in Parts L and P respectively. Complete Part C one time for all pipelines and/or pipeline facilities – both INTERstate and INTRAstate - included within this OPID.

PART B – TRANSMISSION PIPELINE HCA MILES			
	Number of HCA Miles		
Onshore	144.6		
Offshore	0		
Total Miles	144.6		

PART C - VOLUME TRANSPORTED IN TRANSMISSION PIPELINES (ONLY) IN MILLION SCF PER YEAR (excludesTransmission lines of Gas Distribution systems)			do not complete PART C if this report only ipelines or transmission lines of gas
		Onshore	Offshore
Natural Gas			
Propane Gas			
Synthetic Gas			
Hydrogen Gas			
Landfill Gas			
Other Gas - Name:			

PART D - MILES OF STEEL PIPE BY CORROSION PROTECTION										
	Steel Cathodically Steel Cathodically protected unprotected									
	Bare	Coated	Bare	Coated	Cast Iron	Wrought Iron	Plastic	Composite ¹	Other	Total Miles
Transmission										
Onshore	0	799.279	0	0	0	0	0	0	0	799.279
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Transmission	0	799.279	0	0	0	0	0	0	0	799.279
Gathering										
Onshore Type A	0	0	0	0	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0	0	0	0	0
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Gathering	0	0	0	0	0	0	0	0	0	0
Total Miles	0	799.279	0	0	0	0	0	0	0	799.279

¹Use of Composite pipe requires a PHMSA Special Permit or waiver from a State

PART	DEC	EDI	

For the designated Commodity Group, complete PARTs F and G one time for all INTERstate pipeline facilities included within this OPID and multiple times as needed for the designated Commodity Group for each State in which INTRAstate pipeline facilities included within this OPID exist. Part F "WITHIN AN HCA SEGMENT" data and Part G may be completed only if HCA Miles in Part L is greater than zero.

PARTs F and G			
The data re	eported in these PARTs applies to: (select only one)		
	Interstate pipelines/pipeline facilities		
	Intrastate pipelines/pipeline facilities in the State of UTAH (complete for each State)		

PART F - INTEGRITY INSPECTIONS CONDUCTED AND ACTIONS TAKEN BASED ON INSPECTION	
1. MILEAGE INSPECTED IN CALENDAR YEAR USING THE FOLLOWING IN-LINE INSPECTION (ILI) TOOLS	
a. Corrosion or metal loss tools	0
b. Dent or deformation tools	0
c. Crack or long seam defect detection tools	0
d. Any other internal inspection tools, specify other tools:	0
Internal Inspection Tools - Other	
e. Total tool mileage inspected in calendar year using in-line inspection tools. (Lines a + b + c + d)	0
2. ACTIONS TAKEN IN CALENDAR YEAR BASED ON IN-LINE INSPECTIONS	
 Based on ILI data, total number of anomalies excavated in calendar year because they met the operator's criteria for excavation. 	0
 Total number of anomalies repaired in calendar year that were identified by ILI based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment. 	0
c. Total number of conditions repaired WITHIN AN HCA SEGMENT meeting the definition of:	0
1. "Immediate repair conditions" [192.933(d)(1)]	0
2. "One-year conditions" [192.933(d)(2)]	0
3. "Monitored conditions" [192.933(d)(3)]	0
4. Other "Scheduled conditions" [192.933(c)]	0
3. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON PRESSURE TESTING	
a. Total mileage inspected by pressure testing in calendar year.	0
 Total number of pressure test failures (ruptures and leaks) repaired in calendar year, both within an HCA Segment and outside of an HCA Segment. 	0
c. Total number of pressure test ruptures (complete failure of pipe wall) repaired in calendar year WITHIN AN HCA SEGMENT.	0
d. Total number of pressure test leaks (less than complete wall failure but including escape of test medium) repaired in calendar year WITHIN AN HCA SEGMENT.	0
4. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON DA (Direct Assessment methods)	
a. Total mileage inspected by each DA method in calendar year.	0
1. ECDA	0
2. ICDA	0
3. SCCDA	0
b. Total number of anomalies identified by each DA method and repaired in calendar year based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	0
1. ECDA	0
2. ICDA	0
3. SCCDA	0
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	0
1. "Immediate repair conditions" [192.933(d)(1)]	0

	Expires: 8/31/2020
2. "One-year conditions" [192.933(d)(2)]	0
3. "Monitored conditions" [192.933(d)(3)]	0
4. Other "Scheduled conditions" [192.933(c)]	0
5. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON OTHER INSPECTION TECHNIC	QUES
a. Total mileage inspected by inspection techniques other than those listed above in calendar year.	0
1.Other Inspection Techniques	
b. Total number of anomalies identified by other inspection techniques and repaired in calendar year based on operator's criteria, both within an HCA Segment and outside of an HCA Segment.	the 0
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	
1. "Immediate repair conditions" [192.933(d)(1)]	
2. "One-year conditions" [192.933(d)(2)]	
3. "Monitored conditions" [192.933(d)(3)]	
4. Other "Scheduled conditions" [192.933©]	
6. TOTAL MILEAGE INSPECTED (ALL METHODS) AND ACTIONS TAKEN IN CALENDAR YEAR	
a. Total mileage inspected in calendar year. (Lines 1.e + 3.a + 4.a.1 + 4.a.2 + 4.a.3 + 5.a)	0
b. Total number of anomalies repaired in calendar year both within an HCA Segment and outside of an HCA Segment. (Lines 2.b + 3.b + 4.b.1 + 4.b.2 + 4.b.3 + 5.b)	0
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT. (Lines 2.c.1 + 2.c.2 + 2.c.2 + 3.c + 3.c + $3.c + 4.c.1 + 4.c.2 + 4.c.3 + 4.c.4 + 5.c.1 + 5.c.2 + 5.c.3 + 5.c.4$)	0.3+
d. Total number of actionable anomalies eliminated by pipe replacement in calendar year WITHIN AN HCA SEGMENT:	0
e. Total number of actionable anomalies eliminated by pipe abandonment in calendar year WITHIN AN HCA SEGMENT:	0
PART G- MILES OF BASELINE ASSESSMENTS AND REASSESSMENTS COMPLETED IN CALENDAR YEAR (HC ONLY)	A Segment miles
a. Baseline assessment miles completed during the calendar year.	0
b. Reassessment miles completed during the calendar year.	0
c. Total assessment and reassessment miles completed during the calendar year.	0

PART F - INTEGRITY INSPECTIONS CONDUCTED AND ACTIONS TAKEN BASED ON INSPECTION				
1. MILEAGE INSPECTED IN CALENDAR YEAR USING THE FOLLOWING IN-LINE INSPECTION (ILI) TOOLS				
a. Corrosion or metal loss tools	37.694			
b. Dent or deformation tools	37.694			
c. Crack or long seam defect detection tools	0			
d. Any other internal inspection tools, specify other tools:	0			
Internal Inspection Tools - Other				
e. Total tool mileage inspected in calendar year using in-line inspection tools. (Lines a + b + c + d)	75.388			
2. ACTIONS TAKEN IN CALENDAR YEAR BASED ON IN-LINE INSPECTIONS				
 Based on ILI data, total number of anomalies excavated in calendar year because they met the operator's criteria for excavation. 	30			
b. Total number of anomalies repaired in calendar year that were identified by ILI based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	9			
c. Total number of conditions repaired WITHIN AN HCA SEGMENT meeting the definition of:	8			
1. "Immediate repair conditions" [192.933(d)(1)]	0			
2. "One-year conditions" [192.933(d)(2)]	0			
3. "Monitored conditions" [192.933(d)(3)]	0			
4. Other "Scheduled conditions" [192.933(c)]	8			
3. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON PRESSURE TESTING				
a. Total mileage inspected by pressure testing in calendar year.	0			

h. Total number of pressure test failures (ruptures and looks) repaired in calendar year, both within an HCA	Expires: 8/31/2020
 b. Total number of pressure test failures (ruptures and leaks) repaired in calendar year, both within an HCA Segment and outside of an HCA Segment. 	0
c. Total number of pressure test ruptures (complete failure of pipe wall) repaired in calendar year WITHIN AN HCA SEGMENT.	0
d. Total number of pressure test leaks (less than complete wall failure but including escape of test medium) repaired in calendar year WITHIN AN HCA SEGMENT.	0
. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON DA (Direct Assessment methods	s)
a. Total mileage inspected by each DA method in calendar year.	19.5
1. ECDA	19.5
2. ICDA	0
3. SCCDA	0
 Total number of anomalies identified by each DA method and repaired in calendar year based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment. 	1
1. ECDA	1
2. ICDA	0
3. SCCDA	0
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	0
1. "Immediate repair conditions" [192.933(d)(1)]	0
2. "One-year conditions" [192.933(d)(2)]	0
3. "Monitored conditions" [192.933(d)(3)]	0
4. Other "Scheduled conditions" [192.933(c)]	0
MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON OTHER INSPECTION TECHNIQU	ES
a. Total mileage inspected by inspection techniques other than those listed above in calendar year.	0
1.Other Inspection Techniques	
 b. Total number of anomalies identified by other inspection techniques and repaired in calendar year based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment. 	0
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	
1. "Immediate repair conditions" [192.933(d)(1)]	
2. "One-year conditions" [192.933(d)(2)]	
3. "Monitored conditions" [192.933(d)(3)]	
4. Other "Scheduled conditions" [192.933©]	
TOTAL MILEAGE INSPECTED (ALL METHODS) AND ACTIONS TAKEN IN CALENDAR YEAR	
a. Total mileage inspected in calendar year. (Lines 1.e + 3.a + 4.a.1 + 4.a.2 + 4.a.3 + 5.a)	94.888
b. Total number of anomalies repaired in calendar year both within an HCA Segment and outside of an HCA Segment. (Lines 2.b + 3.b + 4.b.1 + 4.b.2 + 4.b.3 + 5.b)	10
	+ 8
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT. (Lines 2.c.1 + 2.c.2 + 2.c.3 + 2.c.4 + 3.c + 3.d + 4.c.1 + 4.c.2 + 4.c.3 + 4.c.4 + 5.c.1 + 5.c.2 + 5.c.3 + 5.c.4)	
	0
2.c.4 + 3.c + 3.d + 4.c.1 + 4.c.2 + 4.c.3 + 4.c.4 + 5.c.1 + 5.c.2 + 5.c.3 + 5.c.4) d. Total number of actionable anomalies eliminated by pipe replacement in calendar year WITHIN AN HCA	0
2.c.4 + 3.c + 3.d + 4.c.1 + 4.c.2 + 4.c.3 + 4.c.4 + 5.c.1 + 5.c.2 + 5.c.3 + 5.c.4) d. Total number of actionable anomalies eliminated by pipe replacement in calendar year WITHIN AN HCA SEGMENT: e. Total number of actionable anomalies eliminated by pipe abandonment in calendar year WITHIN AN HCA	0
2.c.4 + 3.c + 3.d + 4.c.1 + 4.c.2 + 4.c.3 + 4.c.4 + 5.c.1 + 5.c.2 + 5.c.3 + 5.c.4) d. Total number of actionable anomalies eliminated by pipe replacement in calendar year WITHIN AN HCA SEGMENT: e. Total number of actionable anomalies eliminated by pipe abandonment in calendar year WITHIN AN HCA SEGMENT: ART G- MILES OF BASELINE ASSESSMENTS AND REASSESSMENTS COMPLETED IN CALENDAR YEAR (HCA SEGMENT)	0
2.c.4 + 3.c + 3.d + 4.c.1 + 4.c.2 + 4.c.3 + 4.c.4 + 5.c.1 + 5.c.2 + 5.c.3 + 5.c.4) d. Total number of actionable anomalies eliminated by pipe replacement in calendar year WITHIN AN HCA SEGMENT: e. Total number of actionable anomalies eliminated by pipe abandonment in calendar year WITHIN AN HCA SEGMENT: ART G- MILES OF BASELINE ASSESSMENTS AND REASSESSMENTS COMPLETED IN CALENDAR YEAR (HCA SINLY)	0 Segment miles

PART F - INTEGRITY INSPECTIONS CONDUCTED AND ACTIONS TAKEN BASED ON INSPECTION			
1. MILEAGE INSPECTED IN CALENDAR YEAR USING THE FOLLOWING IN-LINE INSPECTION (ILI) TOOLS			
a. Corrosion or metal loss tools	0		

_		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	b. Dent or deformation tools	0
	c. Crack or long seam defect detection tools	0
	d. Any other internal inspection tools, specify other tools:	0
	Internal Inspection Tools - Other	
	e. Total tool mileage inspected in calendar year using in-line inspection tools. (Lines a + b + c + d)	0
2.	ACTIONS TAKEN IN CALENDAR YEAR BASED ON IN-LINE INSPECTIONS	
	 Based on ILI data, total number of anomalies excavated in calendar year because they met the operator's criteria for excavation. 	0
	b. Total number of anomalies repaired in calendar year that were identified by ILI based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	
	c. Total number of conditions repaired WITHIN AN HCA SEGMENT meeting the definition of:	
	1. "Immediate repair conditions" [192.933(d)(1)]	
	2. "One-year conditions" [192.933(d)(2)]	
	3. "Monitored conditions" [192.933(d)(3)]	
	4. Other "Scheduled conditions" [192.933(c)]	
3.	MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON PRESSURE TESTING	
	a. Total mileage inspected by pressure testing in calendar year.	0
	b. Total number of pressure test failures (ruptures and leaks) repaired in calendar year, both within an HCA Segment and outside of an HCA Segment.	-
	c. Total number of pressure test ruptures (complete failure of pipe wall) repaired in calendar year WITHIN AN HCA SEGMENT.	
	d. Total number of pressure test leaks (less than complete wall failure but including escape of test medium) repaired in calendar year WITHIN AN HCA SEGMENT.	
4.	MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON DA (Direct Assessment methods)	
	a. Total mileage inspected by each DA method in calendar year.	
	1. ECDA	
	2. ICDA	
	3. SCCDA	
	b. Total number of anomalies identified by each DA method and repaired in calendar year based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	
	1. ECDA	
	2. ICDA	
	3. SCCDA	
	c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	
	1. "Immediate repair conditions" [192.933(d)(1)]	
	2. "One-year conditions" [192.933(d)(2)]	
	3. "Monitored conditions" [192.933(d)(3)]	
	4. Other "Scheduled conditions" [192.933(c)]	
5	MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON OTHER INSPECTION TECHNIQUES	
J.	a. Total mileage inspected by inspection techniques other than those listed above in calendar year.	0
	1.Other Inspection Techniques	Ü
	b. Total number of anomalies identified by other inspection techniques and repaired in calendar year based on the	
	operator's criteria, both within an HCA Segment and outside of an HCA Segment.	
	c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	
	1. "Immediate repair conditions" [192.933(d)(1)]	
	2. "One-year conditions" [192.933(d)(2)]	
	3. "Monitored conditions" [192.933(d)(3)]	
	4. Other "Scheduled conditions" [192.933©]	
б.	TOTAL MILEAGE INSPECTED (ALL METHODS) AND ACTIONS TAKEN IN CALENDAR YEAR	0
	 a. Total mileage inspected in calendar year. (Lines 1.e + 3.a + 4.a.1 + 4.a.2 + 4.a.3 + 5.a) b. Total number of anomalies repaired in calendar year both within an HCA Segment and outside of an HCA 	0
	Segment. (Lines 2.b + 3.b + 4.b.1 + 4.b.2 + 4.b.3 + 5.b)	

	Lxpires. 0/31/2020
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT. (Lines 2.c.1 + 2.c.2 + 2.c.3 + 2.c.4 + 3.c + 3.d + 4.c.1 + 4.c.2 + 4.c.3 + 4.c.4 + 5.c.1 + 5.c.2 + 5.c.3 + 5.c.4)	+
d. Total number of actionable anomalies eliminated by pipe replacement in calendar year WITHIN AN HCA SEGMENT:	
e. Total number of actionable anomalies eliminated by pipe abandonment in calendar year WITHIN AN HCA SEGMENT:	
PART G- MILES OF BASELINE ASSESSMENTS AND REASSESSMENTS COMPLETED IN CALENDAR YEAR (HCA SONLY)	Segment miles
Baseline assessment miles completed during the calendar year.	
b. Reassessment miles completed during the calendar year.	
c. Total assessment and reassessment miles completed during the calendar year.	

For the designated Commodity Group, complete PARTs H, I, J, K, L, M, P Q and R covering INTERstate pipelines and/or pipeline facilities for each State in which INTERstate systems exist within this OPID and again covering INTRAstate pipelines and/or pipeline facilities for each State in which INTRAstate systems exist within this OPID.

	<u>hin this OPIL</u> , J, K, L, M,		1									
	eported in th			o: (soloct)	anly anal							
	TE pipelines			-	only one,							
INTINASTA	TE pipeilles	»/pipeiiile i										
PART H - M	MILES OF TR	RANSMISSI	ON PIPE B	Y NOMINA	L PIPE SIZI	E (NPS)						
	NPS 4 or less	6	8	10	12	14	16	18	20			
	0	0	6.314	0	0	0	0	0	0			
	22	24	26	28	30	32	34	36	38			
	0	0	0	0	0	0	0	0	0			
Onshore	40	42	44	46	48	52	56	58 and over				
	0	0	0	0	0	0	0	0				
	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;											
6.314	Total Miles o	of Onshore Pipe	e – Transmiss	ion								
	NPS 4 or less	6	8	10	12	14	16	18	20			
	0	0	0	0	0	0	0	0	0			
	22	24	26	28	30	32	34	36	38			
	0	0	0	0	0	0	0	0	0			
Offshore	40	42	44	46	48	52	56	58 and over				
	0	0	0	0	0	0	0	0				
	Additional Si 0 - 0; 0 - 0; 0	zes and Miles) - 0; 0 - 0; 0 - ((Size – Miles;); 0 - 0; 0 - 0; (): 0 - 0; 0 - 0;								
0	Total Miles of	of Offshore Pipe	e – Transmiss	ion								
PART I - MI	ILES OF GA	THERING F	PIPE BY NO	OMINAL PIF	PE SIZE (NF	PS)						
	NPS 4 or less	6	8	10	12	14	16	18	20			
Onshore	0	0	0	0	0	0	0	0	0			
Type A	22	24	26	28	30	32	34	36	38			
	0	0	0	0	0	0	0	and 0	0			
	40	42	44	46	48	52	56 0V					

									Expii	es: 8/31/2020		
	0	0	0	0	0	0	0	0				
	Additional Si	izes and Miles	(Size – Miles;)	: 0 - 0; 0 - 0; 0	- 0; 0 - 0; 0 - 0	; 0 - 0; 0 - 0; (0 - 0; 0 - 0;					
0	Total Miles of	of Onshore Typ	e A Pipe – Ga	thering								
	NPS 4 or less	6	8	10	12	14	16		18	20		
	0	0	0	0	0	0	0		0	0		
	22	24	26	28	30	32	34		36	38		
Onshore	0	0	0	0	0	0	0		0	0		
Type B	40	42	44	46	48	52	56	58 and over				
	0	0	0	0	0	0	0	0				
	Additional Si	dditional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;										
0	Total Miles of	Total Miles of Onshore Type B Pipe – Gathering										
	NPS 4 or less	6	8	10	12	14	16		18	20		
	0	0	0	0	0	0	0		0	0		
	22	24	26	28	30	32	34		36	38		
Offshore	0	0	0	0	0	0	0		0	0		
	40	42	44	46	48	52	56	58 and over				
	0	0	0	0	0	0	0	0				
	-	•		•				•	•			
	Additional Si	izes and Miles	(Size – Miles;)	: 0 - 0; 0 - 0; 0	- 0; 0 - 0; 0 - 0	; 0 - 0; 0 - 0; 0	0 - 0; 0 - 0;					

PART J - MILES OF PIPE BY DECADE INSTALLED

Decade Pipe Installed	Unknown	Pre-40	1940 - 1949	1950 - 1959	1960 - 1969	1970 - 1979
Transmission						
Onshore	0	0	0	0	0	0
Offshore	0	0	0	0	0	0
Subtotal Transmission	0	0	0	0	0	0
Gathering						
Onshore Type A	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0
Offshore	0	0	0	0	0	0
Subtotal Gathering	0	0	0	0	0	0
Total Miles	0	0	0	0	0	0
Decade Pipe Installed	1980 - 1989	1990 - 1999	2000 - 2009	2010 - 2019		Total Miles
Transmission						
Onshore	6.036	0	.278	0		6.314
Offshore	0	0	0	0		0
Subtotal Transmission	6.036	0	.278	0		6.314
Gathering						

Form Approved OMB No. 2137-0522 Expires: 8/31/2020

Onshore Type A	0	0	0	0		0
Onshore Type B	0	0	0	0		0
Offshore	0	0	0	0		0
Subtotal Gathering	0	0	0	0		0
Total Miles	6.036	0	.278	0		6.314
		•	•	•	•	

011011075		Total Miles			
ONSHORE	Class I	Class 2	Class 3	Class 4	
Steel pipe Less than 20% SMYS	0	0	0	0	0
Steel pipe Greater than or equal to 20% SMYS but less than 30% SMYS	0	0	6.314	0	6.314
Steel pipe Greater than or equal to 30% SMYS but less than or equal to 40% SMYS	0	0	0	0	0
Steel pipe Greater than 40% SMYS but less than or equal to 50% SMYS	0	0	0	0	0
Steel pipe Greater than 50% SMYS but less than or equal to 60% SMYS	0	0	0	0	0
Steel pipe Greater than 60% SMYS but less than or equal to 72% SMYS	0	0	0	0	0
Steel pipe Greater than 72% SMYS but less than or equal to 80% SMYS	0	0	0	0	0
Steel pipe Greater than 80% SMYS	0	0	0	0	0
Steel pipe Unknown percent of SMYS	0	0	0	0	0
All Non-Steel pipe	0	0	0	0	0
Onshore Totals	0	0	6.314	0	6.314
OFFSHORE	Class I				
Less than or equal to 50% SMYS	0				
Greater than 50% SMYS but less than or equal to 72% SMYS	0				
Steel pipe Greater than 72% SMYS	0				
Steel Pipe Unknown percent of SMYS	0				
All non-steel pipe	0				
Offshore Total	0				0
Total Miles	0				6.314

PART L - MILES OF PIPE BY CLASS LOCATION

		Class L	Total Class Location	HCA Miles in the IMP					
	Class I	Class 2	Class 3	Class 4	Miles	Program			
Transmission									
Onshore	0	0	6.314	0	6.314	.87			
Offshore	0	0	0	0	0				
Subtotal Transmission	0	0	6.314	0	6.314				
Gathering									

Form Approved OMB No. 2137-0522 Expires: 8/31/2020

Onshore Type A	0	0	0	0	0	
Onshore Type B	0	0	0	0	0	
Offshore	0	0	0	0	0	
Subtotal Gathering	0	0	0	0	0	
Total Miles	0	0	6.314	0	6.314	.87

PART M - FAILURES, LEAKS, AND REPAIRS

PART M1 – ALL LEAKS ELIMINATED/REPAIRED IN CALENDAR YEAR; INCIDENTS & FAILURES IN HCA SEGMENTS IN CALENDAR YEAR

		Transmission Leaks, and Failures				Gathering Leaks			
		Lea	ks		Failures in	Onshor	e Leaks	Offshore Leaks	
	Onshore Leaks Offshore Leaks			HCA					
Cause	HCA	Non-HCA	HCA	Non-HCA	Segments	Type A	Type B		
External Corrosion	0	0	0	0	0	0	0	0	
Internal Corrosion	0	0	0	0	0	0	0	0	
Stress Corrosion Cracking	0	0	0	0	0	0	0	0	
Manufacturing	0	0	0	0	0	0	0	0	
Construction	0	0	0	0	0	0	0	0	
Equipment	0	0	0	0	0	0	0	0	
Incorrect Operations	0	0	0	0	0	0	0	0	
Third Party Damage/Mecha	anical Da	amage	-			-			
Excavation Damage	0	0	0	0	0	0	0	0	
Previous Damage (due to Excavation Activity)	0	0	0	0	0	0	0	0	
Vandalism (includes all Intentional Damage)	0	0	0	0	0	0	0	0	
Weather Related/Other Ou	tside Fo	rce				-			
Natural Force Damage (all)	0	0	0	0	0	0	0	0	
Other Outside Force Damage (excluding Vandalism and all Intentional Damage)	0	0	0	0	0	0	0	0	
Other	0	0	0	0	0	0	0	0	
Total	0	0	0	0	0	0	0	0	

PART M2 - KNOWN SYSTEM LEAKS AT END OF YEAR SCHEDULED FOR REPAIR

Transmission 0 Gathering 0)
----------------------------	---

PART M3 - LEAKS ON FEDERAL LAND OR OCS REPAIRED OR SCHEDULED FOR REPAIR

	Gather	ring
	Onshore Type A	0
0	Onshore Type B	0
0	OCS	0
0	Subtotal Gathering	0
	0 0 0	Onshore Type A Onshore Type B OCS

PART P - MILES OF	F PIPE BY	MATERIAL	AND CORF	ROSION PR	OTECTION	STATUS				
		thodically ected	Steel Cat unpro	hodically tected						•
	Bare	Coated	Bare	Coated	Cast Iron	Wrought Iron	Plastic	Composite ¹	Other ²	Total Miles
Transmission										
Onshore	0	6.314	0	0	0	0	0	0	0	6.314
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Transmission	0	6.314	0	0	0	0	0	0	0	6.314
Gathering										
Onshore Type A	0	0	0	0	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0	0	0	0	0
Offshore	0	0	0	0	0	0	0	0		0
Subtotal Gathering	0	0	0	0	0	0	0	0	0	0
Total Miles	0	6.314	0	0	0	0	0	0	0	6.314

¹Use of Composite pipe requires PHMSA Special Permit or waiver from a State ²specify Other material(s):

	(a)(1) Total	(a)(1) Incomplete Records	(a)(2) Total	(a)(2) Incomplete Records	(a)(3) Total	(a)(3) Incomplete Records	(a)(4) Total	(a)(4) Incomplete Records	(c) Total	(c) Incomplete Records	(d) Total	(d) Incomplete Records	Other ¹ Total	Other Incomplete Records
Class 1 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 1 (not in HCA)	0		0		0		0		0		0		0	
Class 2 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 2 (not in HCA)	0		0		0		0		0		0		0	
Class 3 (in HCA)	0	0	0	0	0	0	.865	0	0	0	0	0	0	0
Class 3 (not in HCA)	0	0	0	0	0	0	5.449	0	0	0	0	0	0	0
Class 4 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 4 (not in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	
Tota	0	0	0	0	0	0	6.314	0	0	0	0	0	0	0
Grand Total	.=	-		=	_	-		6.314		-		<u>-</u>	3	=
Sum of Total row	for all "	Incomple	te Red	cords" colu	mns			0						
Specify Other me	ethod(s)):												
Class 1 (in HCA)	Class 1 (not in HCA							A)						
Class 2 (in HCA)	2 (in HCA) Class 2						2 (not in HC	ot in HCA)						
Class 3 (in HCA)						3 (not in HC	HCA)							
Class 4 (in HCA) Class 4 (not in HCA)							A)							

	PT ≥ 1.	25 MAOP	1.25 MAOF	P > PT ≥ 1.1 MAOP	PT < 1.1 or No PT		
Location	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	
Class 1 in HCA	0	0	0	0	0	0	
Class 2 in HCA	0	0	0	0	0	0	
Class 3 in HCA	0	.865	0	0	0	0	
Class 4 in HCA	0	0	0	0	0	0	
in HCA subTotal	0	.865	0	0	0	0	
Class 1 not in HCA	0	0	0	0	0	0	
Class 2 not in HCA	0	0	0	0	0	0	
Class 3 not in HCA	0	5.449	0	0	0	0	
Class 4 not in HCA	0	0	0	0	0	0	
not in HCA subTotal	0	5. <i>44</i> 9	0	0	0	0	
Total	0	6.314	0	0	0	0	
PT ≥ 1.25 MAOP Total		6.314	Total Miles Internal In	spection ABLE	0		
1.25 MAOP > PT ≥ 1.1 MAOP Total			0	Total Miles Internal Inspection NOT ABLE		6.314	
PT < 1.1 or No PT To	「 < 1.1 or No PT Total				Grand Total	6.314	
		Grand Total	6.314				

PARTs H, I, J, K, L, M, P, Q, and R

The data reported in these PARTs applies to: (select only one)

INTRASTATE pipelines/pipeline facilities UTAH

PART H - MILES OF TRANSMISSION PIPE BY NOMINAL PIPE SIZE (NPS)

	NPS 4 or less	6	8	10	12	14	16	18	20
	.148	54.028	289.763	130.8	120.151	6.709	11.486	.017	121.104
	22	24	26	28	30	32	34	36	38
Onchoro	0	48.446	0	0	0	0	0	0	0
Onshore	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
	Additional Si 0 - 0; 0 - 0;	zes and Miles 0 - 0; 0 - 0; 0 -	(Size – Miles;) 0; 0 - 0; 0 - 0; (: 0 - 0; 0 - 0;					

782.652 Total Miles of Onshore Pipe – Transmission

		·							
	NPS 4 or less	6	8	10	12	14	16	18	20
Offshore	0	0	0	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38

A	0 40 0	0 42 0	0 44 0	0 46 0	0 48	0 52	0 56	0 58 and over	0	
A	0						56			
A		0	0	0	0			1	I	
A					0	0	0	0		
	Additional Siz	zes and Miles (- 0; 0 - 0; 0 - 0	(Size – Miles;)); 0 - 0; 0 - 0; 0	:) - 0; 0 - 0;						
0 T	otal Miles o	f Offshore Pipe	e – Transmissi	on						
PART I - MILES	S OF GA	THERING F	PIPE BY NC	MINAL PIP	PE SIZE (NP	' S)				
	NPS 4 or less	6	8	10	12	14	16	18	20	
	0	0	0	0	0	0	0	0	0	
Onshoro	22	24	26	28	30	32	34	36	38	
Onshore Type A	0	0	0	0	0	0	0 58	and 0	0	
	40	42	44	46	48	52	56 ov			
	0	0	0	0	0	0	0	0		
А	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;									
<i>0</i> T		f Onshore Typ	e A Pipe – Ga	thering						
	NPS 4 or less	6	8	10	12	14	16	18	20	
	0	0	0	0	0	0	0	0	0	
	22	24	26	28	30	32	34	36	38	
Onshore	0	0	0	0	0	0	0	0	0	
Туре В	40	42	44	46	48	52	56 58 ov	and er		
	0	0	0	0	0	0	0	0		
А	Additional Siz	zes and Miles	(Size – Miles;)	: 0 - 0; 0 - 0; 0	- 0; 0 - 0; 0 - 0;	; 0 - 0; 0 - 0; 0	- 0; 0 - 0;			
0 T	otal Miles o	f Onshore Typ	e B Pipe – Ga	thering						
	NPS 4	6	8	10	12	14	16	18	20	
F	or less	0	0	0	0	0	0	0	0	
	22	24	26	28	30	32	34	36	38	
Offshore	0	0	0	0	0	0	0	0	0	
	40	42	44	46	48	52	56 58 ov	and er		
	0	0	0	0	0	0	0	0		
	Additional Ci-	zes and Miles	(Size – Miles;)	: 0 - 0; 0 - 0; 0	- 0; 0 - 0; 0 - 0;	; 0 - 0; 0 - 0; 0	- 0; 0 - 0;	•		
А										

						Expires: 8/31/2020
Decade Pipe Installed	Unknown	Pre-40	1940 - 1949	1950 - 1959	1960 - 1969	1970 - 1979
Transmission						
Onshore	0	0	.029	66.922	105.49	59.003
Offshore	0	0	0	0	0	0
Subtotal Transmission	0	0	.029	66.922	105.49	59.003
Gathering						
Onshore Type A	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0
Offshore	0	0	0	0	0	0
Subtotal Gathering	0	0	0	0	0	0
Total Miles	0	0	.029	66.922	105.49	59.003
Decade Pipe Installed	1980 - 1989	1990 - 1999	2000 - 2009	2010 - 2019		Total Miles
Transmission						
Onshore	340.997	94.645	92.554	23.012		782.652
Offshore	0	0	0	0		0
Subtotal Transmission	340.997	94.645	92.554	23.012		782.652
Gathering						
Onshore Type A	0	0	0	0		0
Onshore Type B	0	0	0	0		0
Offshore	0	0	0	0		0
Subtotal Gathering	0	0	0	0		0
Total Miles	340.997	94.645	92.554	23.012		782.652

PART K- MILES OF TRANSMISSION	PIPE BY SPEC	CIFIED MINIMUN	I YIELD STREN	IGTH	
ONSHORE		CLASS L	OCATION		Total Miles
ONSHORE	Class I	Class 2	Class 3	Class 4	
Steel pipe Less than 20% SMYS	0	0	0	0	0
Steel pipe Greater than or equal to 20% SMYS but less than 30% SMYS	107.273	41.789	206.401	5.02	360.483
Steel pipe Greater than or equal to 30% SMYS but less than or equal to 40% SMYS	138.341	21.971	122.392	.89	283.594
Steel pipe Greater than 40% SMYS but less than or equal to 50% SMYS	47.151	7.247	83.246	0	137.644
Steel pipe Greater than 50% SMYS but less than or equal to 60% SMYS	0	0	.933	0	.933
Steel pipe Greater than 60% SMYS but less than or equal to 72% SMYS	0	0	0	0	0
Steel pipe Greater than 72% SMYS but less than or equal to 80% SMYS	0	0	0	0	0
Steel pipe Greater than 80% SMYS	0	0	0	0	0
Steel pipe Unknown percent of SMYS	0	0	0	0	0
All Non-Steel pipe	0	0	0	0	0
Onshore Totals	292.765	71.007	412.972	5.91	782.654

-		 1103. 0/01/2020
OFFSHORE	Class I	
Less than or equal to 50% SMYS	0	
Greater than 50% SMYS but less than or equal to 72% SMYS	0	
Steel pipe Greater than 72% SMYS	0	
Steel Pipe Unknown percent of SMYS	0	
All non-steel pipe	0	
Offshore Total	0	0
Total Miles	292.765	782.654

PART L - MILES OF PIPE BY CLASS LOCATION

TAIRT E MILEO OF T						
		Class L	ocation		Total Class Location	HCA Miles in the IMP
	Class I	Class 2	Class 3	Class 4	Miles	Program
Transmission						
Onshore	292.765	71.007	412.972	5.91	782.654	143.73
Offshore	0	0	0	0	0	
Subtotal Transmission	292.765	71.007	412.972	5.91	782.654	
Gathering						
Onshore Type A	0	0	0	0	0	
Onshore Type B	0	0	0	0	0	
Offshore	0	0	0	0	0	
Subtotal Gathering	0	0	0	0	0	
Total Miles	292.765	71.007	412.972	5.91	782.654	143.73

PART M - FAILURES, LEAKS, AND REPAIRS

PART M1 – ALL LEAKS ELIMINATED/REPAIRED IN CALENDAR YEAR; INCIDENTS & FAILURES IN HCA SEGMENTS IN CALENDAR YEAR

		Transmissi	on Leaks,	and Failures			Gathering	g Leaks
		Lea	ks		Failures in	Onshor	e Leaks	Offshore Leaks
	Unshore Leaks Unshore Leaks		HCA					
Cause	HCA	Non-HCA	HCA	Non-HCA	Segments	Type A	Type B	
External Corrosion	0	0	0	0	0	0	0	0
Internal Corrosion	0	0	0	0	0	0	0	0
Stress Corrosion Cracking	0	0	0	0	0	0	0	0
Manufacturing	0	0	0	0	0	0	0	0
Construction	0	0	0	0	0	0	0	0
Equipment	0	0	0	0	0	0	0	0
Incorrect Operations	0	0	0	0	0	0	0	0
Third Party Damage/Mecha	anical Da	ımage						
Excavation Damage	0	0	0	0	0	0	0	0
Previous Damage (due to Excavation Activity)	0	0	0	0	0	0	0	0
Vandalism (includes all Intentional Damage)	0	0	0	0	0	0	0	0
Weather Related/Other Out	tside Fo	rce						
Natural Force Damage (all)	0	0	0	0	0	0	0	0
Other Outside Force Damage (excluding Vandalism and all Intentional Damage)	0	0	0	0	0	0	0	0
Other	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0	0

PART M2 – KNOWN SYSTEM L	EAKS AT END	OF YEAR SCHEDULED FO	R REPAIR				
Transmission	0	Gathering	0				
PART M3 – LEAKS ON FEDERAL LAND OR OCS REPAIRED OR SCHEDULED FOR REPAIR							
Transmission Gathering							
	0	Onshore Type A	0				
Onshore	0	Onshore Type B	0				
OCS	0	OCS	0				
Subtotal Transmission	0	Subtotal Gathering	0				
Total 0							

PART P - MILES OF PIPE BY MATERIAL AND CORROSION PROTECTION STATUS											
		thodically	Steel Cat unpro	hodically tected							
	Bare	Coated	Bare	Coated	Cast Iron	Wrought Iron	Plastic	Composite ¹	Other ²	Total Miles	
Transmission											
Onshore	0	782.652	0	0	0	0	0	0	0	782.652	
Offshore	0	0	0	0	0	0	0	0	0	0	
Subtotal Transmission	0	782.65 2	0	0	0	0	0	0	0	782.652	
Gathering											
Onshore Type A	0	0	0	0	0	0	0	0	0	0	
Onshore Type B	0	0	0	0	0	0	0	0	0	0	
Offshore	0	0	0	0	0	0	0	0		0	
Subtotal Gathering	0	0	0	0	0	0	0	0	0	0	
Total Miles	0	782.65 2	0	0	0	0	0	0	0	782.652	

 $^{^{1}\}mbox{Use}$ of Composite pipe requires PHMSA Special Permit or waiver from a State $^{2}\mbox{specify Other material(s):}$

	(a)(1) Total	(a)(1) Incomplete Records	(a)(2) Total	(a)(2) Incomplete Records	(a)(3) Total	(a)(3) Incomplete Records	(a)(4) Total	(a)(4) Incomplete Records	(c) Total	(c) Incomplete Records	(d) Total	(d) Incomplete Records	Other ¹ Total	Other Incomplete Records
Class 1 (in HCA)	0	0	0	0	0	0	4.159	.193	0	0	0	0	0	0
Class 1 (not in HCA)	0		0		0		288.6 05		0		0		0	
Class 2 (in HCA)	0	0	0	0	0	0	.922	0	0	0	0	0	0	0
Class 2 (not in HCA)	0		0		0		70.08 4		0		0		0	
Class 3 (in HCA)	17.915	2.276	1.801	.002	0	0	114.1 43	5.324	0	0	0	0	0	0
Class 3 (not in HCA)	13.606	1.902	4.28	.024	0	0	261.2 27	15.912	0	0	0	0	0	0
Class 4 (in HCA)	0	0	.002	0	0	0	4.63	.385	0	0	0	0	0	0
Class 4 (not in HCA)	0	0	0	0	0	0	1.279	0	0	0	0	0	0	
Tota	31.521	4.178	6.083	.026	0	0	745.0 49	21.814	0	0	0	0	0	0
Grand Total								782.653						
Sum of Total row	/ for all "	Incomple	ete Rec	ords" colu	mns			26.018						

¹Specify Other method(s):

Class 1 (in HCA)	Class 1 (not in HCA)	
Class 2 (in HCA)	Class 2 (not in HCA)	
Class 3 (in HCA)	Class 3 (not in HCA)	
Class 4 (in HCA)	Class 4 (not in HCA)	

Part R – Gas Transm	nission Miles b	y Pressure Test	(PT) Range an	d Internal Inspection			
	PT ≥ 1.	25 MAOP	1.25 MAO	P > PT ≥ 1.1 MAOP	PT < 1.1 or No PT		
Location	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE Miles Internal Inspection ABLE		Miles Internal Inspection NOT ABLE	
Class 1 in HCA	.176	3.982	0	0	0	0	
Class 2 in HCA	.552	.37	0	0	0	0	
Class 3 in HCA	38.054	95.055	0	.01	.072	.668	
Class 4 in HCA	1.242	3.388	0	0	.002	0	
in HCA subTotal	40.024	102.795	0	.01	.074	.668	
Class 1 not in HCA	39.669	248.88	0	0	.011	.045	
Class 2 not in HCA	12.391	57.69	0	0	0	.003	
Class 3 not in HCA	71.901	203.177	0	.035	.344	3.656	
Class 4 not in HCA	.176	1.103	0	0	0	0	
not in HCA subTotal	124.137	510.85	0	.035	.355	3.704	
Total	164.161	613.645	0	.045	.429	4.372	
PT ≥ 1.25 MAOP Tota	al		777.806	Total Miles Internal Ins	spection ABLE	164.59	
1.25 MAOP > PT ≥ 1.	1 MAOP Total		.045	Total Miles Internal Inspection NOT ABLE 618.0			
PT < 1.1 or No PT To	tal		4.801		Grand Total	782.652	
		Grand Total	782.652				

PARTs H, I, J, K, L, M, P, Q, and R

The data reported in these PARTs applies to: (select only one)

INTRASTATE pipelines/pipeline facilities WYOMING

PART H - MILES OF TRANSMISSION PIPE BY NOMINAL PIPE SIZE (NPS)

	NPS 4 or less	6	8	10	12	14	16	18	20
	10.312	0	0	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
Onshore	0	0	0	0	0	0	0	0	0
Olishore	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	

Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;

10.312 Total Miles of Onshore Pipe – Transmission

	NPS 4 or less	6	8	10	12	14	16	18	20
	0	0	0	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
	0	0	0	0	0	0	0	0	0
Offshore	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	

Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;

0 Total Miles of Offshore Pipe – Transmission

PART I - MILES OF GATHERING PIPE BY NOMINAL PIPE SIZE (NPS)

Onshore Type A

	NPS 4 or less	6	8	10	12	14	16		18	20
J	0	0	0	0	0	0	0		0	0
	22	24	26	28	30	32	34		36	38
J	0	0	0	0	0	0	0		0	0
	40	42	44	46	48	52	56	58 and over		
	0	0	0	0	0	0	0	0		
ĵ	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;									

0 T	otal Miles of Onshore Type A Pipe – Gathering											
	NPS 4 or less	6	8	10	12	14	16		18	20		
	0	0	0	0	0	0	0		0	0		
	22	24	26	28	30	32	34		36	38		
Onshore	0	0	0	0	0	0	0		0	0		
Type B	40	42	44	46	48	52	56	58 and over				
	0	0	0	0	0	0	0	0				
А	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;											
0 Т	Total Miles of Onshore Type B Pipe – Gathering											
	NPS 4 or less	6	8	10	12	14	16		18	20		
	0	0	0	0	0	0	0		0	0		
	22	24	26	28	30	32	34		36	38		
Offshore	0	0	0	0	0	0	0		0	0		
	40	42	44	46	48	52	56	58 and over				
	0	0	0	0	0	0	0	0				
А	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;											
0 т	Total Miles of Offshore Pipe – Gathering											

PART J - MILES OF PIPE BY DECADE INSTALLED

Decade Pipe Installed	Unknown	Pre-40	1940 - 1949	1950 - 1959	1960 - 1969	1970 - 1979
Transmission						
Onshore	0	0	0	0	0	10.257
Offshore	0	0	0	0	0	0
Subtotal Transmission	0	0	0	0	0	10.257
Gathering						
Onshore Type A	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0
Offshore	0	0	0	0	0	0
Subtotal Gathering	0	0	0	0	0	0
Total Miles	0	0	0	0	0	10.257
Decade Pipe Installed	1980 - 1989	1990 - 1999	2000 - 2009	2010 - 2019		Total Miles
Transmission						
Onshore	.056	0	0	0		10.313
Offshore	0	0	0	0		0
Subtotal Transmission	.056	0	0	0		10.313
Gathering						
Onshore Type A	0	0	0	0		0
Onshore Type B	0	0	0	0		0
Offshore	0	0	0	0		0

					Expires: 0/01/2020
Subtotal Gathering	0	0	0	0	0
Total Miles	.056	0	0	0	10.313

01011075		CLASS L	OCATION		Total Miles
ONSHORE	Class I	Class 2	Class 3	Class 4	
Steel pipe Less than 20% SMYS	0	0	0	0	0
Steel pipe Greater than or equal to 20% SMYS but less than 30% SMYS	10.313	0	0	0	10.313
Steel pipe Greater than or equal to 30% SMYS but less than or equal to 40% SMYS	0	0	0	0	0
Steel pipe Greater than 40% SMYS but less than or equal to 50% SMYS	0	0	0	0	0
Steel pipe Greater than 50% SMYS but less than or equal to 60% SMYS	0	0	0	0	0
Steel pipe Greater than 60% SMYS but less than or equal to 72% SMYS	0	0	0	0	0
Steel pipe Greater than 72% SMYS but less than or equal to 80% SMYS	0	0	0	0	0
Steel pipe Greater than 80% SMYS	0	0	0	0	0
Steel pipe Unknown percent of SMYS	0	0	0	0	0
All Non-Steel pipe	0	0	0	0	0
Onshore Totals	10.313	0	0	0	10.313
OFFSHORE	Class I				
Less than or equal to 50% SMYS	0				
Greater than 50% SMYS but less than or equal to 72% SMYS	0				
Steel pipe Greater than 72% SMYS	0				
Steel Pipe Unknown percent of SMYS	0				
All non-steel pipe	0				
Offshore Total	0				0
Total Miles	10.313				10.313

PART L - MILES OF PIPE BY CLASS LOCATION

PART L'IVILLES OF P	IPE BI CLASS	LOCATION				
		Class L	ocation		Total Class Location	HCA Miles in the IMP
	Class I	Class 2	Class 3	Class 4	Miles	Program
Transmission						
Onshore	10.313	0	0	0	10.313	0
Offshore	0	0	0	0	0	
Subtotal Transmission	10.313	0	0	0	10.313	
Gathering						
Onshore Type A	0	0	0	0	0	
Onshore Type B	0	0	0	0	0	
Offshore	0	0	0	0	0	
Subtotal Gathering	0	0	0	0	0	

Total Miles	10.313	0		0	0	10	0.313	0	
PART M – FAILURES, LE	AKS, AND	REPAIRS							
PART M1 – ALL LEAKS ELIMIN	ATED/REPA			·		S IN HCA SI	EGMENTS IN Gathering		
			Transmission Leaks, and Failures Leaks Failures in				e Leaks	Offshore Leaks	
	Onshore Leaks Offshore Leaks				HCA		o zouno		
Cause	HCA				Segments	Type A	Type B		
External Corrosion	0	0	0	0	0	0	0	0	
Internal Corrosion	0	0	0	0	0	0	0	0	
Stress Corrosion Cracking	0	0	0	0	0	0	0	0	
Manufacturing	0	0	0	0	0	0	0	0	
Construction	0	0	0	0	0	0	0	0	
Equipment Incorrect Operations	0	0	0	0	0	0	0	0	
			U	l U	U	U	U	U	
Third Party Damage/Mec Excavation Damage		o nage	0	0	0	0	0	0	
Previous Damage (due to	+ -	_							
Excavation Activity)	0	0	0	0	0	0	0	0	
Vandalism (includes all	0	0	0	0	0	0	0	0	
Intentional Damage)							<u>_</u>		
Weather Related/Other O									
Natural Force Damage (all)	0	0	0	0	0	0	0	0	
Other Outside Force Damage (excluding Vandalism and all Intentional Damage)	0	0	0	0	0	0	0	0	
Other	0	0	0	0	0	0	0	0	
Tota	0	0	0	0	0	0	0	0	
PART M2 – KNOWN SYSTEM L	EAKS AT EN	ID OF YEAR S	SCHEDUL	ED FOR REP	AIR				
Transmission	0	Gathering		0	1				
PART M3 – LEAKS ON FEDER	AL LAND OR	OCS REPAIR	RED OR S	CHEDULED F	OR REPAIR				
Transmission		Gathering							
Onakana		Onshore		4	0				
Onshore	0	Onsho	Onshore Type B		0				
OCS	0	ocs			0	1			
Subtotal Transmission	0		total Gath	ering	0	1			
Total			0	<u> </u>		1			
. otal									

PART P - MILES OF	F PIPE BY	MATERIAL	AND CORF	ROSION PR	OTECTION	STATUS				
		Steel Cathodically protected		Steel Cathodically unprotected						
	Bare	Coated	Bare	Coated	Cast Iron	Wrought Iron	Plastic	Composite ¹	Other ²	Total Miles
Transmission										
Onshore	0	10.313	0	0	0	0	0	0	0	10.313
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Transmission	0	10.313	0	0	0	0	0	0	0	10.313
Gathering										
Onshore Type A	0	0	0	0	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0	0	0	0	0
Offshore	0	0	0	0	0	0	0	0		0
Subtotal Gathering	0	0	0	0	0	0	0	0	0	0
Total Miles	0	10.313	0	0	0	0	0	0	0	10.313

¹Use of Composite pipe requires PHMSA Special Permit or waiver from a State ²specify Other material(s):

Part Q - Gas Transmission Miles by §192.619 MAOP Determi						ermin	ation Met	thod						
	(a)(1) Total	(a)(1) Incomplete Records	(a)(2) Total	(a)(2) Incomplete Records	(a)(3) Total	(a)(3) Incomplete Records	(a)(4) Total	(a)(4) Incomplete Records	(c) Total	(c) Incomplete Records	(d) Total	(d) Incomplete Records	Other ¹ Total	Other Incomplete Records
Class 1 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 1 (not in HCA)	0		0		0		10.31 3		0		0		0	
Class 2 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 2 (not in HCA)	0		0		0		0		0		0		0	
Class 3 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 3 (not in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 4 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 4 (not in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	
Total	0	0	0	0	0	0	10.31 3	0	0	0	0	0	0	0
Grand Total	Grand Total							10.313						
Sum of Total row for all "Incomplete Records" columns							0							

¹Specify Other method(s):

Class 1 (in HCA)	Class 1 (not in HCA)	
Class 2 (in HCA)	Class 2 (not in HCA)	
Class 3 (in HCA)	Class 3 (not in HCA)	
Class 4 (in HCA)	Class 4 (not in HCA)	

Part R – Gas Transm	nission Miles b	y Pressure Test	(PT) Range an	d Internal Inspection			
	PT ≥ 1.25 MAOP		1.25 MAOI	P > PT ≥ 1.1 MAOP	PT < 1.1 or No PT		
Location	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	
Class 1 in HCA	0	0	0	0	0	0	
Class 2 in HCA	0	0	0 0		0	0	
Class 3 in HCA	0	0	0	0	0	0	
Class 4 in HCA	0	0	0	0	0	0	
in HCA subTotal	0	0	0	0	0	0	
Class 1 not in HCA	0	10.313	0	0	0	0	
Class 2 not in HCA	0	0	0	0	0	0	
Class 3 not in HCA	0	0	0	0	0	0	
Class 4 not in HCA	0	0	0	0	0	0	
not in HCA subTotal	0	10.313	0	0	0	0	
Total	0	10.313	0	0	0	0	
PT ≥ 1.25 MAOP Total			10.313	Total Miles Internal Inspection ABLE		0	
1.25 MAOP > PT ≥ 1.1 MAOP Total			0	Total Miles Internal Inspection NOT ABLE 10.31			
PT < 1.1 or No PT To	tal		0	Grand Total 10.313			
		Grand Total	10.313				

For the designated Commodity Group, complete PART N one time for all of the pipelines and/or pipeline facilities included within this OPID, and then also PART O if any gas transmission pipeline facilities included within this OPID have Part L HCA mile value greater than zero.

PART N - PREPARER SIGNATURE	
Tasha Christensen	(801)324-5079 Telephone Number
Preparer's Name(type or print)	receptione Humber
Engineer	
Preparer's Title	
tasha.christensen@dominionenergy.com	
Preparer's E-mail Address	
	(801)324-3384 Telephone Number
Vaughn W Shosted	releprione Number
Senior Executive Officer's name certifying the information in PARTs B, F, G, and M as required by 49 U.S.C. 60109(f)	
VP-Western Distribution Operations	
Senior Executive Officer's title certifying the information in PARTs B, F, G, and M as required by 49 U.S.C. 60109(f)	
Variable Chapted @dominion on one	
Vaughn.Shosted@dominionenergy.com	