

 <p>U.S. Department of Transportation Pipeline and Hazardous Materials Safety Administration</p>	<p>ANNUAL REPORT FOR CALENDAR YEAR 2017 NATURAL OR OTHER GAS TRANSMISSION and GATHERING SYSTEMS</p>	<p>Initial Date Submitted</p>	<p>03/15/2018</p>
		<p>Report Submission Type</p>	<p>SUPPLEME NTAL</p>
		<p>Date Submitted</p>	<p>04/10/2018</p>
<p>A federal agency may not conduct or sponsor, and a person is not required to respond to, nor shall a person be subject to a penalty for failure to comply with a collection of information subject to the requirements of the Paperwork Reduction Act unless that collection of information displays a current valid OMB Control Number. The OMB Control Number for this information collection is 2137-0522. Public reporting for this collection of information is estimated to be approximately 42 hours per response, including the time for reviewing instructions, gathering the data needed, and completing and reviewing the collection of information. All responses to this collection of information are mandatory. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to: Information Collection Clearance Officer, PHMSA, Office of Pipeline Safety (PHP-30) 1200 New Jersey Avenue, SE, Washington, D.C. 20590.</p> <p>Important: Please read the separate instructions for completing this form before you begin. They clarify the information requested and provide specific examples. If you do not have a copy of the instructions, you can obtain one from the PHMSA Pipeline Safety Community Web Page at http://www.phmsa.dot.gov/pipeline/library/forms.</p>			
<p>PART A - OPERATOR INFORMATION</p>		<p>DOT USE ONLY</p>	<p>20187448 - 34902</p>
<p>1. OPERATOR'S 5 DIGIT IDENTIFICATION NUMBER (OPID)</p> <p style="text-align: center;">12876</p>	<p>2. NAME OF OPERATOR:</p> <p style="text-align: center;">DOMINION ENERGY UTAH/WYOMING/IDAHO</p>		
<p>3. RESERVED</p>	<p>4. HEADQUARTERS ADDRESS:</p> <p>333 SOUTH STATE STREET P.O. BOX 45360 Street Address</p> <p>SALT LAKE CITY City</p> <p>State: UT Zip Code: 84145</p>		
<p>5. THIS REPORT PERTAINS TO THE FOLLOWING COMMODITY GROUP: <i>(Select Commodity Group based on the predominant gas carried and complete the report for that Commodity Group. File a separate report for each Commodity Group included in this OPID.)</i></p> <p>Natural Gas</p>			
<p>6. RESERVED</p>			
<p>7. FOR THE DESIGNATED "COMMODITY GROUP", THE PIPELINES AND/OR PIPELINE FACILITIES INCLUDED WITHIN THIS OPID ARE: <i>(Select one or both)</i></p> <p>INTERstate pipeline – List all of the States and OSC portions in which INTERstate pipelines and/or pipeline facilities included under this OPID exist. etc.</p> <p>INTRAstate pipeline – List all of the States in which INTRAstate pipelines and or pipeline facilities included under this OPID exist. IDAHO, UTAH, WYOMING etc.</p>			
<p>8. RESERVED</p>			

For the designated Commodity Group, PARTs B and D will be calculated based on the data entered in Parts L and P respectively. Complete Part C one time for all pipelines and/or pipeline facilities – both INTERstate and INTRAstate - included within this OPID.

PART B – TRANSMISSION PIPELINE HCA MILES	
	Number of HCA Miles
Onshore	144.6
Offshore	0
Total Miles	144.6

PART C - VOLUME TRANSPORTED IN TRANSMISSION PIPELINES (ONLY) IN MILLION SCF PER YEAR (excludes Transmission lines of Gas Distribution systems)	<input checked="" type="checkbox"/> Check this box and do not complete PART C if this report only includes gathering pipelines or transmission lines of gas distribution systems.	
	Onshore	Offshore
Natural Gas		
Propane Gas		
Synthetic Gas		
Hydrogen Gas		
Landfill Gas		
Other Gas - Name:		

PART D - MILES OF STEEL PIPE BY CORROSION PROTECTION										
	Steel Cathodically protected		Steel Cathodically unprotected		Cast Iron	Wrought Iron	Plastic	Composite ¹	Other	Total Miles
	Bare	Coated	Bare	Coated						
Transmission										
Onshore	0	799.279	0	0	0	0	0	0	0	799.279
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Transmission	0	799.279	0	0	0	0	0	0	0	799.279
Gathering										
Onshore Type A	0	0	0	0	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0	0	0	0	0
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Gathering	0	0	0	0	0	0	0	0	0	0
Total Miles	0	799.279	0	0	0	0	0	0	0	799.279

¹Use of Composite pipe requires a PHMSA Special Permit or waiver from a State

PART E – RESERVED

For the designated Commodity Group, complete PARTs F and G one time for all INTERstate pipeline facilities included within this OPID and multiple times as needed for the designated Commodity Group for each State in which INTRAstate pipeline facilities included within this OPID exist. Part F "WITHIN AN HCA SEGMENT" data and Part G may be completed only if HCA Miles in Part L is greater than zero.

PARTs F and G
<p>The data reported in these PARTs applies to: <i>(select only one)</i></p> <p><input type="checkbox"/> Interstate pipelines/pipeline facilities</p> <p><input checked="" type="checkbox"/> Intrastate pipelines/pipeline facilities in the State of IDAHO <i>(complete for each State)</i></p>

PART F - INTEGRITY INSPECTIONS CONDUCTED AND ACTIONS TAKEN BASED ON INSPECTION	
1. MILEAGE INSPECTED IN CALENDAR YEAR USING THE FOLLOWING IN-LINE INSPECTION (ILI) TOOLS	
a. Corrosion or metal loss tools	0
b. Dent or deformation tools	0
c. Crack or long seam defect detection tools	0
d. Any other internal inspection tools, specify other tools:	0
1. Internal Inspection Tools - Other	
e. Total tool mileage inspected in calendar year using in-line inspection tools. (Lines a + b + c + d)	0
2. ACTIONS TAKEN IN CALENDAR YEAR BASED ON IN-LINE INSPECTIONS	
a. Based on ILI data, total number of anomalies excavated in calendar year because they met the operator's criteria for excavation.	0
b. Total number of anomalies repaired in calendar year that were identified by ILI based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	0
c. Total number of conditions repaired WITHIN AN HCA SEGMENT meeting the definition of:	0
1. "Immediate repair conditions" [192.933(d)(1)]	0
2. "One-year conditions" [192.933(d)(2)]	0
3. "Monitored conditions" [192.933(d)(3)]	0
4. Other "Scheduled conditions" [192.933(c)]	0
3. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON PRESSURE TESTING	
a. Total mileage inspected by pressure testing in calendar year.	0
b. Total number of pressure test failures (ruptures and leaks) repaired in calendar year, both within an HCA Segment and outside of an HCA Segment.	0
c. Total number of pressure test ruptures (complete failure of pipe wall) repaired in calendar year WITHIN AN HCA SEGMENT.	0
d. Total number of pressure test leaks (less than complete wall failure but including escape of test medium) repaired in calendar year WITHIN AN HCA SEGMENT.	0
4. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON DA (Direct Assessment methods)	
a. Total mileage inspected by each DA method in calendar year.	0
1. ECDA	0
2. ICDA	0
3. SCCDA	0
b. Total number of anomalies identified by each DA method and repaired in calendar year based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	0
1. ECDA	0
2. ICDA	0
3. SCCDA	0
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	0
1. "Immediate repair conditions" [192.933(d)(1)]	0

2. "One-year conditions" [192.933(d)(2)]	0
3. "Monitored conditions" [192.933(d)(3)]	0
4. Other "Scheduled conditions" [192.933(c)]	0
5. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON OTHER INSPECTION TECHNIQUES	
a. Total mileage inspected by inspection techniques other than those listed above in calendar year.	0
1. Other Inspection Techniques	
b. Total number of anomalies identified by other inspection techniques and repaired in calendar year based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	0
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	
1. "Immediate repair conditions" [192.933(d)(1)]	
2. "One-year conditions" [192.933(d)(2)]	
3. "Monitored conditions" [192.933(d)(3)]	
4. Other "Scheduled conditions" [192.933(c)]	
6. TOTAL MILEAGE INSPECTED (ALL METHODS) AND ACTIONS TAKEN IN CALENDAR YEAR	
a. Total mileage inspected in calendar year. (Lines 1.e + 3.a + 4.a.1 + 4.a.2 + 4.a.3 + 5.a)	0
b. Total number of anomalies repaired in calendar year both within an HCA Segment and outside of an HCA Segment. (Lines 2.b + 3.b + 4.b.1 + 4.b.2 + 4.b.3 + 5.b)	0
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT. (Lines 2.c.1 + 2.c.2 + 2.c.3 + 2.c.4 + 3.c + 3.d + 4.c.1 + 4.c.2 + 4.c.3 + 4.c.4 + 5.c.1 + 5.c.2 + 5.c.3 + 5.c.4)	0
d. Total number of actionable anomalies eliminated by pipe replacement in calendar year WITHIN AN HCA SEGMENT:	0
e. Total number of actionable anomalies eliminated by pipe abandonment in calendar year WITHIN AN HCA SEGMENT:	0
PART G— MILES OF BASELINE ASSESSMENTS AND REASSESSMENTS COMPLETED IN CALENDAR YEAR (HCA Segment miles ONLY)	
a. Baseline assessment miles completed during the calendar year.	0
b. Reassessment miles completed during the calendar year.	0
c. Total assessment and reassessment miles completed during the calendar year.	0

PARTS F and G
The data reported in these PARTs applies to: (select only one)
<input type="checkbox"/> Interstate pipelines/pipeline facilities
<input checked="" type="checkbox"/> Intrastate pipelines/pipeline facilities in the State of UTAH (complete for each State)

PART F - INTEGRITY INSPECTIONS CONDUCTED AND ACTIONS TAKEN BASED ON INSPECTION	
1. MILEAGE INSPECTED IN CALENDAR YEAR USING THE FOLLOWING IN-LINE INSPECTION (ILI) TOOLS	
a. Corrosion or metal loss tools	37.694
b. Dent or deformation tools	37.694
c. Crack or long seam defect detection tools	0
d. Any other internal inspection tools, specify other tools:	0
1. Internal Inspection Tools - Other	
e. Total tool mileage inspected in calendar year using in-line inspection tools. (Lines a + b + c + d)	75.388
2. ACTIONS TAKEN IN CALENDAR YEAR BASED ON IN-LINE INSPECTIONS	
a. Based on ILI data, total number of anomalies excavated in calendar year because they met the operator's criteria for excavation.	30

b. Total number of anomalies repaired in calendar year that were identified by ILI based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	9
c. Total number of conditions repaired WITHIN AN HCA SEGMENT meeting the definition of:	8
1. "Immediate repair conditions" [192.933(d)(1)]	0
2. "One-year conditions" [192.933(d)(2)]	0
3. "Monitored conditions" [192.933(d)(3)]	0
4. Other "Scheduled conditions" [192.933(c)]	8
3. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON PRESSURE TESTING	
a. Total mileage inspected by pressure testing in calendar year.	0
b. Total number of pressure test failures (ruptures and leaks) repaired in calendar year, both within an HCA Segment and outside of an HCA Segment.	0
c. Total number of pressure test ruptures (complete failure of pipe wall) repaired in calendar year WITHIN AN HCA SEGMENT.	0
d. Total number of pressure test leaks (less than complete wall failure but including escape of test medium) repaired in calendar year WITHIN AN HCA SEGMENT.	0
4. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON DA (Direct Assessment methods)	
a. Total mileage inspected by each DA method in calendar year.	19.5
1. ECDA	19.5
2. ICDA	0
3. SCCDA	0
b. Total number of anomalies identified by each DA method and repaired in calendar year based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	1
1. ECDA	1
2. ICDA	0
3. SCCDA	0
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	0
1. "Immediate repair conditions" [192.933(d)(1)]	0
2. "One-year conditions" [192.933(d)(2)]	0
3. "Monitored conditions" [192.933(d)(3)]	0
4. Other "Scheduled conditions" [192.933(c)]	0
5. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON OTHER INSPECTION TECHNIQUES	
a. Total mileage inspected by inspection techniques other than those listed above in calendar year.	0
1. Other Inspection Techniques	
b. Total number of anomalies identified by other inspection techniques and repaired in calendar year based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	0
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	
1. "Immediate repair conditions" [192.933(d)(1)]	
2. "One-year conditions" [192.933(d)(2)]	
3. "Monitored conditions" [192.933(d)(3)]	
4. Other "Scheduled conditions" [192.933(c)]	
6. TOTAL MILEAGE INSPECTED (ALL METHODS) AND ACTIONS TAKEN IN CALENDAR YEAR	
a. Total mileage inspected in calendar year. (Lines 1.e + 3.a + 4.a.1 + 4.a.2 + 4.a.3 + 5.a)	94.888
b. Total number of anomalies repaired in calendar year both within an HCA Segment and outside of an HCA Segment. (Lines 2.b + 3.b + 4.b.1 + 4.b.2 + 4.b.3 + 5.b)	10
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT. (Lines 2.c.1 + 2.c.2 + 2.c.3 + 2.c.4 + 3.c + 3.d + 4.c.1 + 4.c.2 + 4.c.3 + 4.c.4 + 5.c.1 + 5.c.2 + 5.c.3 + 5.c.4)	8
d. Total number of actionable anomalies eliminated by pipe replacement in calendar year WITHIN AN HCA SEGMENT:	0
e. Total number of actionable anomalies eliminated by pipe abandonment in calendar year WITHIN AN HCA SEGMENT:	0
PART G— MILES OF BASELINE ASSESSMENTS AND REASSESSMENTS COMPLETED IN CALENDAR YEAR (HCA Segment miles ONLY)	

a. Baseline assessment miles completed during the calendar year.	11.861
b. Reassessment miles completed during the calendar year.	1.074
c. Total assessment and reassessment miles completed during the calendar year.	12.935

PARTs F and G

The data reported in these PARTs applies to: *(select only one)*

Interstate pipelines/pipeline facilities

Intrastate pipelines/pipeline facilities in the State of WYOMING *(complete for each State)*

PART F - INTEGRITY INSPECTIONS CONDUCTED AND ACTIONS TAKEN BASED ON INSPECTION

1. MILEAGE INSPECTED IN CALENDAR YEAR USING THE FOLLOWING IN-LINE INSPECTION (ILI) TOOLS

a. Corrosion or metal loss tools	0
b. Dent or deformation tools	0
c. Crack or long seam defect detection tools	0
d. Any other internal inspection tools, specify other tools:	0
1. Internal Inspection Tools - Other	
e. Total tool mileage inspected in calendar year using in-line inspection tools. (Lines a + b + c + d)	0

2. ACTIONS TAKEN IN CALENDAR YEAR BASED ON IN-LINE INSPECTIONS

a. Based on ILI data, total number of anomalies excavated in calendar year because they met the operator's criteria for excavation.	0
b. Total number of anomalies repaired in calendar year that were identified by ILI based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	
c. Total number of conditions repaired WITHIN AN HCA SEGMENT meeting the definition of:	
1. "Immediate repair conditions" [192.933(d)(1)]	
2. "One-year conditions" [192.933(d)(2)]	
3. "Monitored conditions" [192.933(d)(3)]	
4. Other "Scheduled conditions" [192.933(c)]	

3. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON PRESSURE TESTING

a. Total mileage inspected by pressure testing in calendar year.	0
b. Total number of pressure test failures (ruptures and leaks) repaired in calendar year, both within an HCA Segment and outside of an HCA Segment.	
c. Total number of pressure test ruptures (complete failure of pipe wall) repaired in calendar year WITHIN AN HCA SEGMENT.	
d. Total number of pressure test leaks (less than complete wall failure but including escape of test medium) repaired in calendar year WITHIN AN HCA SEGMENT.	

4. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON DA (Direct Assessment methods)

a. Total mileage inspected by each DA method in calendar year.	
1. ECDA	
2. ICDA	
3. SCCDA	
b. Total number of anomalies identified by each DA method and repaired in calendar year based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	
1. ECDA	
2. ICDA	
3. SCCDA	
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	

1. "Immediate repair conditions" [192.933(d)(1)]	
2. "One-year conditions" [192.933(d)(2)]	
3. "Monitored conditions" [192.933(d)(3)]	
4. Other "Scheduled conditions" [192.933(c)]	
5. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON OTHER INSPECTION TECHNIQUES	
a. Total mileage inspected by inspection techniques other than those listed above in calendar year.	0
1. Other Inspection Techniques	
b. Total number of anomalies identified by other inspection techniques and repaired in calendar year based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	
1. "Immediate repair conditions" [192.933(d)(1)]	
2. "One-year conditions" [192.933(d)(2)]	
3. "Monitored conditions" [192.933(d)(3)]	
4. Other "Scheduled conditions" [192.933(c)]	
6. TOTAL MILEAGE INSPECTED (ALL METHODS) AND ACTIONS TAKEN IN CALENDAR YEAR	
a. Total mileage inspected in calendar year. (Lines 1.e + 3.a + 4.a.1 + 4.a.2 + 4.a.3 + 5.a)	0
b. Total number of anomalies repaired in calendar year both within an HCA Segment and outside of an HCA Segment. (Lines 2.b + 3.b + 4.b.1 + 4.b.2 + 4.b.3 + 5.b)	
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT. (Lines 2.c.1 + 2.c.2 + 2.c.3 + 2.c.4 + 3.c + 3.d + 4.c.1 + 4.c.2 + 4.c.3 + 4.c.4 + 5.c.1 + 5.c.2 + 5.c.3 + 5.c.4)	
d. Total number of actionable anomalies eliminated by pipe replacement in calendar year WITHIN AN HCA SEGMENT:	
e. Total number of actionable anomalies eliminated by pipe abandonment in calendar year WITHIN AN HCA SEGMENT:	
PART G- MILES OF BASELINE ASSESSMENTS AND REASSESSMENTS COMPLETED IN CALENDAR YEAR (HCA Segment miles ONLY)	
a. Baseline assessment miles completed during the calendar year.	
b. Reassessment miles completed during the calendar year.	
c. Total assessment and reassessment miles completed during the calendar year.	

For the designated Commodity Group, complete PARTs H, I, J, K, L, M, P Q and R covering INTERstate pipelines and/or pipeline facilities for each State in which INTERstate systems exist within this OPID and again covering INTRASTate pipelines and/or pipeline facilities for each State in which INTRASTate systems exist within this OPID.

PARTs H, I, J, K, L, M, P, Q, and R									
The data reported in these PARTs applies to: <i>(select only one)</i>									
INTRASTATE pipelines/pipeline facilities IDAHO									
PART H - MILES OF TRANSMISSION PIPE BY NOMINAL PIPE SIZE (NPS)									
Onshore	NPS 4 or less	6	8	10	12	14	16	18	20
	0	0	6.314	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
	0	0	0	0	0	0	0	0	0
	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;								
6.314	Total Miles of Onshore Pipe – Transmission								
Offshore	NPS 4 or less	6	8	10	12	14	16	18	20
	0	0	0	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
	0	0	0	0	0	0	0	0	0
	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;								
0	Total Miles of Offshore Pipe – Transmission								
PART I - MILES OF GATHERING PIPE BY NOMINAL PIPE SIZE (NPS)									
Onshore Type A	NPS 4 or less	6	8	10	12	14	16	18	20
	0	0	0	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
	0	0	0	0	0	0	0	0	0
	40	42	44	46	48	52	56	58 and over	

	0	0	0	0	0	0	0	0	0
	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;								
0	Total Miles of Onshore Type A Pipe – Gathering								
Onshore Type B	NPS 4 or less	6	8	10	12	14	16	18	20
	0	0	0	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
	0	0	0	0	0	0	0	0	0
	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;								
0	Total Miles of Onshore Type B Pipe – Gathering								
Offshore	NPS 4 or less	6	8	10	12	14	16	18	20
	0	0	0	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
	0	0	0	0	0	0	0	0	0
	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;								
0	Total Miles of Offshore Pipe – Gathering								

PART J – MILES OF PIPE BY DECADE INSTALLED

Decade Pipe Installed	Unknown	Pre-40	1940 - 1949	1950 - 1959	1960 - 1969	1970 - 1979
Transmission						
Onshore	0	0	0	0	0	0
Offshore	0	0	0	0	0	0
Subtotal Transmission	0	0	0	0	0	0
Gathering						
Onshore Type A	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0
Offshore	0	0	0	0	0	0
Subtotal Gathering	0	0	0	0	0	0
Total Miles	0	0	0	0	0	0
Decade Pipe Installed	1980 - 1989	1990 - 1999	2000 - 2009	2010 - 2019	Total Miles	
Transmission						
Onshore	6.036	0	.278	0	6.314	
Offshore	0	0	0	0	0	
Subtotal Transmission	6.036	0	.278	0	6.314	
Gathering						

Onshore Type A	0	0	0	0		0
Onshore Type B	0	0	0	0		0
Offshore	0	0	0	0		0
Subtotal Gathering	0	0	0	0		0
Total Miles	6.036	0	.278	0		6.314

PART K- MILES OF TRANSMISSION PIPE BY SPECIFIED MINIMUM YIELD STRENGTH

ONSHORE	CLASS LOCATION				Total Miles	
	Class 1	Class 2	Class 3	Class 4		
Steel pipe Less than 20% SMYS	0	0	0	0	0	
Steel pipe Greater than or equal to 20% SMYS but less than 30% SMYS	0	0	6.314	0	6.314	
Steel pipe Greater than or equal to 30% SMYS but less than or equal to 40% SMYS	0	0	0	0	0	
Steel pipe Greater than 40% SMYS but less than or equal to 50% SMYS	0	0	0	0	0	
Steel pipe Greater than 50% SMYS but less than or equal to 60% SMYS	0	0	0	0	0	
Steel pipe Greater than 60% SMYS but less than or equal to 72% SMYS	0	0	0	0	0	
Steel pipe Greater than 72% SMYS but less than or equal to 80% SMYS	0	0	0	0	0	
Steel pipe Greater than 80% SMYS	0	0	0	0	0	
Steel pipe Unknown percent of SMYS	0	0	0	0	0	
All Non-Steel pipe	0	0	0	0	0	
Onshore Totals	0	0	6.314	0	6.314	
OFFSHORE	Class 1					
Less than or equal to 50% SMYS	0					
Greater than 50% SMYS but less than or equal to 72% SMYS	0					
Steel pipe Greater than 72% SMYS	0					
Steel Pipe Unknown percent of SMYS	0					
All non-steel pipe	0					
Offshore Total	0					0
Total Miles	0					6.314

PART L - MILES OF PIPE BY CLASS LOCATION

	Class Location				Total Class Location Miles	HCA Miles in the IMP Program
	Class 1	Class 2	Class 3	Class 4		
Transmission						
Onshore	0	0	6.314	0	6.314	.87
Offshore	0	0	0	0	0	
Subtotal Transmission	0	0	6.314	0	6.314	
Gathering						

Onshore Type A	0	0	0	0	0	
Onshore Type B	0	0	0	0	0	
Offshore	0	0	0	0	0	
Subtotal Gathering	0	0	0	0	0	
Total Miles	0	0	6.314	0	6.314	

PART M – FAILURES, LEAKS, AND REPAIRS

PART M1 – ALL LEAKS ELIMINATED/REPAIRED IN CALENDAR YEAR; INCIDENTS & FAILURES IN HCA SEGMENTS IN CALENDAR YEAR

Cause	Transmission Leaks, and Failures					Gathering Leaks		
	Leaks				Failures in HCA Segments	Onshore Leaks		Offshore Leaks
	Onshore Leaks		Offshore Leaks			Type A	Type B	
	HCA	Non-HCA	HCA	Non-HCA				
External Corrosion	0	0	0	0	0	0	0	0
Internal Corrosion	0	0	0	0	0	0	0	0
Stress Corrosion Cracking	0	0	0	0	0	0	0	0
Manufacturing	0	0	0	0	0	0	0	0
Construction	0	0	0	0	0	0	0	0
Equipment	0	0	0	0	0	0	0	0
Incorrect Operations	0	0	0	0	0	0	0	0
Third Party Damage/Mechanical Damage								
Excavation Damage	0	0	0	0	0	0	0	0
Previous Damage (due to Excavation Activity)	0	0	0	0	0	0	0	0
Vandalism (includes all Intentional Damage)	0	0	0	0	0	0	0	0
Weather Related/Other Outside Force								
Natural Force Damage (all)	0	0	0	0	0	0	0	0
Other Outside Force Damage (excluding Vandalism and all Intentional Damage)	0	0	0	0	0	0	0	0
Other	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0	0

PART M2 – KNOWN SYSTEM LEAKS AT END OF YEAR SCHEDULED FOR REPAIR

Transmission	0	Gathering	0
---------------------	---	------------------	---

PART M3 – LEAKS ON FEDERAL LAND OR OCS REPAIRED OR SCHEDULED FOR REPAIR

Transmission		Gathering	
Onshore	0	Onshore Type A	0
		Onshore Type B	0
OCS	0	OCS	0
Subtotal Transmission	0	Subtotal Gathering	0
Total	0		

PART P - MILES OF PIPE BY MATERIAL AND CORROSION PROTECTION STATUS										
	Steel Cathodically protected		Steel Cathodically unprotected		Cast Iron	Wrought Iron	Plastic	Composite ¹	Other ²	Total Miles
	Bare	Coated	Bare	Coated						
Transmission										
Onshore	0	6.314	0	0	0	0	0	0	0	6.314
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Transmission	0	6.314	0	0	0	0	0	0	0	6.314
Gathering										
Onshore Type A	0	0	0	0	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0	0	0	0	0
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Gathering	0	0	0	0	0	0	0	0	0	0
Total Miles	0	6.314	0	0	0	0	0	0	0	6.314

¹Use of Composite pipe requires PHMSA Special Permit or waiver from a State

²specify Other material(s):

Part Q - Gas Transmission Miles by §192.619 MAOP Determination Method

	(a)(1) Total	(a)(1) Incomplete Records	(a)(2) Total	(a)(2) Incomplete Records	(a)(3) Total	(a)(3) Incomplete Records	(a)(4) Total	(a)(4) Incomplete Records	(c) Total	(c) Incomplete Records	(d) Total	(d) Incomplete Records	Other ¹ Total	Other Incomplete Records
Class 1 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 1 (not in HCA)	0		0		0		0		0		0		0	
Class 2 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 2 (not in HCA)	0		0		0		0		0		0		0	
Class 3 (in HCA)	0	0	0	0	0	0	.865	0	0	0	0	0	0	0
Class 3 (not in HCA)	0	0	0	0	0	0	5.449	0	0	0	0	0	0	0
Class 4 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 4 (not in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	
Total	0	0	0	0	0	0	6.314	0	0	0	0	0	0	0
Grand Total									6.314					
Sum of Total row for all "Incomplete Records" columns									0					

¹Specify Other method(s):

Class 1 (in HCA)		Class 1 (not in HCA)	
Class 2 (in HCA)		Class 2 (not in HCA)	
Class 3 (in HCA)		Class 3 (not in HCA)	
Class 4 (in HCA)		Class 4 (not in HCA)	

Part R – Gas Transmission Miles by Pressure Test (PT) Range and Internal Inspection						
	PT ≥ 1.25 MAOP		1.25 MAOP > PT ≥ 1.1 MAOP		PT < 1.1 or No PT	
Location	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE
Class 1 in HCA	0	0	0	0	0	0
Class 2 in HCA	0	0	0	0	0	0
Class 3 in HCA	0	.865	0	0	0	0
Class 4 in HCA	0	0	0	0	0	0
in HCA subTotal	0	.865	0	0	0	0
Class 1 not in HCA	0	0	0	0	0	0
Class 2 not in HCA	0	0	0	0	0	0
Class 3 not in HCA	0	5.449	0	0	0	0
Class 4 not in HCA	0	0	0	0	0	0
not in HCA subTotal	0	5.449	0	0	0	0
Total	0	6.314	0	0	0	0
PT ≥ 1.25 MAOP Total			6.314	Total Miles Internal Inspection ABLE		0
1.25 MAOP > PT ≥ 1.1 MAOP Total			0	Total Miles Internal Inspection NOT ABLE		6.314
PT < 1.1 or No PT Total			0	Grand Total		6.314
Grand Total			6.314			

PARTS H, I, J, K, L, M, P, Q, and R

The data reported in these PARTs applies to: *(select only one)*
INTRASTATE pipelines/pipeline facilities UTAH

PART H - MILES OF TRANSMISSION PIPE BY NOMINAL PIPE SIZE (NPS)

	NPS 4 or less	6	8	10	12	14	16	18	20
	Onshore	.148	54.028	289.763	130.8	120.151	6.709	11.486	.017
	22	24	26	28	30	32	34	36	38
	0	48.446	0	0	0	0	0	0	0
	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;									
782.652	Total Miles of Onshore Pipe – Transmission								
Offshore	NPS 4 or less	6	8	10	12	14	16	18	20
	0	0	0	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38

	0	0	0	0	0	0	0	0	0
	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
	Additional Sizes and Miles (Size – Miles): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;								
0	Total Miles of Offshore Pipe – Transmission								

PART I - MILES OF GATHERING PIPE BY NOMINAL PIPE SIZE (NPS)

Onshore Type A	NPS 4 or less	6	8	10	12	14	16	18	20
	0	0	0	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
	0	0	0	0	0	0	0	0	0
	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
	Additional Sizes and Miles (Size – Miles): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;								

0 Total Miles of Onshore Type A Pipe – Gathering

Onshore Type B	NPS 4 or less	6	8	10	12	14	16	18	20
	0	0	0	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
	0	0	0	0	0	0	0	0	0
	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
	Additional Sizes and Miles (Size – Miles): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;								

0 Total Miles of Onshore Type B Pipe – Gathering

Offshore	NPS 4 or less	6	8	10	12	14	16	18	20
	0	0	0	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
	0	0	0	0	0	0	0	0	0
	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
	Additional Sizes and Miles (Size – Miles): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;								

0 Total Miles of Offshore Pipe – Gathering

PART J – MILES OF PIPE BY DECADE INSTALLED

Decade Pipe Installed	Unknown	Pre-40	1940 - 1949	1950 - 1959	1960 - 1969	1970 - 1979
Transmission						
Onshore	0	0	.029	66.922	105.49	59.003
Offshore	0	0	0	0	0	0
Subtotal Transmission	0	0	.029	66.922	105.49	59.003
Gathering						
Onshore Type A	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0
Offshore	0	0	0	0	0	0
Subtotal Gathering	0	0	0	0	0	0
Total Miles	0	0	.029	66.922	105.49	59.003
Decade Pipe Installed	1980 - 1989	1990 - 1999	2000 - 2009	2010 - 2019	Total Miles	
Transmission						
Onshore	340.997	94.645	92.554	23.012	782.652	
Offshore	0	0	0	0	0	
Subtotal Transmission	340.997	94.645	92.554	23.012	782.652	
Gathering						
Onshore Type A	0	0	0	0	0	
Onshore Type B	0	0	0	0	0	
Offshore	0	0	0	0	0	
Subtotal Gathering	0	0	0	0	0	
Total Miles	340.997	94.645	92.554	23.012	782.652	

PART K- MILES OF TRANSMISSION PIPE BY SPECIFIED MINIMUM YIELD STRENGTH					
ONSHORE	CLASS LOCATION				Total Miles
	Class 1	Class 2	Class 3	Class 4	
Steel pipe Less than 20% SMYS	0	0	0	0	0
Steel pipe Greater than or equal to 20% SMYS but less than 30% SMYS	107.273	41.789	206.401	5.02	360.483
Steel pipe Greater than or equal to 30% SMYS but less than or equal to 40% SMYS	138.341	21.971	122.392	.89	283.594
Steel pipe Greater than 40% SMYS but less than or equal to 50% SMYS	47.151	7.247	83.246	0	137.644
Steel pipe Greater than 50% SMYS but less than or equal to 60% SMYS	0	0	.933	0	.933
Steel pipe Greater than 60% SMYS but less than or equal to 72% SMYS	0	0	0	0	0
Steel pipe Greater than 72% SMYS but less than or equal to 80% SMYS	0	0	0	0	0
Steel pipe Greater than 80% SMYS	0	0	0	0	0
Steel pipe Unknown percent of SMYS	0	0	0	0	0
All Non-Steel pipe	0	0	0	0	0
Onshore Totals	292.765	71.007	412.972	5.91	782.654

OFFSHORE	Class 1	
Less than or equal to 50% SMYS	0	
Greater than 50% SMYS but less than or equal to 72% SMYS	0	
Steel pipe Greater than 72% SMYS	0	
Steel Pipe Unknown percent of SMYS	0	
All non-steel pipe	0	
Offshore Total	0	0
Total Miles	292.765	782.654

PART L - MILES OF PIPE BY CLASS LOCATION

	Class Location				Total Class Location Miles	HCA Miles in the IMP Program
	Class 1	Class 2	Class 3	Class 4		
Transmission						
Onshore	292.765	71.007	412.972	5.91	782.654	143.73
Offshore	0	0	0	0	0	
Subtotal Transmission	292.765	71.007	412.972	5.91	782.654	
Gathering						
Onshore Type A	0	0	0	0	0	
Onshore Type B	0	0	0	0	0	
Offshore	0	0	0	0	0	
Subtotal Gathering	0	0	0	0	0	
Total Miles	292.765	71.007	412.972	5.91	782.654	143.73

PART M – FAILURES, LEAKS, AND REPAIRS

PART M1 – ALL LEAKS ELIMINATED/REPAIRED IN CALENDAR YEAR; INCIDENTS & FAILURES IN HCA SEGMENTS IN CALENDAR YEAR

Cause	Transmission Leaks, and Failures					Gathering Leaks		
	Leaks				Failures in HCA Segments	Onshore Leaks		Offshore Leaks
	Onshore Leaks		Offshore Leaks			Type A	Type B	
	HCA	Non-HCA	HCA	Non-HCA				
External Corrosion	0	0	0	0	0	0	0	
Internal Corrosion	0	0	0	0	0	0	0	
Stress Corrosion Cracking	0	0	0	0	0	0	0	
Manufacturing	0	0	0	0	0	0	0	
Construction	0	0	0	0	0	0	0	
Equipment	0	0	0	0	0	0	0	
Incorrect Operations	0	0	0	0	0	0	0	
Third Party Damage/Mechanical Damage								
Excavation Damage	0	0	0	0	0	0	0	
Previous Damage (due to Excavation Activity)	0	0	0	0	0	0	0	
Vandalism (includes all Intentional Damage)	0	0	0	0	0	0	0	
Weather Related/Other Outside Force								
Natural Force Damage (all)	0	0	0	0	0	0	0	
Other Outside Force Damage (excluding Vandalism and all Intentional Damage)	0	0	0	0	0	0	0	
Other	0	0	0	0	0	0	0	
Total	0	0	0	0	0	0	0	

PART M2 – KNOWN SYSTEM LEAKS AT END OF YEAR SCHEDULED FOR REPAIR			
Transmission	0	Gathering	0
PART M3 – LEAKS ON FEDERAL LAND OR OCS REPAIRED OR SCHEDULED FOR REPAIR			
Transmission		Gathering	
Onshore	0	Onshore Type A	0
		Onshore Type B	0
OCS	0	OCS	0
Subtotal Transmission	0	Subtotal Gathering	0
Total	0		

PART P - MILES OF PIPE BY MATERIAL AND CORROSION PROTECTION STATUS										
	Steel Cathodically protected		Steel Cathodically unprotected		Cast Iron	Wrought Iron	Plastic	Composite ¹	Other ²	Total Miles
	Bare	Coated	Bare	Coated						
Transmission										
Onshore	0	782.652	0	0	0	0	0	0	0	782.652
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Transmission	0	782.652	0	0	0	0	0	0	0	782.652
Gathering										
Onshore Type A	0	0	0	0	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0	0	0	0	0
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Gathering	0	0	0	0	0	0	0	0	0	0
Total Miles	0	782.652	0	0	0	0	0	0	0	782.652

¹Use of Composite pipe requires PHMSA Special Permit or waiver from a State
²specify Other material(s):

Part Q - Gas Transmission Miles by §192.619 MAOP Determination Method

	(a)(1) Total	(a)(1) Incomplete Records	(a)(2) Total	(a)(2) Incomplete Records	(a)(3) Total	(a)(3) Incomplete Records	(a)(4) Total	(a)(4) Incomplete Records	(c) Total	(c) Incomplete Records	(d) Total	(d) Incomplete Records	Other ¹ Total	Other Incomplete Records	
Class 1 (in HCA)	0	0	0	0	0	0	4.159	.193	0	0	0	0	0	0	
Class 1 (not in HCA)	0		0		0		288.605		0		0		0		
Class 2 (in HCA)	0	0	0	0	0	0	.922	0	0	0	0	0	0	0	
Class 2 (not in HCA)	0		0		0		70.084		0		0		0		
Class 3 (in HCA)	17.915	2.276	1.801	.002	0	0	114.143	5.324	0	0	0	0	0	0	
Class 3 (not in HCA)	13.606	1.902	4.28	.024	0	0	261.227	15.912	0	0	0	0	0	0	
Class 4 (in HCA)	0	0	.002	0	0	0	4.63	.385	0	0	0	0	0	0	
Class 4 (not in HCA)	0	0	0	0	0	0	1.279	0	0	0	0	0	0		
Total	31.521	4.178	6.083	.026	0	0	745.049	21.814	0	0	0	0	0	0	
Grand Total									782.653						
Sum of Total row for all "Incomplete Records" columns									26.018						

¹Specify Other method(s):

Class 1 (in HCA)		Class 1 (not in HCA)	
Class 2 (in HCA)		Class 2 (not in HCA)	
Class 3 (in HCA)		Class 3 (not in HCA)	
Class 4 (in HCA)		Class 4 (not in HCA)	

Part R – Gas Transmission Miles by Pressure Test (PT) Range and Internal Inspection

Location	PT ≥ 1.25 MAOP		1.25 MAOP > PT ≥ 1.1 MAOP		PT < 1.1 or No PT		
	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	
Class 1 in HCA	.176	3.982	0	0	0	0	
Class 2 in HCA	.552	.37	0	0	0	0	
Class 3 in HCA	38.054	95.055	0	.01	.072	.668	
Class 4 in HCA	1.242	3.388	0	0	.002	0	
in HCA subTotal	40.024	102.795	0	.01	.074	.668	
Class 1 not in HCA	39.669	248.88	0	0	.011	.045	
Class 2 not in HCA	12.391	57.69	0	0	0	.003	
Class 3 not in HCA	71.901	203.177	0	.035	.344	3.656	
Class 4 not in HCA	.176	1.103	0	0	0	0	
not in HCA subTotal	124.137	510.85	0	.035	.355	3.704	
Total	164.161	613.645	0	.045	.429	4.372	
PT ≥ 1.25 MAOP Total			777.806		Total Miles Internal Inspection ABLE		164.59
1.25 MAOP > PT ≥ 1.1 MAOP Total			.045		Total Miles Internal Inspection NOT ABLE		618.062
PT < 1.1 or No PT Total			4.801		Grand Total		782.652
Grand Total			782.652				

PARTs H, I, J, K, L, M, P, Q, and R									
The data reported in these PARTs applies to: <i>(select only one)</i>									
INTRASTATE pipelines/pipeline facilities WYOMING									
PART H - MILES OF TRANSMISSION PIPE BY NOMINAL PIPE SIZE (NPS)									
Onshore	NPS 4 or less	6	8	10	12	14	16	18	20
	10.312	0	0	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
	0	0	0	0	0	0	0	0	0
	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;								
10.312	Total Miles of Onshore Pipe – Transmission								
Offshore	NPS 4 or less	6	8	10	12	14	16	18	20
	0	0	0	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
	0	0	0	0	0	0	0	0	0
	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;								
0	Total Miles of Offshore Pipe – Transmission								
PART I - MILES OF GATHERING PIPE BY NOMINAL PIPE SIZE (NPS)									
Onshore Type A	NPS 4 or less	6	8	10	12	14	16	18	20
	0	0	0	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
	0	0	0	0	0	0	0	0	0
	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;								

0	Total Miles of Onshore Type A Pipe – Gathering								
Onshore Type B	NPS 4 or less	6	8	10	12	14	16	18	20
	0	0	0	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
	0	0	0	0	0	0	0	0	0
	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;								
0	Total Miles of Onshore Type B Pipe – Gathering								
Offshore	NPS 4 or less	6	8	10	12	14	16	18	20
	0	0	0	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
	0	0	0	0	0	0	0	0	0
	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;								
0	Total Miles of Offshore Pipe – Gathering								

PART J – MILES OF PIPE BY DECADE INSTALLED

Decade Pipe Installed	Unknown	Pre-40	1940 - 1949	1950 - 1959	1960 - 1969	1970 - 1979
Transmission						
Onshore	0	0	0	0	0	10.257
Offshore	0	0	0	0	0	0
Subtotal Transmission	0	0	0	0	0	10.257
Gathering						
Onshore Type A	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0
Offshore	0	0	0	0	0	0
Subtotal Gathering	0	0	0	0	0	0
Total Miles	0	0	0	0	0	10.257
Decade Pipe Installed	1980 - 1989	1990 - 1999	2000 - 2009	2010 - 2019	Total Miles	
Transmission						
Onshore	.056	0	0	0		10.313
Offshore	0	0	0	0		0
Subtotal Transmission	.056	0	0	0		10.313
Gathering						
Onshore Type A	0	0	0	0		0
Onshore Type B	0	0	0	0		0
Offshore	0	0	0	0		0

Subtotal Gathering	0	0	0	0		0
Total Miles	.056	0	0	0		10.313

PART K- MILES OF TRANSMISSION PIPE BY SPECIFIED MINIMUM YIELD STRENGTH

ONSHORE	CLASS LOCATION				Total Miles	
	Class 1	Class 2	Class 3	Class 4		
Steel pipe Less than 20% SMYS	0	0	0	0	0	
Steel pipe Greater than or equal to 20% SMYS but less than 30% SMYS	10.313	0	0	0	10.313	
Steel pipe Greater than or equal to 30% SMYS but less than or equal to 40% SMYS	0	0	0	0	0	
Steel pipe Greater than 40% SMYS but less than or equal to 50% SMYS	0	0	0	0	0	
Steel pipe Greater than 50% SMYS but less than or equal to 60% SMYS	0	0	0	0	0	
Steel pipe Greater than 60% SMYS but less than or equal to 72% SMYS	0	0	0	0	0	
Steel pipe Greater than 72% SMYS but less than or equal to 80% SMYS	0	0	0	0	0	
Steel pipe Greater than 80% SMYS	0	0	0	0	0	
Steel pipe Unknown percent of SMYS	0	0	0	0	0	
All Non-Steel pipe	0	0	0	0	0	
Onshore Totals	10.313	0	0	0	10.313	
OFFSHORE	Class 1					
Less than or equal to 50% SMYS	0					
Greater than 50% SMYS but less than or equal to 72% SMYS	0					
Steel pipe Greater than 72% SMYS	0					
Steel Pipe Unknown percent of SMYS	0					
All non-steel pipe	0					
Offshore Total	0					0
Total Miles	10.313					10.313

PART L - MILES OF PIPE BY CLASS LOCATION

	Class Location				Total Class Location Miles	HCA Miles in the IMP Program
	Class 1	Class 2	Class 3	Class 4		
Transmission						
Onshore	10.313	0	0	0	10.313	0
Offshore	0	0	0	0	0	
Subtotal Transmission	10.313	0	0	0	10.313	
Gathering						
Onshore Type A	0	0	0	0	0	
Onshore Type B	0	0	0	0	0	
Offshore	0	0	0	0	0	
Subtotal Gathering	0	0	0	0	0	

Total Miles	10.313	0	0	0	10.313	0		
PART M – FAILURES, LEAKS, AND REPAIRS								
PART M1 – ALL LEAKS ELIMINATED/REPAIRED IN CALENDAR YEAR; INCIDENTS & FAILURES IN HCA SEGMENTS IN CALENDAR YEAR								
Cause	Transmission Leaks, and Failures					Gathering Leaks		
	Leaks				Failures in HCA Segments	Onshore Leaks		Offshore Leaks
	Onshore Leaks		Offshore Leaks			Type A	Type B	
	HCA	Non-HCA	HCA	Non-HCA				
External Corrosion	0	0	0	0	0	0	0	
Internal Corrosion	0	0	0	0	0	0	0	
Stress Corrosion Cracking	0	0	0	0	0	0	0	
Manufacturing	0	0	0	0	0	0	0	
Construction	0	0	0	0	0	0	0	
Equipment	0	0	0	0	0	0	0	
Incorrect Operations	0	0	0	0	0	0	0	
Third Party Damage/Mechanical Damage								
Excavation Damage	0	0	0	0	0	0	0	
Previous Damage (due to Excavation Activity)	0	0	0	0	0	0	0	
Vandalism (includes all Intentional Damage)	0	0	0	0	0	0	0	
Weather Related/Other Outside Force								
Natural Force Damage (all)	0	0	0	0	0	0	0	
Other Outside Force Damage (excluding Vandalism and all Intentional Damage)	0	0	0	0	0	0	0	
Other	0	0	0	0	0	0	0	
Total	0	0	0	0	0	0	0	
PART M2 – KNOWN SYSTEM LEAKS AT END OF YEAR SCHEDULED FOR REPAIR								
Transmission	0	Gathering		0				
PART M3 – LEAKS ON FEDERAL LAND OR OCS REPAIRED OR SCHEDULED FOR REPAIR								
Transmission		Gathering						
Onshore	0	Onshore Type A		0				
		Onshore Type B		0				
OCS	0	OCS		0				
Subtotal Transmission	0	Subtotal Gathering		0				
Total	0							

PART P - MILES OF PIPE BY MATERIAL AND CORROSION PROTECTION STATUS										
	Steel Cathodically protected		Steel Cathodically unprotected		Cast Iron	Wrought Iron	Plastic	Composite ¹	Other ²	Total Miles
	Bare	Coated	Bare	Coated						
Transmission										
Onshore	0	10.313	0	0	0	0	0	0	0	10.313
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Transmission	0	10.313	0	0	0	0	0	0	0	10.313
Gathering										
Onshore Type A	0	0	0	0	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0	0	0	0	0
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Gathering	0	0	0	0	0	0	0	0	0	0
Total Miles	0	10.313	0	0	0	0	0	0	0	10.313

¹Use of Composite pipe requires PHMSA Special Permit or waiver from a State

²specify Other material(s):

Part Q - Gas Transmission Miles by §192.619 MAOP Determination Method

	(a)(1) Total	(a)(1) Incomplete Records	(a)(2) Total	(a)(2) Incomplete Records	(a)(3) Total	(a)(3) Incomplete Records	(a)(4) Total	(a)(4) Incomplete Records	(c) Total	(c) Incomplete Records	(d) Total	(d) Incomplete Records	Other ¹ Total	Other Incomplete Records
Class 1 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 1 (not in HCA)	0		0		0		10.313		0		0		0	
Class 2 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 2 (not in HCA)	0		0		0		0		0		0		0	
Class 3 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 3 (not in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 4 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 4 (not in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	
Total	0	0	0	0	0	0	10.313	0	0	0	0	0	0	0
Grand Total									10.313					
Sum of Total row for all "Incomplete Records" columns									0					

¹Specify Other method(s):

Class 1 (in HCA)		Class 1 (not in HCA)	
Class 2 (in HCA)		Class 2 (not in HCA)	
Class 3 (in HCA)		Class 3 (not in HCA)	
Class 4 (in HCA)		Class 4 (not in HCA)	

Part R – Gas Transmission Miles by Pressure Test (PT) Range and Internal Inspection						
	PT ≥ 1.25 MAOP		1.25 MAOP > PT ≥ 1.1 MAOP		PT < 1.1 or No PT	
Location	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE
Class 1 in HCA	0	0	0	0	0	0
Class 2 in HCA	0	0	0	0	0	0
Class 3 in HCA	0	0	0	0	0	0
Class 4 in HCA	0	0	0	0	0	0
in HCA subTotal	0	0	0	0	0	0
Class 1 not in HCA	0	10.313	0	0	0	0
Class 2 not in HCA	0	0	0	0	0	0
Class 3 not in HCA	0	0	0	0	0	0
Class 4 not in HCA	0	0	0	0	0	0
not in HCA subTotal	0	10.313	0	0	0	0
Total	0	10.313	0	0	0	0
PT ≥ 1.25 MAOP Total			10.313	Total Miles Internal Inspection ABLE		0
1.25 MAOP > PT ≥ 1.1 MAOP Total			0	Total Miles Internal Inspection NOT ABLE		10.313
PT < 1.1 or No PT Total			0	Grand Total		10.313
Grand Total			10.313			

For the designated Commodity Group, complete PART N one time for all of the pipelines and/or pipeline facilities included within this OPID, and then also PART O if any gas transmission pipeline facilities included within this OPID have Part L HCA mile value greater than zero.

PART N - PREPARER SIGNATURE

Tasha Christensen

Preparer's Name(type or print)

(801)324-5079

Telephone Number

Engineer

Preparer's Title

tasha.christensen@dominionenergy.com

Preparer's E-mail Address

PART O - CERTIFYING SIGNATURE (applicable only to PARTs B, F, G, and M1)

(801)324-3384

Telephone Number

Vaughn W Shosted

Senior Executive Officer's name certifying the information in PARTs B, F, G, and M as required by 49 U.S.C. 60109(f)

VP-Western Distribution Operations

Senior Executive Officer's title certifying the information in PARTs B, F, G, and M as required by 49 U.S.C. 60109(f)

Vaughn.Shosted@dominionenergy.com

Senior Executive Officer's E-mail Address