

ELECTRIC SERVICE SCHEDULE NO. 140 - Continued
Table 4a – Building Envelope Incentives (Retrofit)

Equipment Type	Category	Minimum Efficiency Requirement	Customer Incentive
Cool Roof	--	ENERGY STAR Qualified	\$0.10/square foot
Roof/Attic Insulation	--	Minimum increment of R-10 insulation added	\$0.05/square foot
Wall Insulation	--	Minimum increment of R-10 insulation added	\$0.07/square foot
Windows (See Note 3, 4)	Site-Built	U-Factor ≤ 0.30 and SHGC ≤ 0.33 (Glazing Only Rating)	\$0.35/square foot
	Assembly	U-Factor ≤ 0.30 and SHGC ≤ 0.33 (Entire Window Assembly Rating)	\$0.35/square foot
Window Film	Existing Windows	See Note 5	\$0.15/kWh annual energy savings (See Note 5)

Notes for Table 4a:

1. Equipment that meets or exceeds the efficiency requirements listed for the equipment category in the above table may qualify for the listed incentive.
2. Building must be conditioned with mechanical cooling to be eligible for envelope incentives.
3. Energy performance of window assemblies and glazing products must be rated in accordance with NFRC. Site-Built metal window systems must include a thermal break within the frame or other appropriate NFRC certification to qualify for incentives. Skylights are not eligible to receive the incentives in the above table.
4. Window square footage is determined by the dimensions of the entire window assembly, not just the window glass.
5. Incentives for window film are calculated based on film specifications and window orientation at \$0.15/kWh annual energy savings. Energy savings are subject to approval by the Company.

NFRC = National Fenestration Rating Council

SHGC = Solar Heat Gain Coefficient

Table 4b – Building Envelope Incentives (New Construction/Major Renovation)

Equipment Type	Category	Minimum Efficiency Requirement	Customer Incentive
Cool Roof	--	ENERGY STAR Qualified	\$0.10/square foot
Roof/Attic Insulation	--	Minimum increment of R-5 insulation above code (See Note 5)	\$0.05/square foot
Wall Insulation	--	Minimum increment of R-3.7 continuous insulation above code (See Note 5)	\$0.07/square foot
Windows (See Note 3, 4)	Site-Built	U-Factor ≤ 0.30 and SHGC ≤ 0.33 (Glazing Only Rating)	\$0.35/square foot
	Assembly	U-Factor ≤ 0.30 and SHGC ≤ 0.33 (Entire Window Assembly Rating)	\$0.35/square foot

(Continued)