

Base Case Supply : IRP Year 1

Exhibit 9.83

Mdth : Wellhead

Nomination Groups	Jun-13	Jul-13	Aug-13	Sep-13	Oct-13	Nov-13	Dec-13	Jan-14	Feb-14	Mar-14	Apr-14	May-14	Total
ACEJD D24	12.7	13.0	12.9	12.4	12.7	12.2	12.5	12.4	11.1	12.2	11.7	12.0	147.8
ACEJD PC	3.9	4.0	0.0	3.8	3.9	3.9	4.0	4.0	3.6	4.0	3.8	3.9	42.8
BKSPUNT 6 PC	3.1	0.1	0.1	0.0	3.2	3.2	3.2	3.2	2.9	3.2	3.1	3.1	28.4
BRADY	19.0	19.4	19.2	8.6	8.8	8.4	8.6	8.6	7.7	8.4	8.0	8.2	132.9
BRCH CRK	179.5	184.3	183.1	176.1	180.8	173.8	178.5	177.3	159.1	175.1	168.3	172.8	2108.7
BRDTPJCK D24	4.8	4.9	4.8	4.6	4.7	4.5	4.6	4.5	4.0	4.4	4.2	4.3	54.3
BRFM D24	2.6	2.7	0.0	2.6	2.6	2.6	2.6	2.6	2.4	2.6	2.5	2.6	28.4
BRFQ D24	235.7	240.6	237.7	227.4	232.3	222.3	227.3	224.9	201.0	220.3	211.1	216.0	2696.6
BRFQ PC	32.4	1.1	1.1	0.0	33.0	32.8	33.7	33.5	30.1	33.1	31.9	32.8	295.5
BRFQMT D24	22.5	22.6	0.0	21.5	21.8	21.6	22.2	22.0	19.8	21.8	21.0	21.6	238.4
BRFW D24	90.2	92.3	10.0	87.7	87.1	86.0	88.1	87.3	78.1	85.7	82.2	84.2	958.9
BRFW PC	10.0	0.3	0.3	0.0	10.2	10.1	10.4	10.3	9.2	10.2	9.8	10.1	90.9
CBFR D24	15.8	16.3	0.5	15.6	16.0	15.9	16.4	16.3	14.6	16.1	15.5	16.0	175.0
CBFR PC	49.5	28.6	1.7	0.0	50.0	49.7	51.1	50.8	45.6	50.2	48.4	49.8	475.4
CCRUNIT D24	1128.1	1125.3	1088.7	1021.3	1019.0	964.5	970.6	946.4	834.4	902.7	854.4	864.1	11719.5
CCRUNIT PC	67.1	52.7	2.3	0.0	66.7	66.3	68.1	67.7	60.8	67.0	64.5	66.4	649.6
CHBTBUFF D24	0.8	0.9	0.9	0.8	0.8	0.8	0.8	0.8	0.7	0.8	0.8	0.8	9.7
CHBTCAT1 D24	1.4	1.4	0.1	1.4	1.3	1.3	1.4	1.4	1.2	1.3	1.3	1.3	14.8
CHBTCAT1 PC	48.6	1.7	1.7	0.0	49.6	49.2	50.5	50.2	45.1	49.6	47.8	49.1	443.1
CHBTCAT2 D24	130.1	130.9	4.3	122.1	122.8	121.7	124.6	123.6	110.7	121.6	116.8	120.0	1349.2
CHBTCAT2 PC	3.9	0.1	0.1	0.0	3.9	3.9	4.0	3.9	3.5	3.9	3.7	3.8	34.7
CHBTCAT3 D24	263.3	269.7	267.3	256.5	262.7	252.1	258.3	256.2	229.5	252.0	242.0	248.0	3057.6
DRYPINY6 D24	1.6	1.7	1.6	1.6	1.6	1.6	1.6	1.6	1.4	1.6	1.5	1.6	19.0
DRYPINY6 PC	1.0	0.0	0.0	0.0	1.0	1.0	1.0	1.0	0.9	1.0	1.0	1.0	8.9
DRYPINYU D24	13.2	13.5	0.4	12.8	12.5	12.4	12.7	12.6	11.3	12.4	12.0	12.3	138.1
DRYPINYU PC	12.9	0.4	0.4	0.0	13.1	13.0	13.3	13.3	11.9	13.1	12.6	12.9	116.9
DRYPINYU PW	0.6	0.0	0.0	0.0	0.6	0.6	0.6	0.6	0.5	0.6	0.6	0.6	5.3
FOGARTY PC	0.0	0.0	0.0	0.0	0.6	0.6	0.6	0.6	0.5	0.6	0.5	0.0	4.0
HWA DEEP D24	22.6	23.2	0.8	22.1	22.5	22.3	22.9	22.8	20.5	22.5	21.7	22.3	246.2
HWA DEEP PC	6.3	6.5	0.2	6.2	6.3	6.2	6.4	6.4	5.7	6.3	6.1	6.2	68.8
HWPLT1&3 D24	86.8	88.4	2.8	82.2	80.8	80.1	82.1	81.4	73.0	80.2	77.1	79.2	894.1
HWPLT1&3 PC	60.2	2.1	2.1	0.0	61.3	60.8	62.3	61.9	55.5	61.1	58.7	60.4	546.4
HWPLT2 D24	11.2	11.5	11.4	11.0	11.2	10.8	11.1	11.0	9.9	10.8	10.4	10.7	131.0
HWPLT2 PC	1.1	0.0	0.0	0.0	1.0	1.0	1.1	1.0	0.9	1.0	1.0	1.0	9.1
ISLAND D24	97.6	100.2	99.6	95.7	98.3	94.5	97.0	96.4	86.5	95.2	91.6	94.0	1146.6
ISLAND PC	2.6	2.7	2.7	2.6	2.6	2.5	2.6	2.6	2.3	2.6	2.5	2.5	30.8
JNSNRDG D24	2.6	2.7	0.1	2.6	2.6	2.6	2.7	2.7	2.4	2.6	2.5	2.6	28.7
JNSNRDG PC	2.8	0.1	0.1	0.0	2.8	2.8	2.9	2.8	2.5	2.8	2.7	2.7	25.0
JRDG WFS D24	3.2	3.3	3.3	3.1	3.2	3.1	3.2	3.2	2.8	3.1	3.0	3.1	37.6
KNY FLD D24	24.6	24.9	24.4	23.2	22.7	22.3	22.7	22.3	19.8	21.6	20.5	20.9	269.9
KNY FLD PC	14.2	0.5	0.5	0.0	14.5	14.4	14.8	14.7	13.2	14.6	14.0	14.4	129.8
LEUCITE D24	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.5	0.6	0.5	0.6	7.0
LEUCITE PC	1.0	1.0	0.0	1.0	1.0	1.0	1.0	1.0	0.9	1.0	1.0	1.0	10.9
MDBXCOMP PC	4.7	0.2	0.2	0.0	4.8	4.7	4.9	4.8	4.3	4.8	4.6	4.7	42.7
MESA D24	1147.1	1164.9	1145.8	1091.6	1111.2	1060.0	1080.2	1065.8	950.3	1039.0	993.3	1014.3	12863.5
MOSU D24	4.8	0.2	0.2	0.0	4.8	4.8	4.9	4.8	4.3	4.8	4.6	4.7	42.9
MOSU PC	3.4	0.1	0.1	0.0	3.5	3.4	3.5	3.5	3.1	3.4	3.3	3.4	30.7
MOSU PW	0.6	0.6	0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	6.6
MUSSCOMP PC	1.8	1.9	0.1	1.7	1.8	1.8	1.8	1.8	1.6	1.8	1.7	1.8	19.6
NBXCAMP PC	4.2	4.4	0.1	4.2	4.3	4.3	4.4	4.4	3.9	4.4	4.2	4.3	47.1
NOBXFLD PC	2.6	0.1	0.1	0.0	2.6	2.5	2.6	2.6	2.3	2.5	2.4	2.5	22.8
PDW1A1B D24	3.9	4.0	4.0	3.9	4.0	3.8	3.9	3.9	3.5	3.8	3.7	3.8	46.2
PDW1A1B PC	21.7	0.7	0.7	0.0	21.8	21.6	22.1	21.9	19.6	21.5	20.6	21.2	193.4
PDWCUT D24	26.8	27.4	27.1	26.0	26.6	25.5	26.1	25.9	23.1	25.4	24.4	24.9	309.2
PDWCUT PC	5.6	5.8	0.2	5.5	5.6	5.6	5.7	5.7	5.1	5.7	5.5	5.6	61.6

Base Case Supply : IRP Year 1
Mdth : Wellhead ... Continued

PDWMT D24	315.2	317.8	310.5	293.9	297.3	281.9	285.7	280.4	248.7	270.6	257.5	261.8	3421.3
PDWMT PC	1.7	0.1	0.1	0.0	1.6	1.6	1.6	1.6	1.4	1.6	1.5	1.5	14.3
PDWPLT2 D24	138.0	140.3	138.2	131.9	134.4	128.4	131.0	129.4	115.6	126.5	121.1	123.8	1558.6
PDWPLT2 PC	29.7	30.5	1.0	20.2	29.5	29.2	29.9	29.7	26.6	29.2	28.1	28.8	312.4
PDWPLT3 D24	64.0	65.4	64.6	61.8	63.2	60.4	61.8	61.1	54.7	59.9	57.4	58.7	733.0
PDWPLT3 PC	14.9	0.5	0.5	0.0	14.9	14.7	15.0	14.9	13.3	14.6	14.0	14.4	131.7
RBTMTN D24	8.3	8.5	8.4	8.1	8.3	8.0	8.2	8.2	7.3	8.1	7.8	8.0	97.2
RBTMTN PC	5.3	5.5	5.5	5.3	5.4	5.2	5.4	5.3	4.8	5.3	5.1	5.2	63.3
SBXSOUR PC	0.0	0.0	0.0	30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30.0
SBXSWEET D24	0.3	0.4	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	3.4
SGRLF D24	24.3	24.7	24.3	23.1	23.5	22.3	22.7	22.4	19.9	21.7	20.7	21.1	270.7
SGRLF PC	44.9	1.5	1.5	0.0	45.6	45.1	46.2	45.8	41.0	45.0	43.2	44.4	404.2
TRAIL D24	588.6	591.6	261.7	543.8	531.0	519.1	524.8	513.8	454.8	493.8	469.0	475.9	5967.9
TRAIL PC	1.7	1.7	0.1	1.7	1.7	1.7	1.7	1.7	1.5	1.7	1.6	1.7	18.5
WHLA D24	58.9	60.3	59.8	57.3	58.7	56.3	57.7	57.2	51.2	56.2	53.9	55.2	682.7
WHLA PC	12.6	0.4	0.4	0.0	12.6	12.5	12.8	12.6	11.3	12.4	11.9	12.2	111.7
WWILSON D24	3.9	4.0	4.0	3.8	3.9	3.7	3.8	3.8	3.4	3.7	3.6	3.7	45.3
WWILSON PC	23.8	0.8	0.8	0.0	24.2	24.0	24.7	24.5	22.0	24.2	23.3	23.9	216.2
z13 CCRU D24	166.7	163.5	155.8	144.1	142.7	132.7	132.1	127.5	111.3	119.4	112.0	112.4	1620.2
z13 MESA D24	272.8	248.3	1081.1	1102.3	2285.8	2331.3	2666.3	2379.8	1960.1	2007.2	1815.2	1766.4	19916.6
z13 TRAL D24	104.2	102.9	98.6	91.7	91.3	85.3	85.2	82.5	72.3	77.7	73.1	73.5	1038.3
z14 MESA D24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	428.6	348.1	314.8	1091.5
	5798.9	5475.0	5383.2	5879.4	7521.8	7363.3	7781.9	7416.3	6441.3	7326.3	6830.8	6840.2	80058.4

Base Case Supply : IRP Year 1

Mdth : Reservoir

Storage													
Withdrawals	Jun-13	Jul-13	Aug-13	Sep-13	Oct-13	Nov-13	Dec-13	Jan-14	Feb-14	Mar-14	Apr-14	May-14	Total
Chalk Creek	0.0	0.0	0.0	0.0	0.0	0.0	25.0	296.0	0.0	0.0	0.0	0.0	321.0
Clay Bsn 935	49.5	0.0	0.0	36.2	0.0	1740.9	202.2	1585.7	0.0	882.4	23.6	0.0	4520.5
Clay Bsn 988	50.2	0.0	0.0	0.0	312.7	1183.7	378.7	991.1	17.8	572.1	117.9	0.0	3624.0
Clay Bsn 997	165.3	43.3	39.9	1.2	72.1	845.2	762.6	991.1	40.0	542.6	264.3	145.6	3913.3
Coalville	0.0	0.0	0.0	0.0	0.0	0.0	53.2	604.7	0.0	0.0	0.0	0.0	658.0
Leroy	0.0	0.0	0.0	0.0	0.0	0.0	62.6	776.3	0.0	0.0	0.0	0.0	838.9
	265.1	43.3	39.9	37.5	384.8	3769.8	1484.3	5244.9	57.8	1997.0	405.7	145.6	13875.7

Mdth : Wellhead

Purchase	Jun-13	Jul-13	Aug-13	Sep-13	Oct-13	Nov-13	Dec-13	Jan-14	Feb-14	Mar-14	Apr-14	May-14	Total
Spot	46.9	0.0	0.0	0.0	0.0	1307.0	4569.4	3249.3	6445.0	2745.2	4694.9	0.0	23057.6
SpotKR_Opal	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1606.3	793.9	0.0	4.9	0.0	2405.1
SpotKR_Gosh	0.0	0.0	0.0	0.0	0.0	0.0	1701.4	1701.4	1536.8	1701.4	4.9	0.0	6646.0
SpotKR_Wecco	0.0	0.0	0.0	0.0	0.0	112.0	427.3	470.3	690.7	124.5	146.6	0.0	1971.3
SpotKRCG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	78.1	0.0	78.1
Spot-2-NPC	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	0.0	2.6	0.0	9.9
Bfr-contract	0.0	0.0	0.0	0.0	0.0	0.0	775.0	0.0	0.0	0.0	0.0	0.0	775.0
Purchase 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	174.0	0.0	0.0	0.0	194.0
Purchase 2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.6	120.0	0.0	0.0	0.0	136.6
Purchase 3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	120.0	0.0	0.0	0.0	120.0
	48.2	0.0	0.0	0.0	0.0	1419.1	7473.2	7064.0	9886.2	4571.1	4931.9	0.0	35393.6

Mdth : Reservoir

Storage Inject	Jun-13	Jul-13	Aug-13	Sep-13	Oct-13	Nov-13	Dec-13	Jan-14	Feb-14	Mar-14	Apr-14	May-14	Total
Chalk Creek	0.0	0.0	0.0	146.5	161.5	13.0	0.0	0.0	0.0	0.0	0.0	0.0	321.0
Clay Bsn 935	162.2	1094.1	1023.5	941.4	29.2	30.8	0.0	0.0	882.4	0.0	23.6	273.1	4460.3
Clay Bsn 988	655.7	662.7	617.5	550.1	186.5	35.4	0.0	0.0	589.9	0.0	117.9	740.6	4156.3
Clay Bsn 997	656.8	662.1	612.1	566.0	180.3	35.2	0.0	0.0	582.6	0.0	264.3	740.6	4300.0
Coalville	0.0	0.0	149.8	282.5	210.2	15.5	0.0	0.0	0.0	0.0	0.0	0.0	658.0
Leroy	0.0	0.0	0.0	570.9	17.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	588.1
Ryckman	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	361.2	361.2
	1474.8	2418.9	2402.8	3057.4	784.9	129.9	0.0	0.0	2054.9	0.0	405.7	2115.5	14844.7

Base Case Supply : IRP Year 2
Mdth : Wellhead

Nomination Groups	Jun-14	Jul-14	Aug-14	Sep-14	Oct-14	Nov-14	Dec-14	Jan-15	Feb-15	Mar-15	Apr-15	May-15	Total
ACEJD D24	11.5	11.8	11.7	11.3	11.5	11.1	11.4	11.3	10.1	11.1	10.7	11.0	134.5
ACEJD PC	3.8	0.0	0.0	3.8	3.8	3.7	3.8	3.8	3.4	3.8	3.7	3.8	37.3
BKSPUNT 6 PC	0.0	0.0	0.0	2.1	3.0	3.0	3.1	3.0	2.7	3.0	2.9	3.0	25.7
BRADY	7.9	8.1	8.0	7.6	7.8	7.5	7.7	7.6	6.8	7.5	7.2	7.3	90.9
BRCH CRK	166.2	170.7	169.6	163.1	167.4	161.0	165.3	164.3	147.5	162.2	156.0	160.2	1953.4
BRDTPJCK D24	4.1	4.1	4.1	3.9	4.0	3.8	3.9	3.8	3.4	3.7	3.5	3.6	45.7
BRFM D24	2.5	0.0	0.0	2.4	2.4	2.4	2.5	2.5	2.2	2.4	2.3	2.4	24.1
BRFQ D24	207.0	211.9	210.0	201.3	206.2	197.8	202.6	200.8	179.9	197.5	189.5	194.2	2398.7
BRFQ PC	31.5	0.0	0.0	30.2	31.1	30.9	31.7	31.5	28.3	31.1	30.0	30.8	307.1
BRFQMT D24	20.7	0.0	0.0	20.6	20.4	20.3	20.9	20.7	18.6	20.5	19.7	20.3	202.6
BRFW D24	80.8	82.7	60.1	78.7	78.3	77.4	79.3	78.7	70.5	77.4	74.3	76.1	914.1
BRFW PC	0.0	0.0	0.0	9.3	9.6	9.5	9.8	9.7	8.7	9.6	9.3	9.5	85.2
CBFR D24	15.4	0.0	0.0	15.3	15.2	15.1	15.5	15.4	13.9	15.3	14.7	15.2	150.9
CBFR PC	47.9	0.0	0.0	45.9	47.3	47.0	48.3	48.0	43.1	47.4	45.7	47.0	467.6
CCRUNIT D24	819.2	829.8	814.0	773.2	784.7	746.1	758.0	745.5	662.6	722.2	688.2	700.6	9044.1
CCRUNIT PC	63.9	0.0	0.0	61.5	63.1	62.7	64.5	64.1	57.6	63.4	61.1	62.9	624.6
CHBTBUFF D24	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.7	0.8	0.7	0.8	9.2
CHBTCAT1 D24	1.3	1.3	0.0	1.3	1.3	1.2	1.3	1.3	1.1	1.3	1.2	1.2	13.7
CHBTCAT1 PC	47.2	0.0	0.0	45.3	46.6	46.3	47.5	47.2	42.4	46.6	44.9	46.2	460.1
CHBTCAT2 D24	115.1	0.0	0.0	113.8	113.0	111.9	114.7	113.6	101.8	111.7	107.4	110.3	1113.2
CHBTCAT2 PC	0.0	0.0	0.0	2.6	3.6	3.6	3.7	3.7	3.3	3.6	3.5	3.6	31.0
CHBTCAT3 D24	238.2	244.2	242.3	232.7	238.6	229.2	235.0	233.3	209.1	229.8	220.8	226.5	2779.4
DRYPINY6 D24	1.5	1.5	1.5	1.5	1.5	1.4	1.5	1.5	1.3	1.5	1.4	1.4	17.5
DRYPINY6 PC	0.0	0.0	0.0	0.7	0.9	0.9	1.0	0.9	0.9	0.9	0.9	0.9	8.0
DRYPINYU D24	11.8	12.1	0.0	11.6	11.5	11.5	11.8	11.7	10.5	11.5	11.1	11.4	126.4
DRYPINYU PC	0.0	0.0	0.0	8.7	12.3	12.2	12.5	12.4	11.1	12.3	11.8	12.1	105.4
DRYPINYU PW	0.0	0.0	0.0	0.4	0.6	0.6	0.6	0.6	0.5	0.6	0.5	0.6	4.8
FOGARTY PC	0.0	0.0	0.0	0.4	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	3.8
HWA DEEP D24	21.5	0.0	0.0	21.3	21.2	21.1	21.6	21.5	19.3	21.2	20.5	21.1	210.2
HWA DEEP PC	6.0	0.0	0.0	6.0	5.9	5.9	6.1	6.0	5.4	5.9	5.7	5.9	58.8
HWPLT1&3 D24	76.0	34.0	0.0	74.9	74.4	73.7	75.6	74.9	67.1	73.7	70.9	72.8	767.8
HWPLT1&3 PC	0.0	0.0	0.0	40.6	57.6	57.2	58.7	58.2	52.2	57.4	55.3	56.8	494.0
HWPLT2 D24	10.3	10.5	10.4	10.0	10.3	9.9	10.1	10.1	9.0	9.9	9.5	9.8	119.9
HWPLT2 PC	0.0	0.0	0.0	0.7	0.9	0.9	1.0	0.9	0.8	0.9	0.9	0.9	7.9
ISLAND D24	90.4	92.9	92.3	88.8	91.1	87.7	90.0	89.5	80.3	88.4	85.0	87.3	1063.7
ISLAND PC	2.4	2.5	2.5	2.4	2.4	2.3	2.4	2.4	2.1	2.4	2.3	2.3	28.3
JNSNRDG D24	2.5	0.0	0.0	2.5	2.4	2.4	2.5	2.5	2.2	2.4	2.3	2.4	24.0
JNSNRDG PC	0.0	0.0	0.0	1.8	2.6	2.6	2.6	2.6	2.3	2.6	2.5	2.5	22.2
JRDG WFS D24	2.9	3.0	3.0	2.9	3.0	2.8	2.9	2.9	2.6	2.9	2.8	2.8	34.5
KNY FLD D24	19.9	20.3	20.0	19.1	19.5	18.6	19.0	18.7	16.7	18.3	17.5	17.9	225.5
KNY FLD PC	13.9	0.0	0.0	13.3	13.7	13.7	14.0	14.0	12.5	13.8	13.3	13.7	135.9
LEUCITE D24	0.5	0.6	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	6.2
LEUCITE PC	1.0	0.0	0.0	1.0	1.0	1.0	1.0	1.0	0.9	1.0	1.0	1.0	9.7
MDBXCOMP PC	4.5	0.0	0.0	4.4	4.5	4.5	4.6	4.5	4.1	4.5	4.3	4.4	44.3
MESA D24	970.3	991.4	980.6	938.8	959.9	919.4	940.4	931.1	832.8	913.2	875.5	896.3	11149.5
MOSU D24	4.5	0.0	0.0	4.3	4.4	4.4	4.5	4.5	4.0	4.4	4.2	4.3	43.5
MOSU PC	0.0	0.0	0.0	2.3	3.2	3.2	3.3	3.2	2.9	3.2	3.0	3.1	27.3
MOSU PW	0.6	0.0	0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	5.9
MUSSCOMP PC	1.7	0.0	0.0	1.7	1.7	1.7	1.7	1.7	1.5	1.7	1.6	1.7	16.7
NBXCAMP PC	4.2	0.0	0.0	4.1	4.1	4.1	4.2	4.2	3.8	4.2	4.0	4.1	40.9
NOBXFLD PC	0.0	0.0	0.0	1.7	2.4	2.3	2.4	2.4	2.1	2.3	2.2	2.3	20.2
PDW1A1B D24	3.6	3.7	3.7	3.6	3.7	3.5	3.6	3.6	3.2	3.6	3.4	3.5	42.7
PDW1A1B PC	6.6	0.0	0.0	19.5	20.0	19.8	20.3	20.1	18.0	19.8	19.0	19.5	182.6
PDWCUT D24	23.9	24.5	24.3	23.3	23.9	23.0	23.5	23.4	20.9	23.0	22.1	22.6	278.5
PDWCUT PC	5.4	0.0	0.0	5.4	5.4	5.3	5.5	5.5	4.9	5.4	5.2	5.4	53.2

Base Case Supply : IRP Year 2
Mdth : Wellhead... Continued

PDWMT D24	249.3	253.7	250.0	238.4	242.9	231.9	236.4	233.4	208.1	227.6	217.5	222.1	2811.4
PDWMT PC	0.0	0.0	0.0	1.0	1.4	1.4	1.4	1.4	1.2	1.3	1.3	0.0	10.5
PDWPLT2 D24	118.5	121.3	120.0	115.0	117.7	112.9	115.5	114.5	102.5	112.5	107.9	110.5	1368.9
PDWPLT2 PC	27.7	0.0	0.0	26.5	27.2	26.9	27.6	27.3	24.5	26.9	25.9	26.6	267.0
PDWPLT3 D24	56.3	57.6	57.1	54.7	56.0	53.7	55.0	54.6	48.9	53.6	51.5	52.7	651.6
PDWPLT3 PC	0.0	0.0	0.0	9.6	13.6	13.5	13.8	13.6	12.2	13.4	12.8	13.2	115.6
RBMTN D24	7.7	7.9	7.8	7.5	7.7	7.4	7.6	7.6	6.8	7.5	7.2	7.4	90.0
RBMTN PC	5.0	5.2	5.1	4.9	5.1	4.9	5.0	5.0	4.5	5.0	4.8	4.9	59.4
SBXSWEET D24	0.3	0.3	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	3.6
SGRLF D24	20.2	20.6	20.3	19.4	19.8	18.9	19.3	19.1	17.1	18.7	17.9	18.3	229.3
SGRLF PC	0.0	0.0	0.0	29.8	42.2	41.8	42.8	42.4	38.0	41.7	40.1	41.1	359.9
TRAIL D24	452.5	459.6	452.0	430.5	429.9	417.3	424.9	418.8	372.9	407.2	388.8	396.5	5050.9
TRAIL PC	1.6	1.7	0.0	1.6	1.6	1.6	1.7	1.7	1.5	1.7	1.6	1.7	18.1
WHLA D24	53.0	54.3	53.9	51.7	53.0	50.9	52.2	51.8	46.4	51.0	48.9	50.2	617.4
WHLA PC	0.0	0.0	0.0	8.2	11.6	11.4	11.7	11.6	10.4	11.3	10.9	11.2	98.2
WWILSON D24	3.5	3.6	3.6	3.4	3.5	3.3	3.4	3.4	3.0	3.3	3.2	3.3	40.4
WWILSON PC	0.0	0.0	0.0	18.9	22.8	22.7	23.3	23.1	20.7	22.8	21.9	22.6	198.8
z13 CCRU D24	105.8	106.4	103.7	97.9	98.7	93.3	94.3	92.3	81.6	88.6	84.0	85.2	1131.7
z13 MESA D24	1619.7	1593.7	1523.8	1414.8	1406.7	1313.3	1312.1	1271.1	1114.1	1198.9	1129.2	1137.2	16034.4
z13 TRAL D24	69.3	69.9	68.2	64.5	65.2	61.7	62.5	61.2	54.2	58.9	55.9	56.7	748.2
z14 MESA D24	273.6	258.4	409.2	601.2	804.4	936.7	1116.9	1254.6	1019.0	1035.2	931.6	903.6	9544.5
	6234.8	5776.5	5733.9	6344.7	6658.7	6537.2	6809.2	6856.9	6003.1	6473.1	6121.2	6193.3	75742.6

Base Case Supply : IRP Year 2

Mdth : Reservoir

Storage Withdrawals	Jun-14	Jul-14	Aug-14	Sep-14	Oct-14	Nov-14	Dec-14	Jan-15	Feb-15	Mar-15	Apr-15	May-15	Total
Chalk Creek	0.0	0.0	0.0	0.0	0.0	0.0	321.0	0.0	0.0	0.0	0.0	0.0	321.0
Clay Bsn 935	0.0	0.0	0.0	0.0	0.0	1894.5	2065.8	31.9	1345.3	0.0	189.4	0.0	5526.8
Clay Bsn 988	8.8	52.0	0.0	0.7	0.0	1630.6	1285.9	0.0	795.1	0.0	119.1	0.0	3892.1
Clay Bsn 997	66.7	0.0	0.0	0.0	0.0	1533.9	1285.9	0.0	795.1	0.0	119.1	87.3	3887.8
Coalville	0.0	0.0	0.0	0.0	0.0	0.0	693.3	0.0	0.0	0.0	0.0	0.0	693.3
Leroy	0.0	0.0	0.0	0.0	0.0	0.0	887.0	0.0	0.0	0.0	0.0	0.0	887.0
Ryckman	0.0	0.0	0.0	0.0	0.0	498.0	514.6	321.7	448.2	0.0	0.0	0.0	1782.5
	75.5	52.0	0.0	0.7	0.0	5557.0	7053.4	353.5	3383.7	0.0	427.5	87.3	16990.4

Mdth : Wellhead

Purchase	Jun-14	Jul-14	Aug-14	Sep-14	Oct-14	Nov-14	Dec-14	Jan-15	Feb-15	Mar-15	Apr-15	May-15	Total
a IT Supply	0.0	0.0	0.0	0.0	0.0	0.0	50.0	0.0	0.0	0.0	0.0	0.0	50.0
Spot	0.0	0.0	0.0	465.2	2029.1	1657.7	3225.8	5685.7	4566.3	3698.9	3357.7	0.0	24686.4
SpotKR_Opal	0.0	0.0	0.0	0.0	0.0	0.0	54.2	1653.6	163.9	63.0	4.9	0.0	1939.5
SpotKR_Gosh	0.0	0.0	0.0	7.5	58.2	0.0	1646.6	1701.4	1536.8	1695.7	4.9	0.0	6651.0
SpotKR_Wecco	0.0	0.0	51.8	106.8	148.2	145.8	458.9	796.4	385.2	551.4	65.9	0.0	2710.3
SpotKRCG	0.0	0.0	0.0	0.0	6.3	0.0	0.0	0.0	0.0	0.0	3.1	0.0	9.3
Spot-2-NPC	0.0	0.0	0.0	12.8	23.8	0.0	7.2	0.0	0.5	0.0	2.2	0.0	46.4
Bfr-contract	0.0	0.0	0.0	150.0	0.0	0.0	775.0	0.0	0.0	0.0	0.0	0.0	925.0
Purchase1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36.7	60.0	0.0	0.0	0.0	96.7
	0.0	0.0	51.8	742.3	2265.4	1803.4	6217.5	9873.9	6712.6	6009.0	3438.6	0.0	37114.6

Mdth : Wellhead

Storage Injection	Jun-14	Jul-14	Aug-14	Sep-14	Oct-14	Nov-14	Dec-14	Jan-15	Feb-15	Mar-15	Apr-15	May-15	Total
Chalk Creek	0.0	0.0	0.0	59.9	261.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	321.0
Clay Bsn 935	1125.2	1071.8	985.1	854.2	818.3	0.0	0.0	209.7	0.0	152.3	37.1	844.1	6097.7
Clay Bsn 988	658.7	628.2	581.6	504.3	483.1	0.0	0.0	154.7	21.9	95.2	23.9	740.6	3892.1
Clay Bsn 997	670.1	643.7	591.6	513.0	491.4	0.0	0.0	154.7	21.9	95.2	23.9	740.6	3946.2
Coalville	0.0	0.0	155.0	274.4	256.2	7.6	0.0	0.0	0.0	0.0	0.0	0.0	693.3
Leroy	0.0	0.0	0.0	316.6	570.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	887.0
Ryckman	349.5	361.2	361.2	349.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	361.2	1782.5
	2803.6	2704.7	2674.4	2871.9	2880.6	7.6	0.0	519.1	43.7	342.7	84.9	2686.4	17619.7

Normal Case : Year 1
Mdth : Wellhead

Nomination Groups	Jun-13	Jul-13	Aug-13	Sep-13	Oct-13	Nov-13	Dec-13	Jan-14	Feb-14	Mar-14	Apr-14	May-14	Total
ACEJD D24	12.7	13.0	12.9	12.4	12.7	12.2	12.5	12.4	11.1	12.2	11.7	12.0	147.4
ACEJD PC	3.6	4.0	0.0	3.8	4.1	3.9	4.0	4.0	3.6	4.0	3.8	3.9	42.7
BKSPUNT 6 PC	2.9	0.5	0.0	3.1	3.2	3.1	3.2	3.2	2.9	3.2	3.0	3.1	31.3
BRADY	19.0	19.4	19.2	8.6	8.8	8.4	8.6	8.6	7.7	8.4	8.0	8.2	132.9
BRCH CRK	179.5	184.3	183.1	176.1	180.8	173.8	178.5	177.3	159.1	175.1	168.3	172.8	2108.7
BRDTPJCK D24	4.8	4.9	4.8	4.6	4.7	4.5	4.6	4.5	4.0	4.4	4.2	4.3	54.2
BRFM D24	2.4	2.7	0.0	2.6	2.7	2.6	2.7	2.6	2.4	2.6	2.5	2.6	28.3
BRFQ D24	235.7	240.6	237.7	227.4	232.3	222.3	227.3	224.9	201.0	220.3	211.1	216.0	2696.5
BRFQ PC	30.2	5.6	0.0	31.9	32.9	32.6	33.5	33.3	29.9	32.9	31.7	32.6	327.0
BRFQMT D24	20.5	22.6	0.0	21.5	22.5	21.6	22.2	22.1	19.8	21.8	21.0	21.6	237.1
BRFW D24	90.2	92.3	9.7	87.7	89.7	86.0	88.1	87.3	78.1	85.7	82.2	84.2	961.1
BRFW PC	9.3	1.7	0.0	9.8	10.1	10.0	10.3	10.2	9.2	10.1	9.7	10.0	100.5
CBFR D24	14.7	16.3	0.0	15.6	16.6	15.9	16.4	16.3	14.6	16.1	15.5	16.0	174.0
CBFR PC	46.1	8.5	0.0	48.5	51.6	49.6	50.9	50.6	45.5	50.1	48.2	49.6	499.3
CCRUNIT D24	1128.1	1125.3	1088.7	1021.3	1024.8	964.5	970.6	946.4	834.4	902.7	854.4	864.1	11725.3
CCRUNIT PC	62.5	11.5	0.0	65.2	68.9	66.2	68.0	67.6	60.7	66.9	64.4	66.3	668.0
CHBTBUFF D24	0.8	0.9	0.9	0.8	0.8	0.8	0.8	0.8	0.7	0.8	0.8	0.8	9.8
CHBTCAT1 D24	1.4	1.4	0.0	1.4	1.4	1.3	1.4	1.4	1.2	1.3	1.3	1.3	14.8
CHBTCAT1 PC	45.3	8.3	0.0	47.9	50.1	49.0	50.2	49.9	44.8	49.3	47.5	48.8	491.1
CHBTCAT2 D24	126.2	128.8	0.0	124.0	127.2	121.9	124.7	123.6	110.8	121.7	116.8	120.0	1345.6
CHBTCAT2 PC	3.6	0.7	0.0	3.8	3.9	3.8	3.9	3.9	3.5	3.8	3.7	3.8	38.4
CHBTCAT3 D24	263.3	269.7	267.3	256.5	262.7	252.1	258.3	256.2	229.5	252.0	242.0	248.0	3057.7
DRYPINY6 D24	1.6	1.7	1.6	1.6	1.6	1.6	1.6	1.6	1.4	1.6	1.5	1.6	18.9
DRYPINY6 PC	0.9	0.2	0.0	1.0	1.0	1.0	1.0	1.0	0.9	1.0	1.0	1.0	9.9
DRYPINYU D24	13.2	13.5	0.0	12.8	12.9	12.4	12.7	12.6	11.3	12.4	12.0	12.3	137.9
DRYPINYU PC	12.0	2.2	0.0	12.7	13.1	12.9	13.3	13.2	11.8	13.0	12.5	12.8	129.3
DRYPINYU PW	0.5	0.1	0.0	0.6	0.6	0.6	0.6	0.6	0.5	0.6	0.6	0.6	5.9
FOGARTY PC	0.6	0.1	0.0	0.6	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5	5.6
HWA DEEP D24	21.0	23.2	0.0	22.1	23.3	22.4	22.9	22.8	20.5	22.6	21.7	22.3	244.8
HWA DEEP PC	5.9	6.5	0.0	6.2	6.5	6.2	6.4	6.4	5.7	6.3	6.1	6.2	68.3
HWPLT1&3 D24	86.8	88.0	0.0	83.1	83.7	80.2	82.1	81.4	73.0	80.2	77.0	79.2	894.7
HWPLT1&3 PC	56.0	10.3	0.0	59.2	60.9	60.4	61.9	61.5	55.2	60.7	58.3	60.0	604.4
HWPLT2 D24	11.2	11.5	11.4	11.0	11.2	10.8	11.1	11.0	9.9	10.8	10.4	10.7	130.9
HWPLT2 PC	1.0	0.2	0.0	1.0	1.0	1.0	1.0	1.0	0.9	1.0	1.0	1.0	10.1
ISLAND D24	97.6	100.2	99.6	95.7	98.3	94.5	97.0	96.4	86.5	95.2	91.6	94.0	1146.8
ISLAND PC	2.6	2.7	2.7	2.6	2.6	2.5	2.6	2.6	2.3	2.6	2.5	2.5	30.7
JNSNRDG D24	2.5	2.7	0.0	2.6	2.7	2.6	2.7	2.7	2.4	2.6	2.5	2.6	28.5
JNSNRDG PC	2.6	0.5	0.0	2.7	2.8	2.8	2.8	2.8	2.5	2.8	2.6	2.7	27.6
JRDG WFS D24	3.2	3.3	3.3	3.1	3.2	3.1	3.2	3.2	2.8	3.1	3.0	3.1	37.5
KNY FLD D24	24.6	24.9	24.4	23.2	23.5	22.3	22.7	22.3	19.8	21.6	20.5	20.9	270.8
KNY FLD PC	13.2	2.4	0.0	14.0	14.9	14.3	14.7	14.6	13.2	14.5	14.0	14.4	144.2
LEUCITE D24	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.5	0.6	0.5	0.6	6.8
LEUCITE PC	0.9	1.0	0.0	1.0	1.1	1.0	1.0	1.0	0.9	1.0	1.0	1.0	11.1
MDBXCOMP PC	4.3	0.8	0.0	4.6	4.9	4.7	4.8	4.8	4.3	4.7	4.6	4.7	47.3
MESA D24	1147.1	1164.9	1145.8	1091.6	1111.2	1060.0	1080.2	1065.8	950.3	1039.0	993.3	1014.3	12863.5
MOSU D24	4.5	1.3	0.0	4.7	4.9	4.7	4.8	4.8	4.3	4.7	4.5	4.7	48.0
MOSU PC	3.2	0.6	0.0	3.3	3.4	3.4	3.5	3.4	3.1	3.4	3.3	3.3	33.9
MOSU PW	0.6	0.6	0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	6.7
MUSSCOMP PC	1.7	1.9	0.0	1.7	1.8	1.8	1.8	1.8	1.6	1.8	1.7	1.8	19.4
NBXCAMP PC	4.0	4.4	0.0	4.2	4.5	4.3	4.4	4.4	4.0	4.4	4.2	4.3	46.9
NOBXFLD PC	2.4	0.4	0.0	2.5	2.5	2.5	2.6	2.5	2.3	2.5	2.4	2.5	25.1
PDW1A1B D24	3.9	4.0	4.0	3.9	4.0	3.8	3.9	3.9	3.5	3.8	3.7	3.8	46.1
PDW1A1B PC	20.2	3.7	0.0	21.3	22.3	21.4	21.9	21.7	19.4	21.3	20.4	21.0	214.6
PDWCUT D24	26.8	27.4	27.1	26.0	26.6	25.5	26.1	25.9	23.1	25.4	24.4	24.9	309.3
PDWCUT PC	5.2	5.8	0.0	5.5	5.8	5.6	5.7	5.7	5.1	5.7	5.5	5.6	61.1

Normal Case : Year 1
Mdth : Wellhead... Continued

PDWMT D24	315.2	317.8	310.5	293.9	297.3	281.9	285.7	280.4	248.7	270.6	257.5	261.8	3421.2
PDWMT PC	1.5	0.3	0.0	1.6	1.6	1.6	1.6	1.6	1.4	1.5	1.5	1.5	15.7
PDWPLT2 D24	138.0	140.3	138.2	131.9	134.4	128.4	131.0	129.4	115.6	126.5	121.1	123.8	1558.5
PDWPLT2 PC	27.7	5.1	0.0	29.2	30.7	29.4	30.1	29.8	26.7	29.4	28.2	29.0	295.2
PDWPLT3 D24	64.0	65.4	64.6	61.8	63.2	60.4	61.8	61.1	54.7	59.9	57.4	58.7	732.9
PDWPLT3 PC	13.8	2.6	0.0	14.6	15.3	14.6	14.9	14.7	13.2	14.5	13.9	14.2	146.1
RBTMTN D24	8.3	8.5	8.4	8.1	8.3	8.0	8.2	8.2	7.3	8.1	7.8	8.0	97.1
RBTMTN PC	5.3	5.5	5.5	5.3	5.4	5.2	5.4	5.3	4.8	5.3	5.1	5.2	63.1
SBXSOUR PC	0.0	0.0	0.0	30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30.0
SBXSWEET D24	0.3	0.4	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	3.7
SGRLF D24	24.3	24.7	24.3	23.1	23.5	22.3	22.7	22.4	19.9	21.7	20.7	21.1	270.6
SGRLF PC	41.8	7.7	0.0	44.0	45.2	44.8	45.8	45.4	40.7	44.7	42.8	44.0	446.9
TRAIL D24	588.6	591.6	215.5	543.8	548.7	519.1	524.8	513.8	454.8	493.8	469.0	475.9	5939.4
TRAIL PC	1.7	1.7	0.0	1.7	1.7	1.7	1.7	1.7	1.5	1.7	1.6	1.7	18.4
WHLA D24	58.9	60.3	59.8	57.3	58.7	56.3	57.7	57.2	51.2	56.2	53.9	55.2	682.5
WHLA PC	11.8	2.2	0.0	12.4	12.5	12.4	12.7	12.5	11.2	12.3	11.8	12.1	123.7
WWILSON D24	3.9	4.0	4.0	3.8	3.9	3.7	3.8	3.8	3.4	3.7	3.6	3.7	45.3
WWILSON PC	22.1	4.1	0.0	23.4	24.1	23.9	24.5	24.3	21.9	24.0	23.1	23.8	239.2
z13 CCRU D24	166.7	163.5	155.8	144.1	142.7	132.7	132.1	127.5	111.3	119.4	112.0	112.4	1620.3
z13 MESA D24	272.8	248.3	1081.1	1102.3	2285.8	2331.3	2666.3	2379.8	1960.1	2007.2	1815.2	1766.4	19916.6
z13 TRAL D24	104.2	102.9	98.6	91.7	91.3	85.3	85.2	82.5	72.3	77.7	73.1	73.5	1038.3
z14 MESA D24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	428.6	348.1	314.8	1091.4
	5756.2	5431.0	5310.9	6325.6	7565.4	7361.4	7779.7	7413.7	6439.4	7324.3	6828.1	6838.2	80373.9

Normal Case : Year 1

MdtH : Reservoir

Storage Withdrawals	Jun-13	Jul-13	Aug-13	Sep-13	Oct-13	Nov-13	Dec-13	Jan-14	Feb-14	Mar-14	Apr-14	May-14	Total
Chalk Creek	0.0	0.0	0.0	0.0	0.0	0.0	321.0	0.0	0.0	0.0	0.0	0.0	321.0
Clay Bsn 935	0.0	0.0	0.0	47.6	5.1	0.0	2126.3	1710.1	0.0	0.0	0.0	0.0	3889.2
Clay Bsn 988	29.0	0.0	1.6	0.0	0.0	0.0	1507.6	1209.6	438.8	0.0	245.5	144.2	3576.3
Clay Bsn 997	45.1	43.3	28.9	61.4	0.0	0.0	1483.3	1112.5	135.9	0.0	5.2	0.0	2915.5
Coalville	0.0	0.0	0.0	0.0	0.0	0.0	720.4	0.0	0.0	0.0	0.0	0.0	720.4
Leroy	0.0	0.0	0.0	0.0	0.0	0.0	532.1	0.0	0.0	0.0	0.0	0.0	532.1
	74.1	43.3	30.4	109.1	5.1	0.0	6690.7	4032.2	574.7	0.0	250.7	144.2	11954.4

MdtH : Wellhead

Storage Withdrawals	Jun-13	Jul-13	Aug-13	Sep-13	Oct-13	Nov-13	Dec-13	Jan-14	Feb-14	Mar-14	Apr-14	May-14	Total
Spot	0.0	0.0	0.0	0.0	90.1	4272.9	468.0	4923.9	6565.8	2913.6	2645.5	0.0	21879.7
SpotKR_Opal	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1656.3	695.4	0.0	0.0	0.0	2351.7
SpotKR_Gosh	0.0	0.0	0.0	0.0	93.2	0.0	1701.4	1701.4	1536.8	1701.4	0.0	0.0	6734.3
SpotKR_Wecco	0.0	0.0	9.4	0.0	150.5	541.5	330.3	464.5	309.4	560.8	146.6	0.0	2512.9
Spot-2-NPC	0.0	0.0	0.0	16.2	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	43.2
Bfr-contract	0.0	0.0	0.0	150.0	155.0	0.0	775.0	0.0	0.0	0.0	0.0	0.0	1080.0
Purchase1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.3	0.0	0.0	0.0	17.3
Purchase2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	40.0	0.0	0.0	0.0	40.0
	0.0	0.0	9.4	166.2	515.8	4814.3	3274.7	8746.2	9164.6	5175.8	2792.0	0.0	34659.1

MdtH : Reservoir

Storage Inject	Jun-13	Jul-13	Aug-13	Sep-13	Oct-13	Nov-13	Dec-13	Jan-14	Feb-14	Mar-14	Apr-14	May-14	Total
Chalk Creek	0.0	0.0	0.0	98.2	222.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	321.0
Clay Bsn 935	844.7	1052.0	976.6	654.3	28.3	0.0	0.0	0.0	0.0	0.0	0.0	296.3	3852.2
Clay Bsn 988	687.5	661.6	599.9	539.4	489.9	0.0	0.0	0.0	0.0	0.0	245.5	740.6	3964.3
Clay Bsn 997	684.9	663.8	605.6	537.9	209.8	0.0	0.0	0.0	0.0	0.0	5.2	740.6	3447.8
Coalville	0.0	0.0	152.1	276.7	261.3	30.2	0.0	0.0	0.0	0.0	0.0	0.0	720.4
Leroy	0.0	0.0	0.0	263.0	18.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	281.3
Ryckman	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	209.6	361.2	570.7
	2217.1	2377.4	2334.2	2369.5	1230.3	30.2	0.0	0.0	0.0	0.0	460.2	2138.6	13157.6