



PublicService Commission <psc@utah.gov>

Re: PSC Docket No. 21-057-03 - DEU's Response to Information Requests

1 message

Kevin Parsons <kevinparsons1@gmail.com>

Wed, Apr 28, 2021 at 2:27 PM

To: "Shalise.McKinlay@dominionenergy.com" <Shalise.McKinlay@dominionenergy.com>

Cc: "psc@utah.gov" <psc@utah.gov>, "pschmid@agutah.gov" <pschmid@agutah.gov>, "jjetter@agutah.gov" <jjetter@agutah.gov>, "rmoore@agutah.gov" <rmoore@agutah.gov>, "wpowell@utah.gov" <wpowell@utah.gov>, "Michele Beck - Utah Office of Consumer Services (mbeck@utah.gov)" <mbeck@utah.gov>, Chris Parker <chrisparker@utah.gov>, "jennifer.clark@dominionenergy.com" <jennifer.clark@dominionenergy.com>, "austin.summers@dominionenergy.com" <austin.summers@dominionenergy.com>, "kelly.mendenhall@dominionenergy.com" <kelly.mendenhall@dominionenergy.com>, "ginger.johnson@dominionenergy.com" <ginger.johnson@dominionenergy.com>, "rena.porter@dominionenergy.com" <rena.porter@dominionenergy.com>

Good Day

I have read Dominions response. and contemplated a few days on a reply.

They do have a way of twisting information to their favor.

not sure how my photos do not represent actual conditions. I have a covered walkway for them with the exception of the last 10 feet, and the area on the corner where the meter goes is flat and on the same grade as the walkway.

as for their photos of homes close by

Home 1 photo 1 this meter location breaks their rules for protection from autos!

Home 2 photos 1 and 2 this location is great, what they're not telling you is this is the back of the house, 1 level down from the driveway. the only way to safely access this location is through the house, there's no safe pathway around the house. If you walk around the house it's down a hill with no snow protection. and yes I did receive an email about a price increase, 19 days after he sent the original invoice and i had already paid that one.

I hope you have enough information to see clearly what they are putting us through.

Best Regards.
Kevin ParsonsVirus-free. www.avg.comOn Fri, Apr 23, 2021 at 5:41 PM Shalise.McKinlay@dominionenergy.com <Shalise.McKinlay@dominionenergy.com> wrote:

Good afternoon:

Enclosed please find DEU'S Redacted Response to A.1, as well as DEU's Response to A.2 and B1. The Confidential Response to A.1 will be filed separately on the SFTP server.

Please feel free to contact me if you have any questions or concerns.

Thank you,

Shalise McKinlay

Paralegal II

Dominion Energy Questar Corporation

[333 South State Street, Salt Lake City, Utah 84111](#)

Mailing Address: P.O. Box 45360, Salt Lake City, Utah 84145-0360

O: 801-324-5820 C: 385-272-9459



CONFIDENTIALITY NOTICE: This electronic message contains information which may be legally confidential and or privileged and does not in any case represent a firm ENERGY COMMODITY bid or offer relating thereto which binds the sender without an additional express written confirmation to that effect. The information is intended solely for the individual or entity named above and access by anyone else is unauthorized. If you are not the intended recipient, any disclosure, copying, distribution, or use of the contents of this information is prohibited and may be unlawful. If you have received this electronic transmission in error, please reply immediately to the sender that you have received the message in error, and delete it. Thank you.

--

Kevin Parsons
Director Hospitality
Silver Threads Inc
[7710 Corporate Blvd](#)
[Plain City Ohio 43064](#)
614-733-0099
614-733-0499 fax
www.silverthreadsinc.com