Form Approved OMB No. 2137-0522 Expires: 8/31/2020



U.S. Department of Transportation Pipeline and Hazardous Materials Safety Administration

ANNUAL REPORT FOR CALENDAR YEAR 2020 NATURAL OR OTHER GAS TRANSMISSION and GATHERING SYSTEMS

Initial Date Submitted	03/11/2021
Report Submission Type	INITIAL
Date Submitted	

A federal agency may not conduct or sponsor, and a person is not required to respond to, nor shall a person be subject to a penalty for failure to comply with a collection of information subject to the requirements of the Paperwork Reduction Act unless that collection of information displays a current valid OMB Control Number. The OMB Control Number for this information collection is 2137-0522. Public reporting for this collection of information is estimated to be approximately 42 hours per response, including the time for reviewing instructions, gathering the data needed, and completing and reviewing the collection of information. All responses to this collection of information are mandatory. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to: Information Collection Clearance Officer, PHMSA, Office of Pipeline Safety (PHP-30) 1200 New Jersey Avenue, SE, Washington, D.C. 20590.

Important: Please read the separate instructions for completing this form before you begin. They clarify the information requested and provide specific examples. If you do not have a copy of the instructions, you can obtain one from the PHMSA Pipeline Safety Community Web Page at http://www.phmsa.dot.gov/pipeline/library/forms.

http://www.phmsa.dot.gov/pipeline/library/forms.	an obtain one nom the	Trivion ripeline dalety community web rage at
PART A - OPERATOR INFORMATION	DOT USE ONLY	20210897 - 39205
OPERATOR'S 5 DIGIT IDENTIFICATION NUMBER (OPID)	2. NAME OF OPERA DOMINION ENE	NTOR: RGY UTAH/WYOMING/IDAHO
12876		
3. RESERVED	4. HEADQUARTERS	S ADDRESS:
	333 SOUTH STATE Street Address	STREET P.O. BOX 45360
	SALT LAKE CITY City	
	State: UT Zip Code: 8	34111
5. THIS REPORT PERTAINS TO THE FOLLOWING COMMODITY Gand complete the report for that Commodity Group. File a separate re		

Natural Gas

6. RESERVED

7. FOR THE DESIGNATED "COMMODITY GROUP", THE PIPELINES AND/OR PIPELINE FACILITIES INCLUDED WITHIN THIS OPID ARE: (Select one or both)

INTERstate pipeline – List all of the States and OSC portions in which INTERstate pipelines and/or pipeline facilities included under this OPID exist. etc.

INTRAstate pipeline – List all of the States in which INTRAstate pipelines and or pipeline facilities included under this OPID exist. **IDAHO, UTAH, WYOMING** etc.

8. RESERVED

For the designated Commodity Group, PARTs B and D will be calculated based on the data entered in Parts L and P respectively. Complete Part C one time for all pipelines and/or pipeline facilities – both INTERstate and INTRAstate - included within this OPID.

PART B – TRANSMISSION PIPELINE HCA MILES			
	Number of HCA Miles		
Onshore	147.079		
Offshore	0		
Total Miles	147.079		

PART C - VOLUME TRANSPORTED IN TRAN PIPELINES (ONLY) IN MILLION SCF PER YEAR (excludesTransmission lines of Gas Distribu	AR	Check this box and do not complete PART C if this report only includes gathering pipelines or transmission lines of gas distribution systems.		
		Onshore	Offshore	
Natural Gas				
Propane Gas				
Synthetic Gas				
Hydrogen Gas				
Landfill Gas				
Other Gas - Name:				

PART D - MILES OF STEEL PIPE BY CORROSION PROTECTION										
		athodically tected	Steel Cat unpro	hodically tected					-	
	Bare	Coated	Bare	Coated	Cast Iron	Wrought Iron	Plastic	Composite ¹	Other	Total Miles
Transmission										
Onshore	0	784.279	0	0	0	0	0	0	0	784.279
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Transmission	0	784.279	0	0	0	0	0	0	0	784.279
Gathering										
Onshore Type A	0	0	0	0	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0	0	0	0	0
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Gathering	0	0	0	0	0	0	0	0	0	0
Total Miles	0	784.279	0	0	0	0	0	0	0	784.279

¹Use of Composite pipe requires a PHMSA Special Permit or waiver from a State

PART F – RESERV	ED

For the designated Commodity Group, complete PARTs F and G one time for all INTERstate pipeline facilities included within this OPID and multiple times as needed for the designated Commodity Group for each State in which INTRAstate pipeline facilities included within this OPID exist. Part F "WITHIN AN HCA SEGMENT" data and Part G may be completed only if HCA Miles in Part L is greater than zero.

PARTs F a	nd G
The data re	eported in these PARTs applies to: (select only one)
	Interstate pipelines/pipeline facilities
	Intrastate pipelines/pipeline facilities in the State of IDAHO (complete for each State)

PART F - INTEGRITY INSPECTIONS CONDUCTED AND ACTIONS TAKEN BASED ON INSPECTION	
1. MILEAGE INSPECTED IN CALENDAR YEAR USING THE FOLLOWING IN-LINE INSPECTION (ILI) TOOLS	
a. Corrosion or metal loss tools	0
b. Dent or deformation tools	0
c. Crack or long seam defect detection tools	0
d. Any other internal inspection tools, specify other tools:	0
Internal Inspection Tools - Other	
e. Total tool mileage inspected in calendar year using in-line inspection tools. (Lines a + b + c + d)	0
2. ACTIONS TAKEN IN CALENDAR YEAR BASED ON IN-LINE INSPECTIONS	
 Based on ILI data, total number of anomalies excavated in calendar year because they met the operator's criteria for excavation. 	0
 Total number of anomalies repaired in calendar year that were identified by ILI based on the operator's criteria both within an HCA Segment and outside of an HCA Segment. 	0
c. Total number of conditions repaired WITHIN AN HCA SEGMENT meeting the definition of:	0
1. "Immediate repair conditions" [192.933(d)(1)]	0
2. "One-year conditions" [192.933(d)(2)]	0
3. "Monitored conditions" [192.933(d)(3)]	0
4. Other "Scheduled conditions" [192.933(c)]	0
3. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON PRESSURE TESTING	
a. Total mileage inspected by pressure testing in calendar year.	0
b. Total number of pressure test failures (ruptures and leaks) repaired in calendar year, both within an HCA Segment and outside of an HCA Segment.	0
 c. Total number of pressure test ruptures (complete failure of pipe wall) repaired in calendar year WITHIN AN HC SEGMENT. 	6A 0
d. Total number of pressure test leaks (less than complete wall failure but including escape of test medium) repaired in calendar year WITHIN AN HCA SEGMENT.	0
4. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON DA (Direct Assessment method	s)
a. Total mileage inspected by each DA method in calendar year.	2.26
1. ECDA	2.26
2. ICDA	0
3. SCCDA	0
b. Total number of anomalies identified by each DA method and repaired in calendar year based on the operator criteria, both within an HCA Segment and outside of an HCA Segment.	s 0
1. ECDA	0
2. ICDA	0
3. SCCDA	0
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	0
1. "Immediate repair conditions" [192.933(d)(1)]	0
F PUMOA F.7400 0.4 (P 40.0044)	D., 0 - (05

To do day the violation continues up to a maximum of \$1,000,000 as provided in 10 000 00122.	Expires: 8/31/2020
2. "One-year conditions" [192.933(d)(2)]	0
3. "Monitored conditions" [192.933(d)(3)]	0
4. Other "Scheduled conditions" [192.933(c)]	0
MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON OTHER INSPECTION TECHNIQ	UES
a. Total mileage inspected by inspection techniques other than those listed above in calendar year.	0
1.Other Inspection Techniques	
 Total number of anomalies identified by other inspection techniques and repaired in calendar year based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment. 	he 0
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	0
1. "Immediate repair conditions" [192.933(d)(1)]	0
2. "One-year conditions" [192.933(d)(2)]	0
3. "Monitored conditions" [192.933(d)(3)]	0
4. Other "Scheduled conditions" [192.933©]	0
TOTAL MILEAGE INSPECTED (ALL METHODS) AND ACTIONS TAKEN IN CALENDAR YEAR	
a. Total mileage inspected in calendar year. (Lines 1.e + 3.a + 4.a.1 + 4.a.2 + 4.a.3 + 5.a)	2.26
b. Total number of anomalies repaired in calendar year both within an HCA Segment and outside of an HCA Segment. (Lines 2.b + 3.b + 4.b.1 + 4.b.2 + 4.b.3 + 5.b)	0
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT. (Lines 2.c.1 + 2.c.2 + 2.c.4 + 3.c + $3.d + 4.c.1 + 4.c.2 + 4.c.3 + 4.c.4 + 5.c.1 + 5.c.2 + 5.c.3 + 5.c.4$)	3+ 0
d. Total number of actionable anomalies eliminated by pipe replacement in calendar year WITHIN AN HCA SEGMENT:	0
e. Total number of actionable anomalies eliminated by pipe abandonment in calendar year WITHIN AN HCA SEGMENT:	0
ART G- MILES OF BASELINE ASSESSMENTS AND REASSESSMENTS COMPLETED IN CALENDAR YEAR (HCANLY)	A Segment miles
a. Baseline assessment miles completed during the calendar year.	0
b. Reassessment miles completed during the calendar year.	0
c. Total assessment and reassessment miles completed during the calendar year.	0

PARTs F and G

The data reported in these PARTs applies to: (select only one)

- □ Interstate pipelines/pipeline facilities
- **Intrastate pipelines/pipeline facilities in the State of UTAH** (complete for each State)

PART F - INTEGRITY INSPECTIONS CONDUCTED AND ACTIONS TAKEN BASED ON INSPECTION			
1. MILEAGE INSPECTED IN CALENDAR YEAR USING THE FOLLOWING IN-LINE INSPECTION (ILI) TOOLS			
a. Corrosion or metal loss tools	134.208		
b. Dent or deformation tools	134.208		
c. Crack or long seam defect detection tools	0		
d. Any other internal inspection tools, specify other tools:	0		
Internal Inspection Tools - Other			
e. Total tool mileage inspected in calendar year using in-line inspection tools. (Lines a + b + c + d)	268.416		
2. ACTIONS TAKEN IN CALENDAR YEAR BASED ON IN-LINE INSPECTIONS			
 Based on ILI data, total number of anomalies excavated in calendar year because they met the operator's criteria for excavation. 	46		

	Expires: 8/31/202
b. Total number of anomalies repaired in calendar year that were identified by ILI based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	16
c. Total number of conditions repaired WITHIN AN HCA SEGMENT meeting the definition of:	8
1. "Immediate repair conditions" [192.933(d)(1)]	3
2. "One-year conditions" [192.933(d)(2)]	0
3. "Monitored conditions" [192.933(d)(3)]	0
4. Other "Scheduled conditions" [192.933(c)]	5
MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON PRESSURE TESTING	
a. Total mileage inspected by pressure testing in calendar year.	0
b. Total number of pressure test failures (ruptures and leaks) repaired in calendar year, both within an HCA Segment and outside of an HCA Segment.	0
c. Total number of pressure test ruptures (complete failure of pipe wall) repaired in calendar year WITHIN AN HCA SEGMENT.	0
 d. Total number of pressure test leaks (less than complete wall failure but including escape of test medium) repaired in calendar year WITHIN AN HCA SEGMENT. 	0
MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON DA (Direct Assessment methods))
a. Total mileage inspected by each DA method in calendar year.	18.815
1. ECDA	18.815
2. ICDA	0
3. SCCDA	0
b. Total number of anomalies identified by each DA method and repaired in calendar year based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	7
1. ECDA	7
2. ICDA	0
3. SCCDA	0
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	0
1. "Immediate repair conditions" [192.933(d)(1)]	0
2. "One-year conditions" [192.933(d)(2)]	0
3. "Monitored conditions" [192.933(d)(3)]	0
4. Other "Scheduled conditions" [192.933(c)]	0
MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON OTHER INSPECTION TECHNIQUI	ES
a. Total mileage inspected by inspection techniques other than those listed above in calendar year.	0
1.Other Inspection Techniques	
b. Total number of anomalies identified by other inspection techniques and repaired in calendar year based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	0
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	0
1. "Immediate repair conditions" [192.933(d)(1)]	0
2. "One-year conditions" [192.933(d)(2)]	0
3. "Monitored conditions" [192.933(d)(3)]	0
4. Other "Scheduled conditions" [192.933©]	0
OTAL MILEAGE INSPECTED (ALL METHODS) AND ACTIONS TAKEN IN CALENDAR YEAR	
a. Total mileage inspected in calendar year. (Lines 1.e + 3.a + 4.a.1 + 4.a.2 + 4.a.3 + 5.a)	287.231
b. Total number of anomalies repaired in calendar year both within an HCA Segment and outside of an HCA Segment. (Lines 2.b + 3.b + 4.b.1 + 4.b.2 + 4.b.3 + 5.b)	23
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT. (Lines 2.c.1 + 2.c.2 + 2.c.3 + 2.c.4 + 3.c + 3.d + 4.c.1 + 4.c.2 + 4.c.3 + 4.c.4 + 5.c.1 + 5.c.2 + 5.c.3 + 5.c.4)	+ 8
d. Total number of actionable anomalies eliminated by pipe replacement in calendar year WITHIN AN HCA SEGMENT:	8
e. Total number of actionable anomalies eliminated by pipe abandonment in calendar year WITHIN AN HCA SEGMENT:	0

	Expires. 6/31/2020
a. Baseline assessment miles completed during the calendar year.	14.615
b. Reassessment miles completed during the calendar year.	40.009
c. Total assessment and reassessment miles completed during the calendar year.	54.624

PARTs F a	nd G
The data re	eported in these PARTs applies to: (select only one)
	Interstate pipelines/pipeline facilities
	Intrastate pipelines/pipeline facilities in the State of WYOMING (complete for each State)

DART E INTEGRITY INSPECTIONS CONDUCTED AND ACTIONS TAKEN DASED ON INSPECTION	
PART F - INTEGRITY INSPECTIONS CONDUCTED AND ACTIONS TAKEN BASED ON INSPECTION	
1. MILEAGE INSPECTED IN CALENDAR YEAR USING THE FOLLOWING IN-LINE INSPECTION (ILI) TOOLS	
a. Corrosion or metal loss tools	0
b. Dent or deformation tools	0
c. Crack or long seam defect detection tools	0
d. Any other internal inspection tools, specify other tools:	0
Internal Inspection Tools - Other	
e. Total tool mileage inspected in calendar year using in-line inspection tools. (Lines a + b + c + d)	0
2. ACTIONS TAKEN IN CALENDAR YEAR BASED ON IN-LINE INSPECTIONS	
 Based on ILI data, total number of anomalies excavated in calendar year because they met the operator's criteria for excavation. 	0
 Total number of anomalies repaired in calendar year that were identified by ILI based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment. 	0
c. Total number of conditions repaired WITHIN AN HCA SEGMENT meeting the definition of:	
1. "Immediate repair conditions" [192.933(d)(1)]	
2. "One-year conditions" [192.933(d)(2)]	
3. "Monitored conditions" [192.933(d)(3)]	
4. Other "Scheduled conditions" [192.933(c)]	
3. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON PRESSURE TESTING	
a. Total mileage inspected by pressure testing in calendar year.	0
b. Total number of pressure test failures (ruptures and leaks) repaired in calendar year, both within an HCA Segment and outside of an HCA Segment.	0
c. Total number of pressure test ruptures (complete failure of pipe wall) repaired in calendar year WITHIN AN HCA SEGMENT.	
d. Total number of pressure test leaks (less than complete wall failure but including escape of test medium) repaired in calendar year WITHIN AN HCA SEGMENT.	
4. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON DA (Direct Assessment methods)	
a. Total mileage inspected by each DA method in calendar year.	0
1. ECDA	0
2. ICDA	0
3. SCCDA	0
b. Total number of anomalies identified by each DA method and repaired in calendar year based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	0
1. ECDA	0
2. ICDA	0
3. SCCDA	0
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	

	Expii	es: 8/31/2020
1. "Immediate repair conditions" [192.93	3(d)(1)]	
2. "One-year conditions" [192.933(d)(2)]		
3. "Monitored conditions" [192.933(d)(3)]		
4. Other "Scheduled conditions" [192.93	3(c)]	
MILEAGE INSPECTED AND ACTIONS TAKEN IN CAL	ENDAR YEAR BASED ON OTHER INSPECTION TECHNIQUES	
a. Total mileage inspected by inspection technique	s other than those listed above in calendar year.	0
1.Other Inspection Techniques		
b. Total number of anomalies identified by other insoperator's criteria, both within an HCA Segment an	spection techniques and repaired in calendar year based on the id outside of an HCA Segment.	0
c. Total number of conditions repaired in calendar	year WITHIN AN HCA SEGMENT meeting the definition of:	
1. "Immediate repair conditions" [192.93	3(d)(1)]	
2. "One-year conditions" [192.933(d)(2)]		
3. "Monitored conditions" [192.933(d)(3)]		
4. Other "Scheduled conditions" [192.93	3©]	
OTAL MILEAGE INSPECTED (ALL METHODS) AND A	CTIONS TAKEN IN CALENDAR YEAR	
a. Total mileage inspected in calendar year. (Lines	31.e + 3.a + 4.a.1 + 4.a.2 + 4.a.3 + 5.a)	0
b. Total number of anomalies repaired in calendar Segment. (Lines 2.b + 3.b + 4.b.1 + 4.b.2 + 4.b.3	year both within an HCA Segment and outside of an HCA + 5.b)	0
c. Total number of conditions repaired in calendar y 2.c.4 + 3.c + 3.d + 4.c.1 + 4.c.2 + 4.c.3 + 4.c.4 + 5.	year WITHIN AN HCA SEGMENT. (Lines 2.c.1 + 2.c.2 + 2.c.3 + c.1 + 5.c.2 + 5.c.3 + 5.c.4)	
d. Total number of actionable anomalies eliminated SEGMENT:	by pipe replacement in calendar year WITHIN AN HCA	
e. Total number of actionable anomalies eliminated SEGMENT:	d by pipe abandonment in calendar year WITHIN AN HCA	
RT G- MILES OF BASELINE ASSESSMENTS AND REALLY)	ASSESSMENTS COMPLETED IN CALENDAR YEAR (HCA Segmen	nt miles
a. Baseline assessment miles completed during th	ne calendar year.	0
b. Reassessment miles completed during the cale	ndar year.	0
	l l	

For the designated Commodity Group, complete PARTS H, I, J, K, L, M, P Q and R covering INTERstate pipelines and/or pipeline facilities for each State in which INTERstate systems exist within this OPID and again covering INTRAstate pipelines and/or pipeline facilities for each State in which INTRAstate systems exist within this OPID.

	in this OPIL								
PARTs H, I,	J, K, L, M,	P, Q, and R							
The data re	ported in th	ese PARTs	s applies to	: (select o	only one)				
INTRASTAT	E pipelines	s/pipeline fa	acilities ID/	АНО					
PART H - M	ILES OF TR	RANSMISSI	ON PIPE B	Y NOMINA	L PIPE SIZE	E (NPS)			
	NPS 4 or less	6	8	10	12	14	16	18	20
	0	0	6.313	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
	0	0	0	0	0	0	0	0	0
Onshore	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
	Additional Si 0 - 0; 0 - 0; 0	zes and Miles 0 - 0; 0 - 0; 0 -	(Size – Miles;) 0; 0 - 0; 0 - 0;	: 0 - 0; 0 - 0;					
6.313	Total Miles o	of Onshore Pip	e – Transmissi	on					
	NPS 4 or less	6	8	10	12	14	16	18	20
	0	0	0	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
	0	0	0	0	0	0	0	0	0
Offshore	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
	Additional Si 0 - 0; 0 - 0; 0	zes and Miles) - 0; 0 - 0; 0 - ((Size – Miles;) 0; 0 - 0; 0 - 0; 0	:) - 0; 0 - 0;					
0	Total Miles o	of Offshore Pip	e – Transmissi	on					
PART I - MII	LES OF GA	THERING F	PIPE BY NO	MINAL PIF	PE SIZE (NF	PS)			
	NPS 4 or less	6	8	10	12	14	16	18	20
Onshore	0	0	0	0	0	0	0	0	0
Type A	22	24	26	28	30	32	34	36	38
	0	0	0	0	0	0	0	0	0
	40	42	44	46	48	52	56 58 a ove		

	0	0	0	0	0	0	0	0		
	Additional S	izes and Miles	(Size – Miles;)): 0 - 0; 0 - 0; 0	- 0; 0 - 0; 0 - 0	; 0 - 0; 0 - 0; 0	0 - 0; 0 - 0;		•	
0	Total Miles	of Onshore Typ	oe A Pipe – Ga	thering						
	NPS 4 or less	6	8	10	12	14	16		18	20
	0	0	0	0	0	0	0		0	0
	22	24	26	28	30	32	34		36	38
Onshore	0	0	0	0	0	0	0		0	0
Гуре В	40	42	44	46	48	52	56	58 an over	d	
	0	0	0	0	0	0	0	0		
			(Size – Miles;)): 0 - 0; 0 - 0; 0	- 0; 0 - 0; 0 - 0	; 0 - 0; 0 - 0; (0 - 0; 0 - 0;			
0	Additional S				- 0; 0 - 0; 0 - 0	; 0 - 0; 0 - 0; () - 0; 0 - 0;			
0	Additional S	izes and Miles			- 0; 0 - 0; 0 - 0	14	0 - 0; 0 - 0;		18	20
0	Additional S Total Miles of NPS 4	izes and Miles of Onshore Typ	oe B Pipe – Ga	athering					18	20
0	Additional S Total Miles of NPS 4 or less	izes and Miles of Onshore Typ	pe B Pipe – Ga	athering 10	12	14	16			
	Additional S Total Miles of NPS 4 or less 0	izes and Miles of Onshore Typ 6 0	pe B Pipe – Ga	10 0	12	14	16		0	0
0 Offshore	Additional S Total Miles of NPS 4 or less 0 22	izes and Miles of Onshore Typ 6 0 24	8 0 26	10 0 28	12 0 30	14 0 32	16 0 34	58 an	0 36 0	0 38
	Additional S Total Miles of the NPS 4 or less of the NPS 22 of the NPS 4 or less of the NPS	izes and Miles of Onshore Typ 6 0 24 0	8 0 26 0	10 0 28 0	12 0 30 0	14 0 32 0	16 0 34	58 an	0 36 0	0 38
	Additional S Total Miles of the NPS 4 or less of the NPS 22 of the NPS 4 or less of the NPS	izes and Miles of Onshore Typ 6 0 24 0 42	8 0 26 0 44 0	10 0 28 0 46	12 0 30 0 48	14 0 32 0 52 0	16 0 34 0 56	58 an over	0 36 0	0 38

PART J - MILES OF PIPE BY DECADE INSTALLED

Decade Pipe Installed	Unknown	Pre-40	1940 - 1949	1950 - 1959	1960 - 1969	1970 - 1979
Transmission						
Onshore	0	0	0	0	0	0
Offshore						
Subtotal Transmission	0	0	0	0	0	0
Gathering						
Onshore Type A	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0
Offshore						
Subtotal Gathering	0	0	0	0	0	0
Total Miles	0	0	0	0	0	0
Decade Pipe Installed	1980 - 1989	1990 - 1999	2000 - 2009	2010 - 2019	2020 - 2029	Total Miles
Transmission						
Onshore	6.035	0	0.278	0	0	6.313
Offshore						
Subtotal Transmission	6.035	0	0.278	0	0	6.313
Gathering						

Form Approved OMB No. 2137-0522 Expires: 8/31/2020

0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
6.035	0	0.278	0	0	6.313

011011075		Total Miles			
ONSHORE	Class I	Class 2	Class 3	Class 4	
Steel pipe Less than 20% SMYS	0	0	0	0	0
Steel pipe Greater than or equal to 20% SMYS but less than 30% SMYS	0	0	6.313	0	6.313
Steel pipe Greater than or equal to 30% SMYS but less than or equal to 40% SMYS	0	0	0	0	0
Steel pipe Greater than 40% SMYS but less than or equal to 50% SMYS	0	0	0	0	0
Steel pipe Greater than 50% SMYS but less than or equal to 60% SMYS	0	0	0	0	0
Steel pipe Greater than 60% SMYS but less than or equal to 72% SMYS	0	0	0	0	0
Steel pipe Greater than 72% SMYS but less than or equal to 80% SMYS	0	0	0	0	0
Steel pipe Greater than 80% SMYS	0	0	0	0	0
Steel pipe Unknown percent of SMYS	0	0	0	0	0
All Non-Steel pipe	0	0	0	0	0
Onshore Totals	0	0	6.313	0	6.313
OFFSHORE	Class I			•	-
Less than or equal to 50% SMYS	0				
Greater than 50% SMYS but less than or equal to 72% SMYS	0				
Steel pipe Greater than 72% SMYS	0				
Steel Pipe Unknown percent of SMYS	0				
All non-steel pipe	0				
Offshore Total	0				0
Total Miles	0				6.313

PART L - MILES OF PIPE BY CLASS LOCATION

		Class L	ocation		Total Class Location	HCA Miles in the IMP
	Class I	Class 2	Class 3	Class 4	Miles	Program
Transmission						
Onshore	0	0	6.313	0	6.313	0.871
Offshore	0	0	0	0	0	
Subtotal Transmission	0	0	6.313	0	6.313	
Gathering						

Form Approved OMB No. 2137-0522 Expires: 8/31/2020

Onshore Type A	0	0	0	0	0	
Onshore Type B	0	0	0	0	0	
Offshore	0	0	0	0	0	
Subtotal Gathering	0	0	0	0	0	
Total Miles	0	0	6.313	0	6.313	0.871

PART M - FAILURES, LEAKS, AND REPAIRS

PART M1 – ALL LEAKS ELIMINATED/REPAIRED IN CALENDAR YEAR; INCIDENTS & FAILURES IN HCA SEGMENTS IN CALENDAR YEAR

		Transmissi	on Leaks,	and Failures			Gathering	g Leaks
		Lea	ks		Failures in	Onshor	e Leaks	Offshore Leaks
	Onsh	ore Leaks	Offsh	ore Leaks	HCA			
Cause	HCA	Non-HCA	HCA	Non-HCA	Segments	Type A	Type B	
External Corrosion	0	0	0	0	0	0	0	0
Internal Corrosion	0	0	0	0	0	0	0	0
Stress Corrosion Cracking	0	0	0	0	0	0	0	0
Manufacturing	0	0	0	0	0	0	0	0
Construction	0	0	0	0	0	0	0	0
Equipment	0	0	0	0	0	0	0	0
Incorrect Operations	0	0	0	0	0	0	0	0
Third Party Damage/Mecha	anical Da	amage	-			-		
Excavation Damage	0	0	0	0	0	0	0	0
Previous Damage (due to Excavation Activity)	0	0	0	0	0	0	0	0
Vandalism (includes all Intentional Damage)	0	0	0	0	0	0	0	0
Weather Related/Other Ou	tside Fo	rce				-		
Natural Force Damage (all)	0	0	0	0	0	0	0	0
Other Outside Force Damage (excluding Vandalism and all Intentional Damage)	0	0	0	0	0	0	0	0
Other	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0	0

PART M2 - KNOWN SYSTEM LEAKS AT END OF YEAR SCHEDULED FOR REPAIR

Transmission 0 Gathering 0

PART M3 – LEAKS ON FEDERAL LAND OR OCS REPAIRED OR SCHEDULED FOR REPAIR

	Gathering			
	Onshore Type A	0		
0	Onshore Type B	0		
0	OCS	0		
0	Subtotal Gathering	0		
	0 0 0	Onshore Type A Onshore Type B OCS		

PART P - MILES OF	F PIPE BY	MATERIAL	AND CORF	ROSION PR	OTECTION	STATUS				
		thodically ected	Steel Cathodically unprotected							
	Bare	Coated	Bare	Coated	Cast Iron	Wrought Iron	Plastic	Composite ¹	Other ²	Total Miles
Transmission										
Onshore	0	6.313	0	0	0	0	0	0	0	6.313
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Transmission	0	6.313	0	0	0	0	0	0	0	6.313
Gathering										
Onshore Type A	0	0	0	0	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0	0	0	0	0
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Gathering	0	0	0	0	0	0	0	0	0	0
Total Miles	0	6.313	0	0	0	0	0	0	0	6.313

¹Use of Composite pipe requires PHMSA Special Permit or waiver from a State ²specify Other material(s):

	(a)(1) Total	(a)(1) Incomplete Records	(a)(2) Total	(a)(2) Incomplete Records	(a)(3) Total	(a)(3) Incomplete Records	(a)(4) Total	(a)(4) Incomplete Records	(c) Total	(c) Incomplete Records	(d) Total	(d) Incomplete Records	Other ¹ Total	Other Incomplete Records
Class 1 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 1 (not in HCA)	0	Ü	0	Ü	0	Ü	0	Ü	0	Ü	0	Ü	0	Ü
Class 2 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 2 (not in HCA)	0		0		0		0		0		0		0	
Class 3 (in HCA)	0	0	0	0	0	0	0.865	0	0	0	0	0	0	0
Class 3 (not in HCA)	0	0	0	0	0	0	5.449	0	0	0	0	0	0	0
Class 4 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 4 (not in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	
Tota	0	0	0	0	0	0	6.314	0	0	0	0	0	0	0
Grand Total	_			=		-		6.314		_		_		
Sum of Total row	for all "	Incomple	te Red	cords" colu	mns			0						
Specify Other method(s):														
Class 1 (in HCA)							Class	1 (not in HC	in HCA)					
Class 2 (in HCA)							Class	2 (not in HC	A)					
Class 3 (in HCA)							Class	3 (not in HC	A)					
Class 4 (in HCA)							Class	4 (not in HC	A)					

	PT ≥ 1.	25 MAOP	1.25 MAOF	P > PT ≥ 1.1 MAOP	PT < 1.1 or No PT		
Location	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	
Class 1 in HCA	0	0	0	0	0	0	
Class 2 in HCA	0	0	0	0	0	0	
Class 3 in HCA	0	0.865	0	0	0	0	
Class 4 in HCA	0	0	0	0	0	0	
in HCA subTotal	0	0.865	0	0	0	0	
Class 1 not in HCA	0	0	0	0	0	0	
Class 2 not in HCA	0	0	0	0	0	0	
Class 3 not in HCA	0	5.449	0	0	0	0	
Class 4 not in HCA	0	0	0	0	0	0	
not in HCA subTotal	0	5.449	0	0	0	0	
Total	0	6.314	0	0	0	0	
PT ≥ 1.25 MAOP Tota	al		6.314	Total Miles Internal In	spection ABLE	0	
1.25 MAOP > PT ≥ 1.1 MAOP Total			0	Total Miles Internal In	6.314		
PT < 1.1 or No PT To	tal		0		Grand Total	6.314	
		Grand Total	6.314				

PARTs H, I, J, K, L, M, P, Q, and R

The data reported in these PARTs applies to: (select only one)

INTRASTATE pipelines/pipeline facilities UTAH

PART H - MILES OF TRANSMISSION PIPE BY NOMINAL PIPE SIZE (NPS)

	NPS 4 or less	6	8	10	12	14	16	18	20	
	0.302	54.091	285.225	131.003	110.172	6.706	11.481	0.017	86.896	
	22	24	26	28	30	32	34	36	38	
Onshore	0	81.701	0	0	0.027	0	0	0	0	
Offshore	40	42	44	46	48	52	56	58 and over		
	0	0	0	0	0	0	0	0		
	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;									
767.621	Total Miles of Onshore Pipe – Transmission									
	NPS 4 or less	6	8	10	12	14	16	18	20	

Offshore

A	0 40 0	0 42 0	0 44 0	0 46 0	0 48	0 52	56	0 58 and over	0
A	0						56		
A		0	0	0	0			1	I
A					0	0	0	0	
	Additional Siz) - 0; 0 - 0; 0	zes and Miles (- 0; 0 - 0; 0 - 0	(Size – Miles;)); 0 - 0; 0 - 0; 0	:) - 0; 0 - 0;					
0 T	otal Miles o	f Offshore Pipe	e – Transmissi	on					
PART I - MILES	S OF GA	THERING F	PIPE BY NC	MINAL PIP	PE SIZE (NP	' S)			
	NPS 4 or less	6	8	10	12	14	16	18	20
	0	0	0	0	0	0	0	0	0
Onshoro	22	24	26	28	30	32	34	36	38
Onshore Type A	0	0	0	0	0	0	0 58	and 0	0
	40	42	44	46	48	52	56 ov		
	0	0	0	0	0	0	0	0	
А	dditional Siz	zes and Miles	(Size – Miles;)	: 0 - 0; 0 - 0; 0	- 0; 0 - 0; 0 - 0	; 0 - 0; 0 - 0; 0	- 0; 0 - 0;		
<i>0</i> T		f Onshore Typ	e A Pipe – Ga	thering					
	NPS 4 or less	6	8	10	12	14	16	18	20
	0	0	0	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
Onshore	0	0	0	0	0	0	0	0	0
Туре В	40	42	44	46	48	52	56 58 ov	and er	
	0	0	0	0	0	0	0	0	
А	Additional Siz	zes and Miles	(Size – Miles;)	: 0 - 0; 0 - 0; 0	- 0; 0 - 0; 0 - 0;	; 0 - 0; 0 - 0; 0	- 0; 0 - 0;		
0 T	otal Miles o	f Onshore Typ	e B Pipe – Ga	thering					
	NPS 4	6	8	10	12	14	16	18	20
F	or less	0	0	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
Offshore	0	0	0	0	0	0	0	0	0
	40	42	44	46	48	52	56 58 ov	and er	
	0	0	0	0	0	0	0	0	
	Additional Ci-	zes and Miles	(Size – Miles;)	: 0 - 0; 0 - 0; 0	- 0; 0 - 0; 0 - 0;	; 0 - 0; 0 - 0; 0	- 0; 0 - 0;	•	
А									

Decade Pipe Installed	Unknown	Pre-40	1940 - 1949	1950 - 1959	1960 - 1969	1970 - 1979
Transmission						
Onshore	0	0	0.001	47.691	82.646	55.259
Offshore						
Subtotal Transmission	0	0	0.001	47.691	82.646	55.259
Gathering						
Onshore Type A	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0
Offshore						
Subtotal Gathering	0	0	0	0	0	0
Total Miles	0	0	0.001	47.691	82.646	55.259
Decade Pipe Installed	1980 - 1989	1990 - 1999	2000 - 2009	2010 - 2019	2020 - 2029	Total Miles
Transmission						
Onshore	340.422	93.323	91.619	43.493	13.167	767.621
Offshore						
Subtotal Transmission	340.422	93.323	91.619	43.493	13.167	767.621
Gathering						
Onshore Type A	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0
Offshore						
Subtotal Gathering	0	0	0	0	0	0
Total Miles	340.422	93.323	91.619	43.493	13.167	767.621

ONOUGE		CLASS L	OCATION		Total Miles
ONSHORE	Class I	Class 2	Class 3	Class 4	
Steel pipe Less than 20% SMYS	0	0	0	0	0
Steel pipe Greater than or equal to 20% SMYS but less than 30% SMYS	104.003	41.842	210.239	2.404	358.488
Steel pipe Greater than or equal to 30% SMYS but less than or equal to 40% SMYS	146.332	22.912	101.169	1.092	271.505
Steel pipe Greater than 40% SMYS but less than or equal to 50% SMYS	66.123	8.25	63.232	0	137.605
Steel pipe Greater than 50% SMYS but less than or equal to 60% SMYS	0	0	0.024	0	0.024
Steel pipe Greater than 60% SMYS but less than or equal to 72% SMYS	0	0	0	0	0
Steel pipe Greater than 72% SMYS but less than or equal to 80% SMYS	0	0	0	0	0
Steel pipe Greater than 80% SMYS	0	0	0	0	0
Steel pipe Unknown percent of SMYS	0	0	0	0	0
All Non-Steel pipe	0	0	0	0	0
Onshore Totals	316.458	73.004	374.664	3.496	767.622

		11 001 070 17201
OFFSHORE	Class I	
Less than or equal to 50% SMYS	0	
Greater than 50% SMYS but less than or equal to 72% SMYS	0	
Steel pipe Greater than 72% SMYS	0	
Steel Pipe Unknown percent of SMYS	0	
All non-steel pipe	0	
Offshore Total	0	(
Total Miles	316.458	767.

PART L - MILES OF PIPE BY CLASS LOCATION

17(1(1) 2 1111220 01 1	1 2 D 1 02,100				T	
		Class L	ocation		Total Class Location	HCA Miles in the IMP
	Class I	Class 2	Class 3	Class 4	Miles	Program
Transmission						
Onshore	316.458	73.004	374.664	3.496	767.622	146.208
Offshore	0	0	0	0	0	
Subtotal Transmission	316.458	73.004	374.664	3.496	767.622	
Gathering						
Onshore Type A	0	0	0	0	0	
Onshore Type B	0	0	0	0	0	
Offshore	0	0	0	0	0	
Subtotal Gathering	0	0	0	0	0	
Total Miles	316.458	73.004	374.664	3.496	767.622	146.208

PART M - FAILURES, LEAKS, AND REPAIRS

PART M1 – ALL LEAKS ELIMINATED/REPAIRED IN CALENDAR YEAR; INCIDENTS & FAILURES IN HCA SEGMENTS IN CALENDAR YEAR

		Transmissi	on Leaks,	and Failures			Gathering	g Leaks	
		Lea	ks		Failures in	Onshor	e Leaks	Offshore Leaks	
	Onsho	ore Leaks	Offsh	ore Leaks	HCA				
Cause	HCA	Non-HCA	HCA	Non-HCA	Segments	Type A	Type B		
External Corrosion	0	1	0	0	0	0	0	0	
Internal Corrosion	0	0	0	0	0	0	0	0	
Stress Corrosion Cracking	0	0	0	0	0	0	0	0	
Manufacturing	0	0	0	0	0	0	0	0	
Construction	0	0	0	0	0	0	0	0	
Equipment	0	0	0	0	0	0	0	0	
Incorrect Operations	0	0	0	0	0	0	0	0	
Third Party Damage/Mecha	Third Party Damage/Mechanical Damage								
Excavation Damage	0	0	0	0	0	0	0	0	
Previous Damage (due to Excavation Activity)	0	0	0	0	0	0	0	0	
Vandalism (includes all Intentional Damage)	0	0	0	0	0	0	0	0	
Weather Related/Other Out	tside Fo	rce							
Natural Force Damage (all)	0	0	0	0	0	0	0	0	
Other Outside Force Damage (excluding Vandalism and all Intentional Damage)	0	0	0	0	0	0	0	0	
Other	0	0	0	0	0	0	0	0	
Total	0	1	0	0	0	0	0	0	

PART M2 – KNOWN SYSTEM L	EAKS AT END	OF YEAR SCHEDULED FO	R REPAIR						
Transmission	0	Gathering 0							
PART M3 – LEAKS ON FEDERAL LAND OR OCS REPAIRED OR SCHEDULED FOR REPAIR									
Transmission Gathering									
	0	Onshore Type A	0						
Onshore	0	Onshore Type B	0						
OCS	0	OCS	0						
Subtotal Transmission	0	Subtotal Gathering	0						
Total	0								

PART P - MILES OF PIPE BY MATERIAL AND CORROSION PROTECTION STATUS											
		thodically tected	Steel Cathodically unprotected								
	Bare	Coated	Bare	Coated	Cast Iron	Wrought Iron	Plastic	Composite ¹	Other ²	Total Miles	
Transmission											
Onshore	0	767.621	0	0	0	0	0	0	0	767.621	
Offshore	0	0	0	0	0	0	0	0	0	0	
Subtotal Transmission	0	767.62 1	0	0	0	0	0	0	0	767.621	
Gathering											
Onshore Type A	0	0	0	0	0	0	0	0	0	0	
Onshore Type B	0	0	0	0	0	0	0	0	0	0	
Offshore	0	0	0	0	0	0	0	0	0	0	
Subtotal Gathering	0	0	0	0	0	0	0	0	0	0	
Total Miles	0	767.62 1	0	0	0	0	0	0	0	767.621	

 $^{^{1}\}mbox{Use}$ of Composite pipe requires PHMSA Special Permit or waiver from a State $^{2}\mbox{specify Other material(s):}$

Part Q - Gas T	ransmi	ssion N	liles b	oy §192.6	19 M	ermin	ation Me	thod	_	_	_	_	_	
	(a)(1) Total	(a)(1) Incomplete Records	(a)(2) Total	(a)(2) Incomplete Records	(a)(3) Total	(a)(3) Incomplete Records	(a)(4) Total	(a)(4) Incomplete Records	(c) Total	(c) Incomplete Records	(d) Total	(d) Incomplete Records	Other ¹ Total	Other Incomplete Records
Class 1 (in HCA)	0	0	0	0	0	0	4.159	0.193	0	0	0	0	0	0
Class 1 (not in HCA)	0		0		0		312.3		0		0		0	
Class 2 (in HCA)	0	0	0	0	0	0	1.09	0	0	0	0	0	0	0
Class 2 (not in HCA)	0		0		0		71.91 4		0		0		0	
Class 3 (in HCA)	11.925	2.414	1.697	0.002	0	0	124.3 79	9.461	0	0	0	0	0	0
Class 3 (not in HCA)	4.364	1.126	1.17	0.018	0	0	231.1 29	27.033	0	0	0	0	0	0
Class 4 (in HCA)	0	0	0	0	0	0	2.814	0.732	0	0	0	0	0	0
Class 4 (not in HCA)	0	0	0	0	0	0	0.68	0.085	0	0	0	0	0	
Tota	16.289	3.54	2.867	0.02	0	0	748.4 65	37.504	0	0	0	0	0	0
Grand Total								767.621						
Sum of Total row		52.515												

¹Specify Other method(s):

Class 1 (in HCA)	Class 1 (not in HCA)	
Class 2 (in HCA)	Class 2 (not in HCA)	
Class 3 (in HCA)	Class 3 (not in HCA)	
Class 4 (in HCA)	Class 4 (not in HCA)	

Part R – Gas Transm	nission Miles b	y Pressure Test ((PT) Range an	d Internal Inspection			
	PT ≥ 1.	25 MAOP	1.25 MAO	P > PT ≥ 1.1 MAOP	PT < 1.1 or No PT		
Location	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	Miles Internal Inspection ABLE Miles Internal Inspection NOT ABLE		Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	
Class 1 in HCA	0.319	3.839	0	0	0	0	
Class 2 in HCA	0.72	0.37	0	0	0	0	
Class 3 in HCA	63.29	74.011	0	0.01	0.145	0.544	
Class 4 in HCA	1.469	1.345	0	0	0.002	0	
in HCA subTotal	65.798	79.565	0	0.01	0.147	0.544	
Class 1 not in HCA	117.347	194.897	0	0	0.011	0.045	
Class 2 not in HCA	29.196	42.701	0	0	0	0.018	
Class 3 not in HCA	81.714	152.541	0.032	0.003	0.06	2.313	
Class 4 not in HCA	0.243	0.436	0	0	0	0	
not in HCA subTotal	228.5	390.575	0.032	0.003	0.071	2.376	
Total	294.298	470.14	0.032	0.013	0.218	2.92	
PT ≥ 1.25 MAOP Tota	al		764.438	Total Miles Internal Ins	spection ABLE	294.548	
1.25 MAOP > PT ≥ 1.	1 MAOP Total		0.045	Total Miles Internal Ins	473.073		
PT < 1.1 or No PT To	tal		3.138		Grand Total	767.621	
		Grand Total	767.621				

PARTs H, I, J, K, L, M, P, Q, and R

The data reported in these PARTs applies to: (select only one)

INTRASTATE pipelines/pipeline facilities WYOMING

PART H - MILES OF TRANSMISSION PIPE BY NOMINAL PIPE SIZE (NPS)

	NPS 4 or less	6	8	10	12	14	16	18	20
	10.336	0.009	0	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
Onshore	0	0	0	0	0	0	0	0	0
Olishore	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	

Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;

10.345	Total Miles of Onshore Pipe – Transmission
--------	--

	NPS 4 or less	6	8	10	12	14	16	18	20
	0	0	0	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
	0	0	0	0	0	0	0	0	0
Offshore	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	

Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;

0 Total Miles of Offshore Pipe – Transmission

PART I - MILES OF GATHERING PIPE BY NOMINAL PIPE SIZE (NPS)

Onshore
Type A

NPS 4 or less	6	8	10	12	14	16		18	20	
0	0	0	0	0	0	0		0	0	
22	24	26	28	30	32	34		36	38	
0	0	0	0	0	0	0		0	0	
40	42	44	46	48	52	56	58 and over			
0	0	0	0	0	0	0	0			
Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;										

0 T	Total Miles of Onshore Type A Pipe – Gathering												
	NPS 4 or less	6	8	10	12	14	16		18	20			
	0	0	0	0	0	0	0		0	0			
	22	24	26	28	30	32	34		36	38			
Onshore	0	0	0	0	0	0	0		0	0			
Type B	40	42	44	46	48	52	56	58 and over					
	0	0	0	0	0	0	0	0					
А	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;												
0 Т	Total Miles of Onshore Type B Pipe – Gathering												
	NPS 4 or less	6	8	10	12	14	16		18	20			
	0	0	0	0	0	0	0		0	0			
	22	24	26	28	30	32	34		36	38			
Offshore	0	0	0	0	0	0	0		0	0			
	40	42	44	46	48	52	56	58 and over					
	0	0	0	0	0	0	0	0					
А	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;												
0 т	Total Miles of	Offshore Pipe	e – Gathering										

PART J - MILES OF PIPE BY DECADE INSTALLED

Decade Pipe Installed	Unknown	Pre-40	1940 - 1949	1950 - 1959	1960 - 1969	1970 - 1979
Transmission						
Onshore	0	0	0	0	0	10.266
Offshore						
Subtotal Transmission	0	0	0	0	0	10.266
Gathering						
Onshore Type A	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0
Offshore						
Subtotal Gathering	0	0	0	0	0	0
Total Miles	0	0	0	0	0	10.266
Decade Pipe Installed	1980 - 1989	1990 - 1999	2000 - 2009	2010 - 2019	2020 - 2029	Total Miles
Transmission						
Onshore	0.072	0	0	0.007	0	10.345
Offshore						
Subtotal Transmission	0.072	0	0	0.007	0	10.345
Gathering						
Onshore Type A	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0
Offshore						

Subtotal Gathering	0	0	0	0	0	0
Total Miles	0.072	0	0	0.007	0	10.345

01011075		CLASS L	OCATION		Total Miles
ONSHORE	Class I	Class 2	Class 3	Class 4	
Steel pipe Less than 20% SMYS	0	0	0	0	0
Steel pipe Greater than or equal to 20% SMYS but less than 30% SMYS	10.32	0	0	0	10.32
Steel pipe Greater than or equal to 30% SMYS but less than or equal to 40% SMYS	0.016	0	0	0	0.016
Steel pipe Greater than 40% SMYS but less than or equal to 50% SMYS	0.009	0	0	0	0.009
Steel pipe Greater than 50% SMYS but less than or equal to 60% SMYS	0	0	0	0	0
Steel pipe Greater than 60% SMYS but less than or equal to 72% SMYS	0	0	0	0	0
Steel pipe Greater than 72% SMYS but less than or equal to 80% SMYS	0	0	0	0	0
Steel pipe Greater than 80% SMYS	0	0	0	0	0
Steel pipe Unknown percent of SMYS	0	0	0	0	0
All Non-Steel pipe	0	0	0	0	0
Onshore Totals	10.345	0	0	0	10.345
OFFSHORE	Class I				
Less than or equal to 50% SMYS	0				
Greater than 50% SMYS but less than or equal to 72% SMYS	0				
Steel pipe Greater than 72% SMYS	0				
Steel Pipe Unknown percent of SMYS	0				
All non-steel pipe	0				
Offshore Total	0				0
Total Miles	10.345				10.345

PART L - MILES OF PIPE BY CLASS LOCATION

FART E-MILES OF FIFE BT CLASS LOCATION								
		Class L	Total Class Location	HCA Miles in the IMP				
	Class I	Class 2	Class 3	Class 4	Miles	Program		
Transmission								
Onshore	10.345	0	0	0	10.345			
Offshore	0	0	0	0	0			
Subtotal Transmission	10.345	0	0	0	10.345			
Gathering								
Onshore Type A	0	0	0	0	0			
Onshore Type B	0	0	0	0	0			
Offshore	0	0	0	0	0			
Subtotal Gathering	0	0	0	0	0			

Total Miles	10.345	0		0	0	4/	0.345	Expires: 8/31/2020		
Total Miles	10.345	U		U	U	10	J.345			
DADTM FAILURES LE	AIZC AND	DEDAIDS								
PART M – FAILURES, LE	ANS, AND	KEPAIKS								
PART M1 – ALL LEAKS ELIMIN	ATED/REPA	IRED IN CALI	ENDAR Y	EAR; INCIDE	NTS & FAILURE	S IN HCA SI	EGMENTS II	N CALENDAR YEAR		
	1	Transmission Leaks, and Failures				Gathering Leaks				
		Lea	ıks	•	Failures in	Onshor	e Leaks	Offshore Leaks		
	Onsh	ore Leaks	Offsh	ore Leaks	HCA					
Cause	HCA	Non-HCA	HCA	Non-HCA	Segments	Type A	Type B			
External Corrosion	0	0	0	0	0	0	0	0		
Internal Corrosion	0	0	0	0	0	0	0	0		
Stress Corrosion Cracking	0	0	0	0	0	0	0	0		
Manufacturing Construction	0	0	0	0	0	0	0	0		
Construction Equipment	0	0	0	0	0	0	0	0		
Incorrect Operations	0	0	0	0	0	0	0	0		
Third Party Damage/Mecl					, , ,					
Excavation Damage	0	0	0	0	0	0	0	0		
Previous Damage (due to	0	0						0		
Excavation Activity)	0	0	0	0	0	0	0	0		
Vandalism (includes all	0	0	0	0	0	0	0	0		
Intentional Damage)			<u> </u>							
Weather Related/Other O					-	I -	1 -	T -		
Natural Force Damage (all)	0	0	0	0	0	0	0	0		
Other Outside Force Damage (excluding										
Vandalism and all	0	0	0	0	0	0	0	0		
Intentional Damage)										
Other	0	0	0	0	0	0	0	0		
Total	0	0	0	0	0	0	0	0		
PART M2 – KNOWN SYSTEM L	EAKS AT E	ND OF YEAR	SCHEDUL	ED FOR REP	AIR					
Transmission	0		Gathe	ring	0					
PART M3 – LEAKS ON FEDERA	L LAND OR	OCS REPAIR	ED OR S	CHEDULED F	OR REPAIR					
Transmission			G	athering						
Onelson		Onsho	re Type A	4	0					
Onshore	0	Onsho	Onshore Type B		0					
OCS	0	OCS			0					
Subtotal Transmission	0		total Gath	ering	0	1				
Total			0	- J						
i Otal			U							

PART P - MILES OF PIPE BY MATERIAL AND CORROSION PROTECTION STATUS										
		thodically ected		Steel Cathodically unprotected						
	Bare	Coated	Bare	Coated	Cast Iron	Wrought Iron	Plastic	Composite ¹	Other ²	Total Miles
Transmission										
Onshore	0	10.345	0	0	0	0	0	0	0	10.345
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Transmission	0	10.345	0	0	0	0	0	0	0	10.345
Gathering										
Onshore Type A	0	0	0	0	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0	0	0	0	0
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Gathering	0	0	0	0	0	0	0	0	0	0
Total Miles	0	10.345	0	0	0	0	0	0	0	10.345

¹Use of Composite pipe requires PHMSA Special Permit or waiver from a State ²specify Other material(s):

	(a)(1) Total	(a)(1) Incomplete Records	(a)(2) Total	(a)(2) Incomplete Records	(a)(3) Total	(a)(3) Incomplete Records	(a)(4) Total	(a)(4) Incomplete Records	(c) Total	(c) Incomplete Records	(d) Total	(d) Incomplete Records	Other ¹ Total	Other Incomplete Records
Class 1 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 1 (not in HCA)	0		0		0		10.34 5		0		0		0	
Class 2 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 2 (not in HCA)	0		0		0		0		0		0		0	
Class 3 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 3 (not in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 4 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 4 (not in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	
Total	0	0	0	0	0	0	10.34 5	0	0	0	0	0	0	0
Grand Total								10.345						
Sum of Total row for all "Incomplete Records" columns								0						

¹Specify Other method(s):

Class 1 (in HCA)	Class 1 (not in HCA)	
Class 2 (in HCA)	Class 2 (not in HCA)	
Class 3 (in HCA)	Class 3 (not in HCA)	
Class 4 (in HCA)	Class 4 (not in HCA)	

Part R – Gas Transm	nission Miles b	y Pressure Test	(PT) Range an	d Internal Inspection			
	PT ≥ 1.	25 MAOP	1.25 MAO	P > PT ≥ 1.1 MAOP	PT < 1.1 or No PT		
Location	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	
Class 1 in HCA	0	0	0	0	0	0	
Class 2 in HCA	0	0	0	0	0	0	
Class 3 in HCA	0	0	0	0	0	0	
Class 4 in HCA	0	0	0	0	0	0	
in HCA subTotal	0	0	0	0	0	0	
Class 1 not in HCA	0	10.345	0	0	0	0	
Class 2 not in HCA	0	0	0	0	0	0	
Class 3 not in HCA	0	0	0	0	0	0	
Class 4 not in HCA	0	0	0	0	0	0	
not in HCA subTotal	0	10.345	0	0	0	0	
Total	0	10.345	0	0	0	0	
PT ≥ 1.25 MAOP Total		10.345	Total Miles Internal Inspection ABLE		0		
1.25 MAOP > PT ≥ 1.1 MAOP Total			0	Total Miles Internal Inspection NOT ABLE 10.			
PT < 1.1 or No PT Total			0		Grand Total	10.345	
		Grand Total	10.345				

For the designated Commodity Group, complete PART N one time for all of the pipelines and/or pipeline facilities included within this OPID, and then also PART O if any gas transmission pipeline facilities included within this OPID have Part L HCA mile value greater than zero.

PART N - PREPARER SIGNATURE	
Sarah Silcox	(801)209-9657 Telephone Number
Preparer's Name(type or print)	
Engineer 1	
Preparer's Title	
Sarah.R.Silcox@dominionenergy.com	
Preparer's E-mail Address	-
PART O - CERTIFYING SIGNATURE (applicable only to PARTs B, F, G, and M1)	
	(801)324-5480 Telephone Number
Craig Wagstaff	
Senior Executive Officer's name certifying the information in PARTs B, F, G, and M as required by 49 U.S.C. 60109(f)	•
Senior VP & General Manager Western Distribution	

Senior Executive Officer's title certifying the information in PARTs B, F, G, and M as required by

49 U.S.C. 60109(f)

craig.wagstaff@dominionenergy.com
Senior Executive Officer's E-mail Address