FEDERAL ENERGY REGULATORY COMMISSION WASHINGTON, DC

OMB Control # 1902-0075 Expiration 11/30/2022

Form 556 Certification of Qualifying Facility (QF) Status for a Small Power Production or Cogeneration Facility.

General

2022 SEP 27 P 1: 09

Questions about completing this form should be sent to Form556@ferc.gov. Information about the Commission's QF program, answers to frequently asked questions about QF requirements or completing this form, and contact information for QF program staff are available at the Commission's QF website, www.ferc.gov/QF. The Commission's QF website also provides links to the Commission's QF regulations (18 C.F.R. § 131.80 and Part 292), as well as other statutes and orders pertaining to the Commission's QF program.

Title 18, U.S.C. 1001 makes it a crime for any person knowingly and willingly to make to any Agency or Department of the United States any false, fictitious or fraudulent statements as to any matter within its jurisdiction.

Who Must File

Certification:

Any applicant seeking QF status for a generating facility that has a net power production capacity (as determined in lines 7a through 7g below) greater than 1 MW must file a self-certification or an application for Commission certification of QF status, which includes a properly completed Form 556. Any applicant seeking QF status for a generating facility with a net power production capacity 1 MW or less is exempt from the certification requirement and is therefore not required to complete or file a Form 556. See 18 C.F.R. § 292.203. This includes any applicant seeking small power production QF status for a generating facility that, together with any affiliated small power production QFs that use the same energy resource and are within one mile of the filing facility, has a net power production capacity 1 MW or less.

Recertification:

A QF must file a recertification whenever the qualifying facility "fails to conform with any material facts or representations presented ... in its submittals to the Commission." 18 C.F.R. § 292.207(f).

Among other possible changes in material facts that would necessitate recertification, a small power production QF is required to recertify to update item 8a due to a change at an affiliated facility(ies) one mile or less from its electrical generating equipment. A small power production QF is *not* required to recertify due to a change at an affiliated facility(ies) listed in item 8a that is more than one mile but less than 10 miles away from its electrical generating equipment, unless that change also impacts any other entries on the Form 556.

How to Complete the Form 556

This form is intended to be completed by responding to the items in the order they are presented, according to the instructions given. If you need to back-track, you may need to clear certain responses before you will be allowed to change other responses made previously in the form. If you experience problems, click on the nearest help button () for assistance, or contact Commission staff at Form556@ferc.gov.

Certain lines in this form will be automatically calculated based on responses to previous lines, with the relevant formulas shown. You must respond to all of the previous lines within a section before the results of an automatically calculated field will be displayed. If you disagree with the results of any automatic calculation on this form, contact Commission staff at Form556@ferc.gov to discuss the discrepancy before filing.

You must complete all lines in this form unless instructed otherwise. Do not alter this form or save this form in a different format. Incomplete or altered forms, or forms saved in formats other than PDF, will be rejected.

FERC Form 556 Page 2 - Instructions

How to File a Completed Form 556

Applicants are required to file their Form 556 electronically through the Commission's eFiling website (see instructions on page 3). By filing electronically, you will reduce your filing burden, save paper resources, save postage or courier charges, help keep Commission expenses to a minimum, and receive a much faster confirmation (via an email containing the docket number assigned to your facility) that the Commission has received your filing.

If you are simultaneously filing both a waiver request and a Form 556 as part of an application for Commission certification, see the "Waiver Requests" section on page 4 for more information on how to file.

Paperwork Reduction Act Notice

This form is approved by the Office of Management and Budget. Compliance with the information requirements established by the FERC Form 556 is required to obtain or maintain status as a QF. See 18 C.F.R. § 131.80 and Part 292. An agency may not penalize a person for not complying with a collection of information unless it displays a currently valid OMB control number.

The estimated total burden for completing the FERC Form 556, including gathering and reporting information, is as follows: 1.5 hours for self-certifications of facilities of 1 MW or less; 1.5 hours for self-certifications of a cogeneration facility over 1 MW; 50 hours for applications for Commission certification of a cogeneration facility; 3.5 hours for self-certifications of small power producers over 1 MW and less than a mile or more than 10 miles from affiliated small power production QFs that use the same energy resource; 56 hours for an application for Commission certification of a small power production facility over 1 MW and less than a mile or more than 10 miles from affiliated small power production QFs that use the same energy resource; 9.5 hours for self-certifications of small power producers over 1 MW with affiliated small power production QFs more than one but less than 10 miles that use the same energy resource; 62 hours for an application for Commission certification of a small power production facility over 1 MW with affiliated small power production QFs more than one but less than 10 miles that use the same energy resource.

Send comments regarding this burden estimate or any aspect of this collection of information, including suggestions for reducing this burden, to the following: Information Clearance Officer, Office of the Executive Director (ED-32), Federal Energy Regulatory Commission, 888 First Street N.E., Washington, DC 20426 (<u>DataClearance@ferc.gov</u>); and Desk Officer for FERC, Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503 through www.reginfo.gov/public/do/PRAMain. Include FERC-556 and the Control No. 1902-0075 in any correspondence.

Filing Fee

No filing fee is required if you are submitting a self-certification or self-recertification of your facility as a QF pursuant to 18 C.F.R. § 292.207(a).

A filing fee is required if you are filing either of the following:

- (1) an application for Commission certification or recertification of your facility as a QF pursuant to 18 C.F.R. § 292.207(b), or (2) a petition for declaratory order granting waiver pursuant to 18 C.F.R. §§ 292.204(a)(3) and/or 292.205(c).
- The current fees for applications for Commission certifications and petitions for declaratory order can be found by visiting the

Commission's QF website at www.ferc.gov/QF and clicking the Filing Fees link.

You will be prompted to submit your filing fee, if applicable, during the electronic filing process described on page 3.

Electronic Filing (eFiling)

To electronically file your Form 556, visit the Commission's QF website at www.ferc.gov/QF and click the eFiling link.

If you are eFiling your first document, you will need to register with your name, email address, mailing address, and phone number. If you are registering on behalf of an employer, then you will also need to provide the employer name, alternate contact name, alternate contact phone number and and alternate contact email.

Once you are registered, log in to eFiling with your registered email address and the password that you created at registration. Follow the instructions. When prompted, select one of the following QF-related filing types, as appropriate, from the Electric or General filing category.

Filing category	Filing Type as listed in eFiling	Description
	(Fee) Application for Commission Cert. as Cogeneration QF	Use to submit an application for Commission certification or Commission recertification of a cogeneration facility as a QF.
	(Fee) Application for Commission Cert. as Small Power QF	Use to submit an application for Commission certification or Commission recertification of a small power production facility as a QF.
	Self-Certification Notice (QF, EG, FC)	Use to submit a notice of self- certification of your facility (cogeneration or small power production) as a QF.
Electric	Self-Recertification of Qualifying Facility (QF)	Use to submit a notice of self- recertification of your facility (cogeneration or small power production) as a QF.
	Self-Recertification of Qualifying Facility (QF) (Supplement or Correction)	Use to correct or supplement a Form 556 that was submitted with errors or omissions, or for which Commission staff has requested additional information. Do not use this filing type to report new changes to a facility or its ownership; rather, use a self- recertification or Commission recertification to report such changes.
General	(Fee) Petition for Declaratory Order (not under FPA Part 1)	Use to submit a petition for declaratory order granting a waiver of Commission QF regulations pursuant to 18 C.F.R. §§ 292.204(a) (3) and/or 292.205(c). A Form 556 is not required for a petition for declaratory order unless Commission recertification is being requested as part of the petition.

You will be prompted to submit your filing fee, if applicable, during the electronic submission process. Filing fees can be paid by check or money order via ACH Credit transfer, wire payment, courier, or mail.

During the eFiling process, you will be prompted to select your file(s) for upload from your computer.

FERC Form 556 Page 4 - Instructions

Required Notice to Utilities and State Regulatory Authorities

Pursuant to 18 C.F.R. § 292.207(a)(ii), you must provide a copy of your self-certification or request for Commission certification to the utilities with which the facility will interconnect and/or transact, as well as to the State regulatory authorities of the states in which your facility and those utilities reside. Links to information about the regulatory authorities in various states can be found by visiting the Commission's QF website at www.ferc.gov/QF and clicking the Notice Requirements link.

What to Expect From the Commission After You File

An applicant filing a Form 556 electronically will receive an email message acknowledging receipt of the filing and showing the docket number assigned to the filing. Such email is typically sent within one business day, but may be delayed pending confirmation by the Secretary of the Commission of the contents of the filing.

An applicant submitting a self-certification of QF status should expect to receive no documents from the Commission, other than the electronic acknowledgement of receipt described above. Consistent with its name, a self-certification is a certification by the applicant itself that the facility meets the relevant requirements for QF status, and does not involve a determination by the Commission as to the status of the facility. An acknowledgement of receipt of a self-certification, in particular, does not represent a determination by the Commission with regard to the QF status of the facility. An applicant self-certifying may, however, receive a rejection, revocation or deficiency letter if its application is found, during periodic compliance reviews, not to comply with the relevant requirements.

An applicant submitting a request for Commission certification will receive an order either granting or denying certification of QF status, or a letter requesting additional information or rejecting the application. Pursuant to 18 C.F.R. § 292.207(b)(3), the Commission must act on an application for Commission certification within 90 days of the later of the filing date of the application or the filing date of a supplement, amendment or other change to the application.

Protests to the Filing

Pursuant to 18 C.F.R. § 292.207, an interested party has 30 days from the date of the filing of a self-certification or self-recertification to intervene or file a protest. Protests may be made to an initial certification (both self-certification and application for Commission certification) filed on or after December 31, 2020, but only to a recertification (both self-recertification and application for Commission recertification) that makes substantive changes to the existing certification and that is filed on or after December 31, 2020, as described in Order No. 872 (accessible from the Commission's QF website at www.ferc.gov/QF). Substantive changes that may be subject to a protest may include, for example, a change in electrical generating equipment that increases power production capacity by the greater of 1 MW or 5% of the previously certified capacity of the QF, or a change in ownership in which an owner increases its equity interest by at least 10% from the equity interest previously reported. The protestor must concurrently serve a copy of such filing pursuant to 18 C.F.R. § 385.2011. Any response to a protest must be filed on or before 30 days from the date of filing of that protest.

Waiver Requests

18 C.F.R. § 292.204(a)(3) allows an applicant to request a waiver to modify the method of calculation pursuant to 18 C.F.R. § 292.204(a)(2) to determine if two facilities are considered to be located at the same site, for good cause. 18 C.F.R. § 292.205(c) allows an applicant to request waiver of the requirements of 18 C.F.R. §§ 292.205(a) and (b) for operating and efficiency upon a showing that the facility will produce significant energy savings. A request for waiver of these requirements must be submitted as a petition for declaratory order, with the appropriate filing fee for a petition for declaratory order. Applicants requesting Commission recertification as part of a request for waiver of one of these requirements should electronically submit their completed Form 556 along with their petition for declaratory order, rather than filing their Form 556 as a separate request for Commission recertification. Only the filing fee for the petition for declaratory order must be paid to cover both the waiver request and the request for recertification if such requests are made simultaneously.

18 C.F.R. § 292.203(d)(2) allows an applicant to request a waiver of the Form 556 filing requirements, for good cause. Applicants filing a petition for declaratory order requesting a waiver under 18 C.F.R. § 292.203(d)(2) do not need to complete or submit a Form 556 with their petition.

FERC Form 556 Page 5 - Instructions

Geographic Coordinates

Items 3c and 8a of the Form 556 require you to report your facility's (and certain neighboring facilities') geographic coordinates (latitude and longitude). Geographic coordinates may be obtained from several different sources. You can find links to online services that show latitude and longitude coordinates on online maps by visiting the Commission's QF webpage at www.ferc.gov/QF. You may also be able to obtain your geographic coordinates from a GPS device, Google Earth (available free at http://earth.google.com), a property survey, various engineering or construction drawings, a property deed, or a municipal or county map showing property lines.

Filing Privileged Data or Critical Energy Infrastructure Information in a Form 556

The Commission's regulations provide procedures for applicants to either (1) request that any information submitted with a Form 556 be given privileged treatment because the information is exempt from the mandatory public disclosure requirements of the Freedom of Information Act, 5 U.S.C. § 552, and should be withheld from public disclosure; or (2) identify any documents containing critical energy infrastructure information (CEII) as defined in 18 C.F.R. § 388.113 that should not be made public.

If you are seeking privileged treatment or CEII status for any data in your Form 556, then you must follow the procedures in 18 C.F.R. § 388.112. See www.ferc.gov/help/filing-guide/file-ceii.asp for more information.

Among other things (see 18 C.F.R. § 388.112 for other requirements), applicants seeking privileged treatment or CEII status for data submitted in a Form 556 must prepare and file both (1) a complete version of the Form 556 (containing the privileged and/or CEII data), and (2) a public version of the Form 556 (with the privileged and/or CEII data redacted). Applicants preparing and filing these different versions of their Form 556 must indicate below the security designation of this version of their document. If you are *not* seeking privileged treatment or CEII status for any of your Form 556 data, then you should not respond to any of the items on this page.

Non-Public: Applicant is seeking privileged treatment and/or CEII status for data contained in the Form 556 lines indicated below. This non-public version of the applicant's Form 556 contains all data, including the data that is redacted in the (separate) public version of the applicant's Form 556.
Public (redacted): Applicant is seeking privileged treatment and/or CEII status for data contained in the Form 556 lines indicated below. This public version of the applicants's Form 556 contains all data except for data from the lines indicated below, which has been redacted.
Privileged: Indicate below which lines of your form contain data for which you are seeking privileged treatment
Critical Energy Infrastructure Information (CEII): Indicate below which lines of your form contain data for which you are seeking CEII status

The eFiling process described on page 3 will allow you to identify which versions of the electronic documents you submit are public, privileged and/or CEII. The filenames for such documents should begin with "Public", "Priv", or "CEII", as applicable, to clearly indicate the security designation of the file. Both versions of the Form 556 should be unaltered PDF copies of the Form 556, as available for download from www.ferc.gov/QF. To redact data from the public copy of the submittal, simply omit the relevant data from the Form. For numerical fields, leave the redacted fields blank. For text fields, complete as much of the field as possible, and replace the redacted portions of the field with the word "REDACTED" in brackets. Be sure to identify above all fields which contain data for which you are seeking non-public status.

The Commission is not responsible for detecting or correcting filer errors, including those errors related to security designation. If your documents contain sensitive information, make sure they are filed using the proper security designation.

FEDERAL ENERGY REGULATORY COMMISSION WASHINGTON, DC

OMB Control # 1902-0075 Expiration 11/30/2022

Form 556 Certification of Qualifying Facility (QF) Status for a Small Power Production or Cogeneration Facility

1b Applicant street address 300 Carnegie Center, Suite 600					
1c City		1d State/province			
Princeton		NJ	·		
1e Postal code 08540	1f Country (if not United States)		1g Telephone number 609-608-1525		
1h Has the instant fa	cility ever previously been certified as	a QF? Yes 🔀	No 🗍		
1i If yes, provide the	docket number of the last known QF	filing pertaining to t	his facility: Q F14 - 789 - 008		
1j Under which cert	fication process is the applicant makir	ng this filing?			
Notice of self-control (see note below		_	ommission certification (requires filing e" section on page 2)		
QF status. A not notice of self-cer		cant itself that its facilish a proceeding, an	cility complies with the requirements for ad the Commission does not review a		
1k What type(s) of QF status is the applicant seeking for its facility? (check all that apply)					
		•	eration facility status		
11 What is the purpo	se and expected effective date(s) of th	is filing?			
Original certific	ation; facility expected to be installed	by a	nd to begin operation on		
Change(s) to a	previously certified facility to be effect				
(identify type(s) of change(s) below, and describe cha	ange(s) in the Miscel	llaneous section starting on page 24)		
☐ Name change	ge and/or other administrative change	;)			
	wnership				
☐ Change(s) affecting plant equipment, fuel use, power production capacity and/or cogeneration thermal output					
Supplement or	correction to a previous filing submitt				
(describe the su	pplement or correction in the Miscell	aneous section start	ing on page 24)		
1m If any of the follo to the extent pos	wing three statements is true, check the sible, explaining any special circumsta	he box(es) that desc nces in the Miscellar	ribe your situation and complete the for neous section starting on page 24.		
The instant fa previously gra		QF requirements by lated	virtue of a waiver of certain regulations (specify any other relevant waiver		
The instant far concurrently to	cility would comply with the Commiss with this application is granted	ion's QF requiremer	nts if a petition for waiver submitted		
The instant fac	cility complies with the Commission's of unique or innovative technologies r	regulations, but has not contemplated by	special circumstances, such as the		

	2a Name of contact person			2b Telephone number	1			
	Gretchen Schott			346-293-7088				
	2c Which of the following describes	the contact person's relation:	ship to the app	olicant? (check one)	1			
_	Applicant (self) Employee, owner or partner of applicant authorized to represent the applicant							
<u>.</u>	Employee of a company affiliated with the applicant authorized to represent the applicant on this matter							
Jat	Lawyer, consultant, or other representative authorized to represent the applicant on this matter							
l Z	2d Company or organization name (if applicant is an individual, check here and skip to line 2e)							
nf	Clearway Energy Group LLC				U.			
Contact Information	2e Street address (if same as Applica	ant, check here and skip to lin	e 3a)					
)ta	1200 Smith Street, Suite	600			U			
رة								
	2f City	2:	g State/provir	nce	1			
	Houston		TX					
	2h Postal code	2i Country (if not United Sta	tes)		1			
	77002							
	3a Facility name				1			
<u>.</u> 6	Escalante Solar I Plant							
Sat	3b Street address (if a street address	does not exist for the facility	, check here an	nd skip to line 3c)				
Ž	7100 North 1400 West				U			
y Identification and Location	3c Geographic coordinates: Specify the latitude and longitude coordinates of the facility in degrees (to three decimal places). Use the following formula to convert to decimal degrees from degrees, minutes and seconds: decimal degrees = degrees + (minutes/60) + (seconds/3600). See the "Geographic Coordinates" section on page 5 for help. Latitude							
힏	3d City (if unincorporated, check her	re and enter nearest city)	3e State/pro	ovince	1			
Facility	Milford	,	Utah					
aci	3f County (or check here for indeper	ndent city) 3g C	ountry (if not l	United States)	63			
ш.	Beaver		•		U			
	Identify the electric utilities that are co	ontemplated to transact with	the facility.		1			
es	4a Identify utility interconnecting with the facility							
薑	PacifiCorp							
5	4b Identify utilities providing wheeli	ng service or check here if no	ne 🛛		6			
<u>p</u>					•			
Ē	4c Identify utilities purchasing the us	eful electric power output or	check here if r	none	0			
ısa	PacifiCorp				9			
Transacting Utilities	4d Identify utilities providing supple	mentary power, backup pow	er, maintenanc	e power, and/or interruptible power	0			
	service or check here if none Rocky Mountain Power				•			
6	ROCKY Mountain Power							

Full legal names of direct owners 1) Escalante Solar I, LLC 2)	Electric utiliti holding company Yes ⊠ No Yes □ No	% equity interest
2)	_	100%
2)	Yes No	· 🗀 ·
		8
A)	Yes No	8
4)	Yes 🔲 No	· 🗌 %
5)	Yes No	· 🗌 %
6)	Yes 🔲 No	₽ %
7)	Yes 🔲 No	<u> </u>
8)	Yes 🔲 No	
9)	Yes 🔲 No	· %
10)	Yes 🔲 No	ક ક
equity interest in the facility held by such owners. (Note that, because upstream owners another, total percent equity interest reported may exceed 100 percent.) Check here if no such upstream owners exist.	ers may be sub	% equity interest 100% % equity interest % % % % % % % % % % % % % % % % % % %
10)		
Check here and continue in the Miscellaneous section starting on page 24 if addition	onal space is r	eeded
	8) 9) 10) Check here and continue in the Miscellaneous section starting on page 24 if addit sib Upstream (i.e., indirect) ownership as of effective date or operation date: Identify all up of the facility that both (1) hold at least 10 percent equity interest in the facility, and (2) defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding compa 1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also prequity interest in the facility held by such owners. (Note that, because upstream owner another, total percent equity interest reported may exceed 100 percent.) Check here if no such upstream owners exist. Full legal names of electric utility or holding company upstream owners. 1) Four Brothers Solar, LLC 2) 3) 4) 5) 6) 7) 8) 9)	8 Yes No 9 Yes No 10 Yes

	6a Describe the primary energy	input: (check one m	nain category and, if applicable, o	one subcategory)		
	Biomass (specify)		Renewable resources (specify)	Geothermal		
	☐ Landfill gas		☐ Hydro power - river	Fossil fuel (specify)		
	☐ Manure digester ga	25	☐ Hydro power - tidal	☐ Coal (not waste)		
	☐ Municipal solid wa	ste	☐ Hydro power - wave	☐ Fuel oil/diesel		
	☐ Sewage digester g	as	⊠ Solar - photovoltaic	Natural gas (not waste)		
	☐ Wood		Solar - thermal	Other fossil fuel		
	☐ Other biomass (de	scribe on page 24)	☐ Wind	(describe on page 24)		
	Waste (specify type below	w in line 6b)	Other renewable resource (describe on page 24)	Other (describe on page 24)		
	6b If you specified "waste" as th	e primary energy in	put in line 6a, indicate the type o	of waste fuel used: (check one)		
	☐ Waste fuel listed in 18 0	C.F.R. § 292.202(b) (s	pecify one of the following)			
	☐ Anthracite culm	produced prior to Ju	ıly 23, 1985			
	Anthracite refuse ash content of 45		e heat content of 6,000 Btu or les	s per pound and has an average		
		refuse that has an avent of 25 percent or	verage heat content of 9,500 Btu more	per pound or less and has an		
nput	determined to be (BLM) or that is lo	waste by the Unite cated on non-Fede		rior's Bureau of Land Management of BLM's jurisdiction, provided that		
Energy Input	☐ BLM or that is loc	ated on non-Feder		en determined to be waste by the BLM's jurisdiction, provided that BLM to be waste		
ш		l in association with a mining operation		and lignite that becomes exposed		
	☐ Gaseous fuels (ex	cept natural gas an	d synthetic gas from coal) (descr	ibe on page 24)		
	☐ C.F.R. § 2.400 for		lls (describe on page 24 how the nclude with your filing any mate	gas meets the requirements of 18 rials necessary to demonstrate		
	☐ Materials that a g	overnment agency	has certified for disposal by com	bustion (describe on page 24)		
	☐ Heat from exother	ermic reactions (des	cribe on page 24)	Residual heat (describe on page 24)		
	☐ Used rubber tires	Plastic r	naterials	ff-gas 🔲 Petroleum coke		
	Other waste energy input that has little or no commercial value and exists in the absence of the qualifying facility industry (describe in the Miscellaneous section starting on page 24; include a discussion of the fuel's lack of commercial value and existence in the absence of the qualifying facility industry)					
	energy inputs, and provide t	he related percenta		f Btu/h for the following fossil fuel nergy input to the facility (18 C.F.R. § 92.202(m)).		
		Ä	nnual average energy	Percentage of total		
	Fuel		nput for specified fuel	annual energy input		
	Natural gas		0 Btu/h	0 %		
	Oil-based fuels		0 Btu/h	0 %		
	Coal		0 Btu/h	0 %		

Indicate the maximum gross and maximum net electric power production capacity of the facility at the point(s) of delivery by completing the worksheet below. Respond to all items. If any of the parasitic loads and/or losses identified in lines 7b through 7e are negligible, enter zero for those lines. 7a The maximum gross power production capacity at the terminals of the individual generator(s) under the most favorable anticipated design conditions 80,000 kW 7b Parasitic station power used at the facility to run equipment which is necessary and integral to

the power production process (boiler feed pumps, fans/blowers, office or maintenance buildings directly related to the operation of the power generating facility, etc.). If this facility includes nonpower production processes (for instance, power consumed by a cogeneration facility's thermal host), do not include any power consumed by the non-power production activities in your reported parasitic station power. 152 kW **7c** Electrical losses in interconnection transformers 484 kW 7d Electrical losses in AC/DC conversion equipment, if any 136 kW 7e Other interconnection losses in power lines or facilities (other than transformers and AC/DC conversion equipment) between the terminals of the generator(s) and the point of interconnection

with the utility 420 kW

7f Total deductions from gross power production capacity = 7b + 7c + 7d + 7e

1,192.0 kW

7g Maximum net power production capacity = 7a - 7f

78,808.0 kW

7h Description of facility and primary components: Describe the facility and its operation. Identify all boilers, heat recovery steam generators, prime movers (any mechanical equipment driving an electric generator), electrical generators, photovoltaic solar equipment, fuel cell equipment and/or other primary power generation equipment used in the facility. Descriptions of components should include (as applicable) specifications of the nominal capacities for mechanical output, electrical output, or steam generation of the identified equipment. For each piece of equipment identified, clearly indicate how many pieces of that type of equipment are included in the plant, and which components are normally operating or normally in standby mode. Provide a description of how the components operate as a system. Applicants for cogeneration facilities do not need to describe operations of systems that are clearly depicted on and easily understandable from a cogeneration facility's attached mass and heat balance diagram; however, such applicants should provide any necessary description needed to understand the sequential operation of the facility depicted in their mass and heat balance diagram. If additional space is needed, continue in the Miscellaneous section starting on page 24.

The Escalante Solar I Plant is located on an approximately 700 acre site near the Town of Milford, Beaver County, Utah. The facility has a design output of 80.0 The system consists of 338,352 solar photovoltaic (PV) panels manufactured by Trina, with a nominal DC rating of 310 watts per panel and an aggregate nameplate capacity of approximately 106 MWdc/80 MWac. The panels are erected on a single-axis tracker system, including controls and forty eight, 1,667 kWac inverters that will convert the output from direct current (DC) to alternating The panels are configured in 19 module strings. The output from each inverter is wired to a step-up transformer. There are forty eight (48) padmounted 418V/34.5kV step-up transformers, the output of which is collected in a 34.5kV collection system. The output is moved into a 34.5/345 kV transformer, and then to a shared 345 kV radial transmission line/bus less than 500 feet in length from a shared collector substation to a line disconnect switch in PacifiCorp's substation, which connects to PacifiCorp's transmission system. shared 345 kV radial transmission line, bus and collector substation are shared by three generation facilities (Escalante Solar I Plant, Escalante Solar II Plant, and Escalante Solar III Plant), each respectively owned by Escalante Solar I, LLC, Escalante Solar II, LLC and Escalante Solar III, LLC.



Information Required for Small Power Production Facility

If you indicated in line 1k that you are seeking qualifying small power production facility status for your facility, then you must respond to the items on this page. Otherwise, skip pages 11 through 15.

Pursuant to 18 C.F.R. § 292.204(a), the power production capacity of any small power production facility, together with the power production capacity of any other small power production facilities that use the same energy resource, are owned by the same person(s) or its affiliates, and are located at the same site, may not exceed 80 megawatts. To demonstrate compliance with this size limitation, or to demonstrate that your facility is exempt from this size limitation under the Solar, Wind, Waste, and Geothermal Power Production Incentives Act of 1990 (Pub. L. 101-575, 104 Stat. 2834 (1990) as amended by Pub. L. 102-46, 105 Stat. 249 (1991)), respond to lines 8a through 8f below (as applicable).

Electric Generating Equipment

Electrical generating equipment will refer to all boilers, heat recovery steam generators, prime movers (any mechanical equipment driving an electric generator), electrical generators, photovoltaic solar panels, inverters, fuel cell equipment and/or other primary power generation equipment used in the facility, excluding equipment for gathering energy to be used in the facility. Each wind turbine on a wind farm and each solar panel in a solar facility is considered electrical generating equipment because each wind turbine and each solar panel is independently capable of producing electric energy.

Distance

The distance between two facilities is to be measured from the edge of the closest electrical generating equipment for which qualification or recertification is sought to the edge of the nearest electrical generating equipment of the other affiliated small power production qualifying facility using the same energy resource. An affiliated small power production QF located one mile or less from the instant facility is irrebuttably presumed to be at the same site. An affiliated small power production QF located more than one mile and less than 10 miles from the instant facility is rebuttably presumed to be at a separate site. An affiliated small power production QF located 10 miles or more from the instant facility is irrebuttably presumed to be located at a separate site.

8a Identify affiliated small power production QFs located less than 10 miles from the electrical generating equipment of the instant facility that use the same energy resource and are held (with at least a 5 percent equity interest) by any of the entities identified in lines 5a or 5b or their affiliates. Specify the latitude and longitude coordinates for both the applicant and the affiliate small power production QF based on the nearest electrical generating equipment for each facility. Report coordinates in degrees (to three decimal places) as a positive number for east and north or a negative number for west and south. Use the following formula to convert to decimal degrees from degrees, minutes and seconds: decimal degrees = degrees + (minutes/60) + (seconds/3600). See the "Geographic Coordinates" section on page 5 for help obtaining coordinates. The distances for each facility listed below will be automatically calculated from the reported coordinates. See www.ferc.gov/QF for more information on how this form calculates distance.

Check here if no such facilities exist.

	Facility locati		Root doo (if any		imum net power duction capacity	Common	owner(s)
	Milford, UT		QF14 -	793	79 , 178 kW	Four Brotl	hers
	Coordinates (in degree	es) and Distanc	e (miles):			Solar, LLO	C
1)	Closest electrical gene	rating equipm	ent for app	licant's facility	r.		
	Latitude 38.519	North (+)	Longitu	de 113.035	West (-)	8 	
	Closest electrical gene	rating equipm	ent for affil	iate's facility:		Dista	ance
	Latitude 38.504	North (+)	Longitu	de <u>113.034</u>	West (-)	1.04	miles



	8a (a Continued						
		Facility location (city or county, state)	Root docket # (if any)	Maximum net power production capacity	Common owner(s)			
		Milford, UT	QF 14 - 794	78,808 kW	Four Brothers			
		Coordinates (in degrees) and Distance	e (miles):		Solar, LLC			
	2)	Closest electrical generating equipme	ent for applicant's	facility:	,			
		Latitude 38.519 North (+)	Longitude 113					
				-1124				
ह		Closest electrical generating equipme	_		Distance			
Jue		Latitude 38.499 North (+)	Longitude 112	.990 West (-)	2.43 miles			
l iji		Facility location	Root docket #	Maximum net power				
၂႘		(city or county, state)	(if any)	production capacity	Common owner(s)			
ns (QF	kW				
ţ		Coordinates (in degrees) and Distanc	e (miles):		*			
ita	3)	Closest electrical generating equipm	ent for applicant's	facility:				
<u>.</u> <u>E</u>		Latitude Choose +/-	Longitude	Choose +/-				
zel		Closest electrical generating equipm	ent for affiliate's fa	cility:	Distance			
Si		Latitude Choose +/-	Longitude	Choose +/-	0 miles			
i . ₹					7,11100			
of Compliance with Size Limitations (continued)		Facility location	Root docket #	Maximum net power				
an		(city or county, state)	(if any) QF -	production capacity kW	Common owner(s)			
اق				XVV				
DO.		Coordinates (in degrees) and Distance						
) C	4)	Closest electrical generating equipm	- 10					
		Latitude Choose +/-	Longitude	Choose +/-	-			
atic		Closest electrical generating equipm	ent for affiliate's fa	cility:	Distance			
įį.		Latitude Choose +/-	Longitude	Choose +/-	0 miles			
Certification								
0		Facility location (city or county, state)	Root docket # (if any)	Maximum net power production capacity	Common owner(s)			
			QF	kW				
		Coordinates (in degrees) and Distance	e (miles):		S			
	5)	Closest electrical generating equipm	ent for applicant's	facility:	SS			
		Latitude Choose +/-		Choose +/-	3			
		Classet alastical assessment			S			
		Closest electrical generating equipm			Distance			
		Latitude Choose +/-	Longitude	Choose +/-	0 miles			

	Facility location Root docket # Maximum net power (city or county, state) (if any) production capacity QF - kW	Common owner(s)				
	Coordinates (in degrees) and Distance (miles):					
6)	Closest electrical generating equipment for applicant's facility:					
	Latitude Choose +/- Choose +/-					
	Closest electrical generating equipment for affiliate's facility:	Distance				
	Latitude Choose +/- Longitude Choose +/-	0 mile				
	Facility location Root docket # Maximum net power					
	(city or county, state) (if any) production capacity	Common owner(s)				
	QF kW	2				
	Coordinates (in degrees) and Distance (miles):					
7)	Closest electrical generating equipment for applicant's facility:	9				
	Latitude Choose +/- Longitude Choose +/-					
	Closest electrical generating equipment for affiliate's facility:	Distance				
	Latitude Choose +/- Longitude Choose +/-	0mile				
		0mile				
	Facility location Root docket # Maximum net power (city or county, state) (if any) production capacity	Common owner(s)				
	Facility location Root docket # Maximum net power					
	Facility location Root docket # Maximum net power (city or county, state) (if any) production capacity					
8)	Facility location Root docket # Maximum net power (city or county, state) (if any) production capacity QF - kW					
8)	Facility location (city or county, state) Root docket # Maximum net power production capacity QF - kW Coordinates (in degrees) and Distance (miles):					
8)	Facility location (city or county, state) Root docket # Maximum net power production capacity QF kW Coordinates (in degrees) and Distance (miles): Closest electrical generating equipment for applicant's facility: Latitude Choose +/- Longitude _ Choose +/-	Common owner(s)				
8)	Facility location (city or county, state) Root docket # Maximum net power production capacity QF kW Coordinates (in degrees) and Distance (miles): Closest electrical generating equipment for applicant's facility: Latitude Choose +/ Longitude Choose +/- Closest electrical generating equipment for affiliate's facility:	Common owner(s) Distance				
8)	Facility location (city or county, state) Root docket # Maximum net power production capacity QF kW Coordinates (in degrees) and Distance (miles): Closest electrical generating equipment for applicant's facility: Latitude Choose +/- Longitude _ Choose +/-	Common owner(s) Distance				
8)	Facility location (city or county, state) Root docket # Maximum net power production capacity QF - kW Coordinates (in degrees) and Distance (miles): Closest electrical generating equipment for applicant's facility: Latitude Choose +/- Longitude Choose +/- Closest electrical generating equipment for affiliate's facility: Latitude Choose +/- Longitude Choose +/- Facility location Root docket # Maximum net power	Distance mile				
8)	Facility location (city or county, state) Root docket # Maximum net power production capacity QF - kW Coordinates (in degrees) and Distance (miles): Closest electrical generating equipment for applicant's facility: Latitude Choose +/- Longitude Choose +/- Closest electrical generating equipment for affiliate's facility: Latitude Choose +/- Longitude Choose +/- Facility location Root docket # Maximum net power (city or county, state) (if any) production capacity	Common owner(s) Distance				
8)	Facility location (city or county, state) Root docket # Maximum net power production capacity QF kW Coordinates (in degrees) and Distance (miles): Closest electrical generating equipment for applicant's facility: Latitude Choose +/- Longitude _ Choose +/- Closest electrical generating equipment for affiliate's facility: Latitude _ Choose +/- Longitude _ Choose +/- Facility location	Distance mile				
	Facility location (if any) Production capacity QF - kW Coordinates (in degrees) and Distance (miles): Closest electrical generating equipment for applicant's facility: Latitude Choose +/- Longitude Choose +/- Closest electrical generating equipment for affiliate's facility: Latitude Choose +/- Longitude Choose +/- Facility location Root docket # Maximum net power (city or county, state) (if any) Production capacity QF - kW Coordinates (in degrees) and Distance (miles):	Distance mile				
8)	Facility location (if any) production capacity QF kW Coordinates (in degrees) and Distance (miles): Closest electrical generating equipment for applicant's facility: Latitude Choose +/- Longitude Choose +/- Closest electrical generating equipment for affiliate's facility: Latitude Choose +/- Longitude Choose +/- Facility location Root docket # Maximum net power (city or county, state) (if any) production capacity QF kW Coordinates (in degrees) and Distance (miles): Closest electrical generating equipment for applicant's facility:	Distance mile				
	Facility location (if any) Production capacity QF - kW Coordinates (in degrees) and Distance (miles): Closest electrical generating equipment for applicant's facility: Latitude Choose +/- Longitude Choose +/- Closest electrical generating equipment for affiliate's facility: Latitude Choose +/- Longitude Choose +/- Facility location Root docket # Maximum net power (city or county, state) (if any) Production capacity QF - kW Coordinates (in degrees) and Distance (miles):	Distance mile				
	Facility location (if any) production capacity QF kW Coordinates (in degrees) and Distance (miles): Closest electrical generating equipment for applicant's facility: Latitude Choose +/- Longitude Choose +/- Closest electrical generating equipment for affiliate's facility: Latitude Choose +/- Longitude Choose +/- Facility location Root docket # Maximum net power (city or county, state) (if any) production capacity QF kW Coordinates (in degrees) and Distance (miles): Closest electrical generating equipment for applicant's facility:	Distance mile				

		v location ounty, state)	Root docket # (if any) QF -	Maximum net power production capacity	Common owner(s)
	Coordinates (in	degrees) and Distar		KVV	
10)		_	ment for applicant's	facility:	:
	Latitude	Choose +/-		Choose +/-	9
	Closest electrica	l generating equip	ment for affiliate's f	acility:	Distance
	Latitude	Choose +/-	Longitude	Choose +/-	0 n
pow deg Use deg coo	the calculator be cance Calculator ver production Qf rees (to three dec the following for rees + (minutes/6 rdinates. The dist	Specify the latitude based on the near cimal places) as a pormula to convert to 60) + (seconds/3600 cances for each facility	e and longitude codes est electrical general sitive number for ed decimal degrees fro). See the "Geogra ity listed below will	starting on page 24 if add d on facility coordinates. ordinates for both the app ating equipment for each ast and north or a negative or degrees, minutes and so phic Coordinates" section be automatically calculates	licant and the affiliate sr facility. Report coordina re number for west and s seconds: decimal degree on page 5 for help obtai ed from the reported
pow deg Use deg coo	the calculator be cance Calculator ver production Qf rees (to three dec the following for rees + (minutes/6 rdinates. The dist	Specify the latitude based on the near cimal places) as a pormula to convert to 60) + (seconds/3600 cances for each facility	e and longitude codes est electrical general sitive number for ed decimal degrees fro). See the "Geogra ity listed below will	ordinates for both the app ating equipment for each ast and north or a negativ m degrees, minutes and s ohic Coordinates" section	licant and the affiliate sm facility. Report coordinate re number for west and st seconds: decimal degrees on page 5 for help obtained from the reported
pow deg Use deg coo coo	the calculator be cance Calculator ver production Qf rees (to three dec the following for rees + (minutes/6 rdinates. The dist rdinates. See ww	Specify the latitude based on the near cimal places) as a pomula to convert to so + (seconds/3600 ances for each facily w.ferc.gov/QF for	e and longitude codes est electrical general sitive number for ed decimal degrees fro). See the "Geogra ity listed below will	ordinates for both the app ordinates for both the app ating equipment for each ast and north or a negativ ordinates and so ohic Coordinates section be automatically calculate n how this form calculate	licant and the affiliate sm facility. Report coordinat re number for west and so seconds: decimal degrees on page 5 for help obtair ed from the reported
pow deg Use deg coo coo	the calculator be cance Calculator ver production Qf rees (to three dec the following for rees + (minutes/6 rdinates. The dist rdinates. See ww	Specify the latitude based on the near cimal places) as a pomula to convert to so + (seconds/3600 ances for each facily w.ferc.gov/QF for	e and longitude codest electrical general est electrical general sitive number for edecimal degrees from the commental degrees from the "Geographity listed below will more information of the commental of the co	ordinates for both the app ordinates for both the app ating equipment for each ast and north or a negativ ordinates and so ohic Coordinates section be automatically calculate n how this form calculate	licant and the affiliate sm facility. Report coordinat re number for west and so seconds: decimal degrees on page 5 for help obtair ed from the reported
pow deg Use deg coo coo	the calculator became Calculator per production Qf rees (to three decthe following for rees + (minutes/6 rdinates. The distributes. See www.closest electrical galacticude	Specify the latitude based on the near simal places) as a pormula to convert to so + (seconds/3600 ances for each facily w.ferc.gov/QF for generating equipm	e and longitude codest electrical general est electrical general sitive number for edecimal degrees from). See the "Geograpity listed below will more information of	ordinates for both the appating equipment for each ast and north or a negative m degrees, minutes and solic Coordinates" section be automatically calculate n how this form calculate acility (degrees): Choose +/-	licant and the affiliate sm facility. Report coordinat re number for west and so seconds: decimal degrees on page 5 for help obtair ed from the reported

Pursuant to 18 C.F.R. § 292.204(a)(2)(i)(C), if affiliated small power producer qualifying facilities are more than one mile but less than 10 miles apart there is a rebuttable presumption that they are at separate sites. The factors listed below are examples of the factors that the Commission may consider in deciding whether small power production facilities that are owned by the same person(s) or its affiliates are located "at the same site": (1) physical characteristics, including such common characteristics as: infrastructure, property ownership, property leases, control facilities, access and easements, interconnection agreements, interconnection facilities up to the point of interconnection to the distribution or transmission system, collector systems or facilities, points of interconnection, motive force or fuel source, off-take arrangements, connections to the electrical grid, evidence of shared control systems, common permitting and land leasing, and shared step-up transformers; and (2) ownership/other characteristics, including such characteristics as whether the facilities in question are: owned or controlled by the same person(s) or affiliated persons(s), operated and maintained by the same or affiliated entity(ies), selling to the same electric utility, using common debt or equity financing, constructed by the same entity within 12 months, managing a power sales agreement executed within 12 months of a similar and affiliated small power production qualifying facility (continued next page)...

	- J
	8b Continued
	(continued from previous page) in the same location, placed into service within 12 months of an affiliated small power production QF project's commercial operation date as specified in the power sales agreement, or sharing engineering or procurement contracts.
e.	
} 	
-	8c The Solar, Wind, Waste, and Geothermal Power Production Incentives Act of 1990 (Incentives Act) provides
) 	exemption from the size limitations in 18 C.F.R. § 292.204(a) for certain facilities that were certified prior to 1995. Are you seeking exemption from the size limitations in 18 C.F.R. § 292.204(a) by virtue of the Incentives Act?
l	☐ Yes (continue at line 8d below) ☐ No (skip lines 8d through 8f)
	8d Was the original notice of self-certification or application for Commission certification of the facility filed on or before December 31, 1994? Yes No
	8e Did construction of the facility commence on or before December 31, 1999? Yes No
	8f If you answered No in line 8e, indicate whether reasonable diligence was exercised toward the completion of the facility, taking into account all factors relevant to construction? Yes No
	If you answered Yes, provide a brief narrative explanation in the Miscellaneous section starting on page 24 of the construction timeline (in particular, describe why construction started so long after the facility was certified) and the diligence exercised toward completion of the facility.
with Fuel Use Requirements	Pursuant to 18 C.F.R. § 292.204(b), qualifying small power production facilities may use fossil fuels, in minimal amounts, for only the following purposes: ignition; start-up; testing; flame stabilization; control use; alleviation or prevention of unanticipated equipment outages; and alleviation or prevention of emergencies, directly affecting the public health, safety, or welfare, which would result from electric power outages. The amount of fossil fuels used for these purposes may not exceed 25 percent of the total energy input of the facility during the 12-month period beginning with the date the facility first produces electric energy or any calendar year thereafter.
3eo	9a Certification of compliance with 18 C.F.R. § 292.204(b) with respect to uses of fossil fuel:
Use	Applicant certifies that the facility will use fossil fuels <i>exclusively</i> for the purposes listed above.
<u>Je</u>	9b Certification of compliance with 18 C.F.R. § 292.204(b) with respect to amount of fossil fuel used annually:
th Fu	Applicant certifies that the amount of fossil fuel used at the facility will not, in aggregate, exceed 25 percent of the total energy input of the facility during the 12-month period beginning with the date the
`₹	facility first produces electric energy or any calendar year thereafter.

Information Required for Cogeneration Facility

If you indicated in line 1k that you are seeking qualifying cogeneration facility status for your facility, then you must respond to the items on pages 16 through 18. Otherwise, skip pages 16 through 18.

	energy (such as heat or s use of energy. Pursuant cycle cogeneration facilit thermal application or pi	22.202(c), a cogeneration facility produces electric energy and forms of useful thermal team) used for industrial, commercial, heating, or cooling purposes, through the sequential to 18 C.F.R. § 292.202(s), "sequential use" of energy means the following: (1) for a toppingty, the use of reject heat from a power production process in sufficient amounts in a rocess to conform to the requirements of the operating standard contained in 18 C.F.R. § attorning-cycle cogeneration facility, the use of at least some reject heat from a thermal r power production.	
		eneration technology does the facility represent? (check all that apply)	(
		cogeneration Bottoming-cycle cogeneration	
	other requirements balance diagram de meet certain requir	te the sequential operation of the cogeneration process, and to support compliance with such as the operating and efficiency standards, include with your filing a mass and heat epicting average annual operating conditions. This diagram must include certain items and ements, as described below. You must check next to the description of each requirement tyou have complied with these requirements.	
	Check to certify		
	compliance with indicated requirement	Requirement	
ration		Diagram must show orientation within system piping and/or ducts of all prime movers, heat recovery steam generators, boilers, electric generators, and condensers (as applicable), as well as any other primary equipment relevant to the cogeneration process.	
gener		Any average annual values required to be reported in lines 10b, 12a, 13a, 13b, 13d, 13f, 14a, 15b, 15d and/or 15f must be computed over the anticipated hours of operation.	
General Cogeneration Information		Diagram must specify all fuel inputs by fuel type and average annual rate in Btu/h. Fuel for supplementary firing should be specified separately and clearly labeled. All specifications of fuel inputs should use lower heating values.	
ene		Diagram must specify average gross electric output in kW or MW for each generator.	
Э		Diagram must specify average mechanical output (that is, any mechanical energy taken off of the shaft of the prime movers for purposes not directly related to electric power generation) in horsepower, if any. Typically, a cogeneration facility has no mechanical output.	
		At each point for which working fluid flow conditions are required to be specified (see below), such flow condition data must include mass flow rate (in lb/h or kg/s), temperature (in °F, R, °C or K), absolute pressure (in psia or kPa) and enthalpy (in Btu/lb or kJ/kg). Exception: For systems where the working fluid is <i>liquid only</i> (no vapor at any point in the cycle) and where the type of liquid and specific heat of that liquid are clearly indicated on the diagram or in the Miscellaneous section starting on page 24, only mass flow rate and temperature (not pressure and enthalpy) need be specified. For reference, specific heat at standard conditions for pure liquid water is approximately 1.002 Btu/(lb*R) or 4.195 kJ/(kg*K).	
		Diagram must specify working fluid flow conditions at input to and output from each steam turbine or other expansion turbine or back-pressure turbine.	
		Diagram must specify working fluid flow conditions at delivery to and return from each thermal application.	
		Diagram must specify working fluid flow conditions at make-up water inputs.	

	EPAct 2005 cogeneration facilities: The Energy Policy Act of 2005 (EPAct 2005) established a new section 210(n) of the Public Utility Regulatory Policies Act of 1978 (PURPA), 16 USC 824a-3(n), with additional requirements for any qualifying cogeneration facility that (1) is seeking to sell electric energy pursuant to section 210 of PURPA and (2) was either not a cogeneration facility on August 8, 2005, or had not filed a self-certification or application for Commission certification of QF status on or before February 1, 2006. These requirements were implemented by the Commission in 18 C.F.R. § 292.205(d). Complete the lines below, carefully following the instructions, to demonstrate whether these additional requirements apply to your cogeneration facility and, if so, whether your facility complies with such requirements.	
Act 2005 Requirements for Fundamental Use f Energy Output from Cogeneration Facilities	11a Was your facility operating as a qualifying cogeneration facility on or before August 8, 2005? Yes No	
	11b Was the initial filing seeking certification of your facility (whether a notice of self-certification or an application for Commission certification) filed on or before February 1, 2006? Yes No	į
	If the answer to either line 11a or 11b is Yes, then continue at line 11c below. Otherwise, if the answers to both lines 11a and 11b are No, skip to line 11e below.	
	11c With respect to the design and operation of the facility, have any changes been implemented on or after February 2, 2006 that affect general plant operation, affect use of thermal output, and/or increase net power production capacity from the plant's capacity on February 1, 2006?	İ
nel n F	Yes (continue at line 11d below)	
Fundar ieratio	No. Your facility is not subject to the requirements of 18 C.F.R. § 292.205(d) at this time. However, it may be subject to to these requirements in the future if changes are made to the facility. At such time, the applicant would need to recertify the facility to determine eligibility. Skip lines 11d through 11j.	
for l	11d Does the applicant contend that the changes identified in line 11c are not so significant as to make the facility a "new" cogeneration facility that would be subject to the 18 C.F.R. § 292.205(d) cogeneration requirements?	Ü
ements rom C	Yes. Provide in the Miscellaneous section starting on page 24 a description of any relevant changes made to the facility (including the purpose of the changes) and a discussion of why the facility should not be considered a "new" cogeneration facility in light of these changes. Skip lines 11e through 11j.	
Require	No. Applicant stipulates to the fact that it is a "new" cogeneration facility (for purposes of determining the applicability of the requirements of 18 C.F.R. § 292.205(d)) by virtue of modifications to the facility that were initiated on or after February 2, 2006. Continue below at line 11e.	
05 F y O	11e Will electric energy from the facility be sold pursuant to section 210 of PURPA?	i
t 20 nerg	Yes. The facility is an EPAct 2005 cogeneration facility. You must demonstrate compliance with 18 C.F.R. § 292.205(d)(2) by continuing at line 11f below.	
EPAc of Ei	No. Applicant certifies that energy will <i>not</i> be sold pursuant to section 210 of PURPA. Applicant also certifies its understanding that it must recertify its facility in order to determine compliance with the requirements of 18 C.F.R. § 292,205(d) <i>before</i> selling energy pursuant to section 210 of PURPA in the future. Skip lines 11f through 11j.	
	11f Is the net power production capacity of your cogeneration facility, as indicated in line 7g above, less than or equal to 5,000 kW?	į
	Yes, the net power production capacity is less than or equal to 5,000 kW. 18 C.F.R. § 292.205(d)(4) provides a rebuttable presumption that cogeneration facilities of 5,000 kW and smaller capacity comply with the requirements for fundamental use of the facility's energy output in 18 C.F.R. § 292.205(d)(2). Applicant certifies its understanding that, should the power production capacity of the facility increase above 5,000 kW, then the facility must be recertified to (among other things) demonstrate compliance with 18 C.F.R. § 292.205(d)(2). Skip lines 11g through 11j.	
	No, the net power production capacity is greater than 5,000 kW. Demonstrate compliance with the requirements for fundamental use of the facility's energy output in 18 C.F.R. § 292.205(d)(2) by continuing on the next page at line 11g.	

Lines 11g through 11k below guide the applicant through the process of demonstrating compliance with the requirements for "fundamental use" of the facility's energy output. 18 C.F.R. § 292.205(d)(2). Only respond to the lines on this page if the instructions on the previous page direct you to do so. Otherwise, skip this page.

18 C.F.R. § 292.205(d)(2) requires that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a qualifying facility to its host facility. If you were directed on the previous page to respond to the items on this page, then your facility is an EPAct 2005 cogeneration facility that is subject to this "fundamental use" requirement.

The Commission's regulations provide a two-pronged approach to demonstrating compliance with the requirements for fundamental use of the facility's energy output. First, the Commission has established in 18 C.F.R. § 292.205(d)(3) a "fundamental use test" that can be used to demonstrate compliance with 18 C.F.R. § 292.205(d)(2). Under the fundamental use test, a facility is considered to comply with 18 C.F.R. § 292.205(d)(2) if at least 50 percent of the facility's total annual energy output (including electrical, thermal, chemical and mechanical energy output) is used for industrial, commercial, residential or institutional purposes.

Second, an applicant for a facility that does not pass the fundamental use test may provide a narrative explanation of and support for its contention that the facility nonetheless meets the requirement that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a qualifying facility to its host facility.

Complete lines 11g through 11j below to determine compliance with the fundamental use test in 18 C.F.R. § 292.205(d)(3). Complete lines 11g through 11j even if you do not intend to rely upon the fundamental use test to demonstrate compliance with 18 C.F.R. § 292.205(d)(2).

11g Amount of electrical, thermal, chemical and mechanical energy output (net of internal generation plant losses and parasitic loads) expected to be used annually for industrial,	
commercial, residential or institutional purposes and not sold to an electric utility	MWh
11h Total amount of electrical, thermal, chemical and mechanical energy expected to be sold to an electric utility	MWh
11i Percentage of total annual energy output expected to be used for industrial, commercial, residential or institutional purposes and not sold to a utility	
= 100 * 11g /(11g + 11h)	0 %

11j Is the response in line 11i greater than or equal to 50 percent?

Yes. Your facility complies with 18 C.F.R. § 292.205(d)(2) by virtue of passing the fundamental use test provided in 18 C.F.R. § 292.205(d)(3). Applicant certifies its understanding that, if it is to rely upon passing the fundamental use test as a basis for complying with 18 C.F.R. § 292.205(d)(2), then the facility must comply with the fundamental use test both in the 12-month period beginning with the date the facility first produces electric energy, and in all subsequent calendar years.

No. Your facility does not pass the fundamental use test. Instead, you must provide in the Miscellaneous section starting on page 24 a narrative explanation of and support for why your facility meets the requirement that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a QF to its host facility. Applicants providing a narrative explanation of why their facility should be found to comply with 18 C.F.R. § 292.205(d)(2) in spite of non-compliance with the fundamental use test may want to review paragraphs 47 through 61 of Order No. 671 (accessible from the Commission's QF website at www.ferc.gov/QF), which provide discussion of the facts and circumstances that may support their explanation. Applicant should also note that the percentage reported above will establish the standard that that facility must comply with, both for the 12-month period beginning with the date the facility first produces electric energy, and in all subsequent calendar years. See Order No. 671 at paragraph 51. As such, the applicant should make sure that it reports appropriate values on lines 11g and 11h above to serve as the relevant annual standard, taking into account expected variations in production conditions.

Usefulness of Topping-Cycle Thermal Output

Information Required for Topping-Cycle Cogeneration Facility

If you indicated in line 10a that your facility represents topping-cycle cogeneration technology, then you must respond to the items on pages 19 and 20. Otherwise, skip pages 19 and 20.

The thermal energy output of a topping-cycle cogeneration facility is the net energy made available to an industrial or commercial process or used in a heating or cooling application. Pursuant to sections 292,202(c), (d) and (h) of the Commission's regulations (18 C.F.R. §§ 292.202(c), (d) and (h)), the thermal energy output of a qualifying toppingcycle cogeneration facility must be useful. In connection with this requirement, describe the thermal output of the topping-cycle cogeneration facility by responding to lines 12a and 12b below.

12a Identify and describe each thermal host, and specify the annual average rate of thermal output made available to each host for each use. For hosts with multiple uses of thermal output, provide the data for each use in separate rows. Average annual rate of

thermal output attributable to use (net of Thormal boet's relationship to facility heat contained in present

	Name of entity (thermal host) taking thermal output	Thermal host's relationship to facility; Thermal host's use of thermal output	heat contained in process return or make-up water)
1)		Select thermal host's relationship to facility	
.,		Select thermal host's use of thermal output	Btu/h
2)		Select thermal host's relationship to facility	
		Select thermal host's use of thermal output	Btu/h
3)		Select thermal host's relationship to facility	
<i>J</i> ,		Select thermal host's use of thermal output	Btu/h
4)		Select thermal host's relationship to facility	
"/		Select thermal host's use of thermal output	Btu/h
5)		Select thermal host's relationship to facility	
٥,		Select thermal host's use of thermal output	Btu/h
6)		Select thermal host's relationship to facility	
3,		Select thermal host's use of thermal output	Btu/h

Check here and continue in the Miscellaneous section starting on page 24 if additional space is needed

12b Demonstration of usefulness of thermal output: At a minimum, provide a brief description of each use of the thermal output identified above. In some cases, this brief description is sufficient to demonstrate usefulness. However, if your facility's use of thermal output is not common, and/or if the usefulness of such thermal output is not reasonably clear, then you must provide additional details as necessary to demonstrate usefulness. Your application may be rejected and/or additional information may be required if an insufficient showing of usefulness is made. (Exception: If you have previously received a Commission certification approving a specific use of thermal output related to the instant facility, then you need only provide a brief description of that use and a reference by date and docket number to the order certifying your facility with the indicated use. Such exemption may not be used if any change creates a material deviation from the previously authorized use.) If additional space is needed, continue in the Miscellaneous section starting on page 24.

equal to 42.5%:

Yes (complies with efficiency standard)

orm 556	Page 20 - Topping-	-Cycle Cogeneration Facilities
cycle operating standard and, if applicable regulations (18 C.F.R. § 292.205(a)(1)) esta the useful thermal energy output must be (18 C.F.R. § 292.205(a)(2)) establishes the einstallation commenced on or after March thermal energy output must (A) be no less facility; and (B) if the useful thermal energies be no less than 45 percent of the total energies.	ing-cycle technology must demonstrate come, efficiency standard. Section 292.205(a)(1) or blishes the operating standard for topping-cycle no less than 5 percent of the total energy out of the standard for topping-cycle cogener in 13, 1980: the useful power output of the facts than 42.5 percent of the total energy input of youtput is less than 15 percent of the total energy input of natural gas and oil to the facility ting and/or efficiency standards, or to demond on the date that installation commenced, respectively.	of the Commission's ycle cogeneration facilities: attput. Section 292.205(a)(2) ration facilities for which cility plus one-half the useful of natural gas and oil to the nergy output of the facility, and the demonstrate astrate that your facility is
If you indicated in line 10a that your facilit	ty represents both topping-cycle and bottom	ing-cycle cogeneration
technology, then respond to lines 13a thr	ough 13I below considering only the energy	inputs and outputs
	of your facility. Your mass and heat balance	
which mass and energy flow values and stogeneration system.	ystem components are for which portion (top	iping or bottoming) of the
	seful thermal energy output made available	
to the host(s), net of any heat contained in		Btu/h
13b Indicate the annual average rate of r	net electrical energy output	
		kW
13c Multiply line 13b by 3,412 to convert	from kW to Btu/h	. 5: 4
12d Indicate the appual average rate of s	nechanical energy output taken directly off	0 Btu/h
	s not directly related to power production	
(this value is usually zero)	,	hp
13e Multiply line 13d by 2,544 to conver	t from hp to Btu/h	
		0 Btu/h
13f Indicate the annual average rate of e	nergy input from natural gas and oil	- 11
no. To discount and a second	N#47- //47- + 47- + 47-\	Btu/h
13g Topping-cycle operating value = 100	J * 13a / (13a + 13C + 13e)	0 %
13h Topping-cycle efficiency value = 100	0 * (0 5*13a + 13c + 13e) / 13f	
Ton Topping cycle emidlency value = 10.	(0.5 1.52 1.155 1.155), 1.5.	0 %
13i Compliance with operating standard	: Is the operating value shown in line 13g gre	eater than or equal to 5%?
Yes (complies with operating sta	andard) No (does not comply wi	th operating standard)
13j Did installation of the facility in its cu	rrent form commence on or after March 13, 1	980?
Was Marin for all the stands to a share the	-ffi-i	E(a)(2) Demonstrate
compliance with the efficiency re	efficiency requirements of 18 C.F.R. § 292.20: quirement by responding to line 13k or 13l, a	s applicable, below.
No. Your facility is exempt from t	he efficiency standard. Skip lines 13k and 13l	
	l (for low operating value): If the operating value) if the operating value shown in line 13h greater	
Yes (complies with efficiency st	andard) No (does not comply w	ith efficiency standard)

131 Compliance with efficiency standard (for high operating value): If the operating value shown in line 13g is greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or

No (does not comply with efficiency standard)

Information Required for Bottoming-Cycle Cogeneration Facility

If you indicated in line 10a that your facility represents bottoming-cycle cogeneration technology, then you must respond to the items on pages 21 and 22. Otherwise, skip pages 21 and 22.

The thermal energy output of a bottoming-cycle cogeneration facility is the energy related to the process(es) from which at least some of the reject heat is then used for power production. Pursuant to sections 292.202(c) and (e) of the Commission's regulations (18 C.F.R. § 292.202(c) and (e)), the thermal energy output of a qualifying bottomingcycle cogeneration facility must be useful. In connection with this requirement, describe the process(es) from which at least some of the reject heat is used for power production by responding to lines 14a and 14b below. 14a Identify and describe each thermal host and each bottoming-cycle cogeneration process engaged in by each host. For hosts with multiple bottoming-cycle cogeneration processes, provide the data for each process in separate rows. Has the energy input to Name of entity (thermal host) the thermal host been performing the process from augmented for purposes which at least some of the of increasing power reject heat is used for power Thermal host's relationship to facility: production capacity? production Thermal host's process type (if Yes, describe on p. 24) Select thermal host's relationship to facility 1) Yes No Select thermal host's process type Select thermal host's relationship to facility Usefulness of Bottoming-Cycle 2) Yes No Select thermal host's process type Select thermal host's relationship to facility 3) Yes No 🗀 Thermal Output Select thermal host's process type Check here and continue in the Miscellaneous section starting on page 24 if additional space is needed 14b Demonstration of usefulness of thermal output: At a minimum, provide a brief description of each process identified above. In some cases, this brief description is sufficient to demonstrate usefulness. However, if your facility's process is not common, and/or if the usefulness of such thermal output is not reasonably clear, then you must provide additional details as necessary to demonstrate usefulness. Your application may be rejected and/or additional information may be required if an insufficient showing of usefulness is made. (Exception: If you have previously received a Commission certification approving a specific bottoming-cycle process related to the instant facility, then you need only provide a brief description of that process and a reference by date and docket number to the order certifying your facility with the indicated process. Such exemption may not be used if any material changes to the process have been made.) If additional space is needed, continue in the Miscellaneous section starting on page 24.

Applicants for facilities representing bottoming-cycle technology and for which installation commenced on or after March 13, 1990 must demonstrate compliance with the bottoming-cycle efficiency standards. Section 292.205(b) of the Commission's regulations (18 C.F.R. § 292.205(b)) establishes the efficiency standard for bottoming-cycle cogeneration facilities: the useful power output of the facility must be no less than 45 percent of the energy input of natural gas and oil for supplementary firing. To demonstrate compliance with the bottoming-cycle efficiency standard (if applicable), or to demonstrate that your facility is exempt from this standard based on the date that installation of the facility began, respond to lines 15a through 15h below.

If you indicated in line 10a that your facility represents *both* topping-cycle and bottoming-cycle cogeneration technology, then respond to lines 15a through 15h below considering only the energy inputs and outputs attributable to the bottoming-cycle portion of your facility. Your mass and heat balance diagram must make clear which mass and energy flow values and system components are for which portion of the cogeneration system (topping or bottoming).

(topping or bottoming).	
15a Did installation of the facility in its current form commence on or after March 13, 1	980?
Yes. Your facility is subject to the efficiency requirement of 18 C.F.R. § 292.205(with the efficiency requirement by responding to lines 15b through 15h below	
No. Your facility is exempt from the efficiency standard. Skip the rest of page 2	22.
15b Indicate the annual average rate of net electrical energy output	kW
15c Multiply line 15b by 3,412 to convert from kW to Btu/h	0 B tu/h
15d Indicate the annual average rate of mechanical energy output taken directly off of the shaft of a prime mover for purposes not directly related to power production (this value is usually zero)	hp
15e Multiply line 15d by 2,544 to convert from hp to Btu/h	0 Btu/h
15f Indicate the annual average rate of supplementary energy input from natural gas or oil	Btu/h
15g Bottoming-cycle efficiency value = 100 * (15c + 15e) / 15f	0 %
15h Compliance with efficiency standard: Indicate below whether the efficiency value than or equal to 45%:	e shown in line 15g is greater
Yes (complies with efficiency standard) No (does not comply wi	th efficiency standard)

Commission Staff Use Only:

Certificate of Completeness, Accuracy and Authority

Applicant must certify compliance with and understanding of filing requirements by checking next to each item below and

Signer identified below certifies the follo	sion.	
	wing: (check all items and applicable subitems)	
He or she has read the filing, including mass and heat balance diagrams, an knows its contents.	ng any information contained in any attached d nd any information contained in the Miscellaneo	ocuments, such as cogeneration ous section starting on page 24, and
igtimes He or she has provided all of the req to the best of his or her knowledge a	uired information for certification, and the provand belief.	ided information is true as stated,
He or she possess full power and aut Practice and Procedure (18 C.F.R. § 3	thority to sign the filing; as required by Rule 200 85.2005(a)(3)), he or she is one of the following:	95(a)(3) of the Commission's Rules of c(check one)
☐ The person on whose behalf	the filing is made	
An officer of the corporation	, trust, association, or other organized group on	behalf of which the filing is made
 An officer, agent, or employed filing is made 	e of the governmental authority, agency, or insti	rumentality on behalf of which the
A representative qualified to Practice and Procedure (18 C	practice before the Commission under Rule 210 C.F.R. § 385.2101) and who possesses authority to	01 of the Commission's Rules of o sign
He or she has reviewed all automatic Miscellaneous section starting on pa	c calculations and agrees with their results, unle 19e 24.	ss otherwise noted in the
interconnect and transact (see lines	s Form 556 and all attachments to the utilities w 4a through 4d), as well as to the regulatory auth	orities of the states in which the
page 4 for more information. Provide your signature, address and signature Procedure (18 C.F.R. § 385.2005(c)) provide	e the Required Notice to Public Utilities and State ature date below. Rule 2005(c) of the Commissi des that persons filing their documents electron filed documents. A person filing this document ided below.	on's Rules of Practice and ically may use typed characters
page 4 for more information. Provide your signature, address and signature Procedure (18 C.F.R. § 385.2005(c)) provide the formation of the formation.	ature date below. Rule 2005(c) of the Commissides that persons filing their documents electronifiled documents. A person filing this document	on's Rules of Practice and ically may use typed characters electronically should sign (by
page 4 for more information. Provide your signature, address and signature, address and signature and signature are considered as a signature for sign the formation or her name to sign the formation or her name are provided as a signature for the space provided as a signature for the	ature date below. Rule 2005(c) of the Commissices that persons filing their documents electronifiled documents. A person filing this document ided below.	on's Rules of Practice and ically may use typed characters

FERC Form 556 Page 24 - All Facilities

Miscellaneous

Use this space to provide any information for which there was not sufficient space in the previous sections of the form to provide. For each such item of information clearly identify the line number that the information belongs to. You may also use this space to provide any additional information you believe is relevant to the certification of your facility.

Your response below is not limited to one page. Additional page(s) will automatically be inserted into this form if the length of your response exceeds the space on this page. Use as many pages as you require.

Section 11:

On September 12, 2022, TotalEnergies SE ("TotalEnergies") acquired a 50 percent indirect interest in Clearway Energy Group LLC ("CEG"), which, as described in Section 5b, owns indirect interests in the applicant. The resulting upstream ownership changes are reflected in Section 5b. In addition, Section 2e has been updated.

Section 5b:

The Class A membership interests in Four Brothers Solar, LLC ("Four Brothers Solar") are held directly by Four Brothers Holdings, LLC which, in turn, is a direct, wholly-owned subsidiary of Utah Solar Holdings LLC ("Utah Solar"). Utah Solar is a direct, wholly-owned subsidiary of Utah Solar Master Holdings LLC ("Utah Solar Master"). The Class B membership interests in Four Brothers Solar are held directly by Utah Solar Holdings II LLC which, in turn, is a direct, wholly-owned subsidiary of Utah Solar Master. Utah Solar Master is a direct, wholly-owned subsidiary of Utah Solar Master HoldCo LLC which, in turn, is direct, wholly-owned subsidiary of Clearway Energy Operating LLC ("Clearway Operating").

Clearway Operating is a direct, wholly-owned subsidiary of Clearway Energy LLC ("Clearway LLC"). Clearway Energy, Inc. ("CWEN") is the managing member of Clearway LLC and owns all of the Class A and Class C membership interests of Clearway LLC, which currently represent, in the aggregate, approximately 58 percent of the economic interests in Clearway LLC. CEG owns all of the Class B and Class D membership interests of Clearway LLC, which currently represent, in the aggregate, approximately 42 percent of the economic interests in Clearway LLC.

CEG owns all of the shares of the Class B and Class D common stock of CWEN, which currently represent, in the aggregate, approximately 55 percent of the voting interests, but no economic interest. The shares of Class A and Class C common stock of CWEN, which currently represent, in the aggregate, approximately 45 percent of the voting interests (and all of the economic interests), are publicly traded on the New York Stock Exchange under the symbols "CWEN.A" and "CWEN" respectively.

All of the membership interests of CEG are owned by GIP III Zephyr Acquisition Partners, L.P. ("Acquisition Partners"). Zephyr Acquisition Holdings, L.P. ("Zephyr Holdings") owns 100% of the equity interests of Acquisition Partners, and Zephyr Holdings GP, LLC ("Holdings GP") is the 0% general partner of Acquisition Partners. The membership interests of Zephyr Holdings are owned by GIP III Zephyr Midco Holding, L.P. ("Zephyr Midco") (50%) and TotalEnergies Renewables USA, LLC ("TotalEnergies Renewables") (50%), and Holdings GP is the 0% general partner of Zephyr Holdings.

All of equity interests of Zephyr Midco and Holdings GP are owned by GIP III Zephyr Acquisition Holdings, L.P. ("Acquisition Holdings"). Acquisition Holdings is controlled by its general partner, Global Infrastructure GP III, LP, which is, in turn, managed by its general partner, Global Infrastructure Investors III, LLC ("Global Infrastructure III"). The sole member of Global Infrastructure III is GIM Participation Fund Holding, L.P. ("GIMP Fund"), which is owned by individuals.

The limited partnership interests in Acquisition Holdings are held by Global

FERC Form 556 Page 25 - All Facilities

Miscellaneous (continued)

Infrastructure Partners III-A/B AIV 3, L.P., Global Infrastructure Partners III-C Intermediate AIV 3, L.P., Global Infrastructure Partners III-C2 Intermediate AIV, L.P., GIP III Zephyr F&F LLC, and Global Infrastructure Partners III-C Intermediate AIV 2, L.P. (collectively, the "GIP III Funds"). The limited partnership interests in Acquisition Holdings held by the GIP III Funds are passive interests that do not convey management or operations control and that only convey limited consent rights comparable to those held by passive tax equity investors in AES Creative Resources, Inc., 129 FERC ¶ 61,239 (2009). The GIP III Funds are managed by Global Infrastructure Management, LLC, whose membership interests are owned by Global Infrastructure Management Participation LLC ("GIMP") (99%) and Global Infrastructure Management Participation 2, LLC ("GIMP2") (1%). GIMP and GIMP2 are owned by the same individuals who own GIMP Fund.

All of the membership interests of TotalEnergies Renewables are owned by TotalEnergies Delaware, Inc., which is a wholly owned subsidiary of TotalEnergies Holdings USA, Inc. ("TotalEnergies Holdings"). TotalEnergies Holdings is a wholly owned subsidiary of TotalEnergies Gestion USA, SARL, which is a wholly owned subsidiary of TotalEnergies. TotalEnergies' equity interests are publicly traded.

From time to time, internal corporation reorganizations may occur that result in changes in the intermediate ownership between the applicant, on the one hand, and GIMP Fund and/or TotalEnergies, on the other hand.